6K Series Grade 2 Cylindrical SFIC Knobs

Backset: 2 3/4" (for 2-3/8", Purchase Latch Separately)
Latch: 1/2" Throw Deadlocking Latch. Front: 2-1/4" X 1"
Mounting: 2-1/8" Dia. Bore

UL Listed for use on 3 HR, A label for single doors.
Listed by BHMA for A156.2, Series 4000, Grade 2.

Roses: K- 3" Dia. Mounting Screws Concealed.
Threaded outside rose adjustable for door thickness.
Strike: STK (Standard) 2-3/4" x 1-1/8" with curved lip & box
Thickness of doors: 1-3/4" to 1-7/8" standard.

2-3/8" Deadlatch BE6KL2

(Less Core)

Part #	Function	Price
BE6K30N4K-STK-626	Passage	$227.00
BE6K30L4K-STK-626	Privacy	$303.00
BE6K37AB4K-STK-626	Entrance	$374.00
BE6K37D4K-STK-626	Storeroom	
BE6K37R4K-STK-626	Classroom	

#4 Round Knob

Functions

N	Passage
L	Privacy
AB	Office(Entrance)
D	Storeroom
R	Classroom

7KC Series Grade 2 Cylindrical SFIC Levers

Backset: 2-3/4"
Latch: 1/2" Throw Deadlocking Latch. Front: 2-1/4" X 1-1/8"
Lever: 5-1/4" Long handle with return. Projection on door 2-1/2"
Mounting: 2-1/8" Dia. Bore
Rose: "D" 3-1/2" Dia. Mounting Screws Concealed.
Strike: STK (Standard) 2-3/4" X 1-1/8" with curved lip & box.
Door Thickness: 1-3/8" to 2"

2-3/8" Deadlatch BE7KCL2

#14D Curved Lever

#15D Return Lever

(Less Core)

Part #	Function	Style	Strike	Finish	Function	Price
BE7KC 01	**-DT**	**-14D**	**-STK**	**-626**	Single Dummy	$153.00
BE7KC 30	**-N**	**-14D**	**-STK**	**-626**	Passage	$338.00
BE7KC 30	**-L**	**-14D**	**-STK**	**-626**	Privacy	$370.00
BE7KC 37	**-AB**	**-14D**	**-STK**	**-626**	Entrance	$461.00
BE7KC 37	**-D**	**-14D**	**-STK**	**-626**	Storeroom	
BE7KC 37	**-R**	**-14D**	**-STK**	**-626**	Classroom	

STK Strike Standard
For 7KC Series.

Stock finish is satin chrome 626.
Ask customer service for information
on other finishes, roses, lever styles,
and functions.

8K Series Grade 1 Cylindrical SFIC Knobs

Backset: 2-3/4"
Latch: 9/16" Throw Deadlocking Latch. Front: 2-1/4" X 1-1/8"
Knob: Dia. 2-1/8". Projection On Door 2-7/8"
Mounting: 2-1/8" Dia. Bore
Rose: "A" 3-3/4" Dia.
Strike: "S3" ANSI 4-7/8" x 1-1/4"
Door Thickness: 1-3/8" To 2"

#4 Knob,
Rose A

(Less Core)

Part #	Function		Price
BE8K30-N-4A-S3-626	Passage		$786.00
BE8K30-L-4A-S3-626	Privacy		$905.00
BE8K37-AB-4A-S3-626	Entrance		$1,043.00
BE8K37-D-4A-S3-626	Storeroom		
BE8K37-R-4A-S3-626	Classroom		
BE8K37-G-4A-S3-626	Store Lock	Double Sided	$971.00
BE8K37-W-4A-S3-626	Institutional	Double Sided	

Stock finish is satin chrome 626.
Ask customer service for information
on other finishes, roses, lever styles, and functions.

8T Series Grade 1 Tubular SFIC Deadbolts

Full 1" stainless steel throw deadbolt free-turning, wrench-resistant, tapered cylinder ring stainless steel for strength and corrosion resistance simple installation; self-aligning and reversible strike
ADA turn lever

Backset: 2-3/4" Standard
(Purchase 2-3/8" Bolt Separate)
BE8TD2B
Door thickness
-Fit 1-3/4" Doors (Standard)

(Less Core)

Part #	Function	Price
BE8T37K-STK-626	Cylinder X Thumbturn	$323.00
BE8T37L-STK-626	Cylinder X Blank Plate	
BE8T37M-STK-626	Cylinder X Cylinder	$423.00
BE8T37S-STK-626	Classroom	$323.00

48H Series SFIC Mortise Deadbolts

Case:
3-3/8" x 4-3/16" x 1"
Faceplate:
5-3/8" x 1-3/16" x 7/32"
Backset:
2-3/4"
Door Thickness:
1-3/4" thick

(Less Core)

Part #	Function	Price
BE48H-K-626	Cylinder X Thumbturn	$548.00
BE48H-M-626	Double Cylinder	$661.00

Padlocks

All padlocks utilize the interchangeable core which allows immediate re-keying at minimal cost. Padlocks are available in various case sizes.

Case: machined from solid extruded brass.
standard finish is 626 satin chromium plated.
shackle: the shackle locks at both heel and toe.
The length of shackle opening is measured from top of case to inside of shackle when padlock is locked.

BE11B-72-L

Shackle Dia:
11B= 1/4"
21B= 5/16"
41B= 3/8"

Shackle Height

Function:
T= Key Retaining
L= Non-Key Retaining

ALL PADLOCKS ARE STOCKED WITH STEEL SHACKLE.

(Less Core)

Part #	Body Width	Shackle Height	Function	Price
BE11B72L	1-5/8"	3/4"	Non-Key Retaining	$92.00
BE11B72T	1-5/8"	3/4"	Key Retaining	
BE11B722L	1-5/8"	1-1/2"	Non-Key Retaining	
BE11B772L	1-5/8"	2"	Non-Key Retaining	$97.00
BE11B772T	1-5/8"	2"	Key Retaining	
BE11B782L	1-5/8"	4"	Non-Key Retaining	$109.00
BE21B72L	1-25/32"	3/4"	Non-Key Retaining	$95.00
BE21B72T	1-25/32"	3/4"	Key Retaining	
BE21B722L	1-25/32"	1-1/2"	Non-Key Retaining	
BE21B722LM	1-25/32"	1-1/2"	Key Retaining	$95.00
BE21B772L	1-25/32"	2"	Non-Key Retaining	$98.00
BE21B782L	1-25/32"	4"	Non-Key Retaining	$110.00
BE41B722L	1-15/16"	1-1/2"	Non-Key Retaining	$97.00
BE41B772L	1-15/16"	2"	Non-Key Retaining	$100.00
BE41B782L	1-15/16"	4"	Non-Key Retaining	$112.00

Special Order Options:

Case Drilled (no clevis/chain)

Ask customer service for information on chains, shrouded shackles, weather covers, special stamping & more.

The pricing in this catalog is from December 2024. Prices are subject to change. Check our website, or call for current pricing.

9K Series Grade 1 Cylindrical SFIC Levers

ADA: the design and operation of the BEST cylindrical lock meets the intent of the standard for ANSI A117.1 Section 404.2.6

Listed by BHMA for A156.2 Series 4000, Grade 1.

listed by Underwriters Laboratories for use on 3 Hr,

A label for single or double swinging doors.

Backset: 2-3/4" Standard, 3-3/4" And 5" Available.

Chassis: Critical Latch and Chassis Components are Brass or Corrosion Treated Steel.

2-1/16" Diameter to fit 2-1/8" hole in door (Conforms to ANSI A115.2).

Door Thickness: Available for 1-3/4" to 2-1/4" Doors Only.

Roses: C -3" Convex, D - 3-1/2" Convex

(Less Core)

Specify "STK" For T Strike

14D	15D	16D
		*Also stocked in Black 622 finish

"S3" 4-7/8" ANSI Strike

Part #		Function	Lever Style	Strike	Finish	Function	Price
BE9K	01	-DT	15D	-S3	-626	Single Dummy	$294.00
BE9K	30	-N	15D	-S3	-626	Passage	$689.00
BE9K	30	-L	15D	-S3	-626	Privacy	$791.00
BE9K	37	-AB	15D	-S3	-626	Entrance	$983.00
BE9K	37	-D	15D	-S3	-626	Storeroom	
BE9K	37	-R	15D	-S3	-626	Classroom	
BE9K	37	-W	15D	-S3	-626	Institutional	$1,123.00

Example Part Number
BE9K37-AB-15D-S3-626

Function Lever/Rose Strike Finish

C– 3"Convex
D– 3-1/2"Convex
K– 3"Convex- No Ring
L– 3-1/2" Convex- No ring

9KZ Series Grade 1 Cylindrical SFIC Levers With Stand Alone Keypad

Offers a simply managed key replacement solution. With the heavy-duty mechanical platform and tough security features you expect from BEST, the keypad EZ series delivers quality and performance as well as simplified management. Keypad EZ series locks work with up to fifty unique credentials and allow manager control for varied access rights.

Same Specifications, and Lever Options as 9K series.
Electronic
Primary Power: 4 AA Batteries (standard)
Memory Backup – Maintains Programming Indefinitely.
Sealing – Weatherproof lens and gasket provides protection for outdoor use (usable in most environmental/exterior applications)

Escutcheon – Dimensions: 10-1/2" H x 3 5/16" W x 1" D sloping down to 3⁄4".

*Exit trim version also available

"S3" 4-7/8" ANSI Strike

Specify "STK" For T Strike

*ask customer service for information on non-ic key in lever preps, and competitive keyways, available for special order

(Less Core)

BE9KZ37DV-15KP-S3-626 $1,720.00

45H Series Mortise Locks

The 40H Series is UL Listed
For use on a 3 Hour A Label Doors.

Auxiliary Bolt: Stainless Steel, Non-handed.
Backset: 2-3/4"
Case: 0.095"
Cold Rolled Steel, 5-7/8" H X 7/8" D X 4-1/16" W.
Steel is zinc dichromate plated for corrosion protection.
Deadbolt: Stainless Steel, 1" Throw.
Latchbolt: Solid Stainless Steel, 3/4" Throw.
Latch is reversible without opening case.
Door Thickness: Standard lock configuration designed for doors 1-3/4" thick.
Special order thick door configuration available for doors up to 5"
Faceplate: 8" H X 1 -/4" W X 1/16"

2-3/4" Dia. "H" Rose Standard

Lever #3	Lever #12	Lever #14	Lever #15	Lever #16	Lever #17
	*Special, Add $66.00	*Stock	*Stock	*Stock	*Special, Add $66.00

Part #	Function	Specify Lever Style	Rose Style	Finish	Specify Handing	Function	Price (Less Core)
BE45H0	**N**	**15**	**H**	**-626**	LH or RH	Passage	$1,082.00
BE45H0	**L**	**15**	**H**	**-626**	LH or RH	Privacy	$1,2279.00
BE45H7	**A**	**15**	**H**	**-626**	LH or RH	Entrance	$1,368.00
BE45H7	**AB**	**15**	**H**	**-626**	LH or RH	Entrance With Deadbolt	$1,409.00
BE45H7	**D**	**15**	**H**	**-626**	LH or RH	Storeroom	$1,368.00
BE45H7	**R**	**15**	**H**	**-626**	LH or RH	Classroom	
BE45H7	**IND**	**15**	**H**	**-626**	LH or RH	Intruder Deadbolt	$1,536.00

Visual indicators available for special order, ask for more information.

Escution Pate

15J, & 16J
Style Plate trim now in stock.
Call for pricing

*Stock
15J

*Stock
16J

Replacement Mortise Bodies

45HCA	A	Office	$586.00
45HCA	AB	Office W/ Deadbolt	$635.00
45HCA	D	Storeroom	$586.00
45HCA	L	Privacy	$635.00
45HCA	N	Passage	$457.00
45HCA	R	Classroom	$586.00

Universal Functions

Latch	UNR	$586.00
Deadbolt	UNT, UNAB	$635.00

45HW Series Electromechanical Mortise Locks

Same specifications and style options as 45H series shown above, but electrified for Fail- Safe(DEL), or Fail-Secure(DEU) Applications.
Specify Handing: LH, LHR, RH, RHR.
Specify Voltage: 24V(Standard), or 12V

(Less Core) $2,222.00

BE45HW7-DEU-14H-626-LH-24V

BE45HW7-DEL-14H-626-LH-24V

45HZ Keypad EZ Mortise Locks

Same lever style options as 45h series shown above.
Same keypad specifications as the 9KZ Series shown on page 107.
Specify Handing: LH, RH, LHR, RHR
"DV"=Single Keyed Latch

BE45HZ-DV-14KP-626-RH $1,952.00

"TV"=Single Keyed Deadbolt

BE45HZ-TV-14KP-626-RH $1,994.00

(Less Core)

The pricing in this catalog is from December 2024. Prices are subject to change. Check our website, or call for current pricing.

SPSL Secure Patient Safety Lever — Anti Ligature

Special Order, Ask Customer Service For Information.

• Ligature-resistant. our patented design includes independent, tapered, free-moving, bi-directional levers set flush against low profile, conical escutcheons.

• Application-driven innovation. Designed to Meet the unique needs of a secured behavioral Ward, SPSL locksets combine non-institutional Aesthetics with patented ligature-resistant Features and maximum flexibility.

BEKD316
SPANNER WRENCH

BEED211
MORT. CYL. WRENCH

9K
7-pin IC Fork
BEB54200

Cams



C4 STANDARD | C191 BEST LATCH | C208 SARGENT | C258 BEST BOLT | C181 ADAMS RITE

Housings — Mortise, Less Core

BE1E74C4RP3-626
Standard Cam

BE1E74C208RP3-626
Sargent Cam

BE1E76C181RP3-626
Adams Rite Cam

$115.00 each

*Must specify cam when ordering,cams are staked on.

Rim, Less Core

$102.00 each
BE12E72S2RP-626

Pins — Original BEST A2 Pins

Bottom	Top	Top
BEA0	BEB2	BEB12
BEA1	BEB3	BEB13
BEA2	BEB4	BEB14
BEA3	BEB5	BEB15
BEA4	BEB6	BEB16
BEA5	BEB7	BEB17
BEA6	BEB8	BEB18
BEA7	BEB9	BEB19
BEA8	BEB10	
BEA9	BEB11	

$19.00 Per bag of 100

Caps Bag of 500 — **BE21C** $28.00

Springs Bag of 500 — **BE22S** $62.00

Pin Kit
A2 System
BECD431-2
$1,635.00

Capping Pin
BECD547
$47.00

Ejector Pin
BECD548
$34.00

Core Capping/ Decapping Press

BECD517
$4,407.00

Capping Block
BECD540
$334.00

Key Blanks

BE1A1A1	BE1A1K1
BE1A1B1	BE1A1L1
BE1A1C1	BE1A1M1
BE1A1D1	BE1A1N1
BE1A1DD1	BE1A1Q1
BE1A1E1	BE1A1R1
BE1A1F1	BE1A1TA1
BE1A1G1	BE1A1TB1
BE1A1H1	BE1A1TC1
BE1A1J1	BE1A1TD1
	BE1A1TE1

Standard KS473xKS800

$5.20 each
Sold in boxes of 144

Premium Keyways
BE1AP1WA1
BE1AP1WB1
BE1AP1WC1
BE1AP1WD1
BE1AP1WE1
BE1AP1WG1
BE1AP1WH1
BE1AP1WY1

$8.50 each
Sold in boxes of 100

BEST Peaks Keys

BE1AK1B116	BE1AK1B117
BE1AK1B216	BE1AK1B217
BE1AK1B316	BE1AK1B317
BE1AK1B416	BE1AK1B417
BE1AK1B616	BE1AK1B617
BE1AK1B716	BE1AK1B717
BE1AK1B816	BE1AK1B817
BE1AK1B916	BE1AK1B917
BE1KAB1016	BE1AK1B1017

$13.90 each
Sold In Boxes of 100

Standard Cores

6-Pin	7-Pin
BE1C6A1	BE1C7A1
BE1C6B1	BE1C7B1
BE1C6C1	BE1C7C1
BE1C6D1	BE1C7D1
BE1C6DD1	BE1C7DD1
BE1C6E1	BE1C7E1
BE1C6F1	BE1C7F1
BE1C6G1	BE1C7G1
BE1C6H1	BE1C7H1
BE1C6J1	BE1C7J1
BE1C6K1	BE1C7K1
BE1C6L1	BE1C7L1
BE1C6M1	BE1C7M1
BE1C6N1	BE1C7N1
BE1C6Q1	BE1C7Q1
BE1C6R1	BE1C7R1
BE1C6TA1	BE1C7TA1
BE1C6TB1	BE1C7TB1
BE1C6TC1	BE1C7TC1
BE1C6TD1	BE1C7TD1
BE1C6TE1	BE1C7TE1

Uncombinated
Specify Finish 605 or 626

Standard Keyways

$68.00 each

Premium Keyways
BE1CP7WA1
BE1CP7WB1
BE1CP7WC1
BE1CP7WD1
BE1CP7WE1
BE1CP7WG1
BE1CP7WH1
BE1CP7WY1

Premium Keyways

$76.00 each

BEST Peaks Cores

BE1CB6B11	BE1CB7B11
BE1CB6B21	BE1CB7B21
BE1CB6B31	BE1CB7B31
BE1CB6B41	BE1CB7B41
BE1CB6B61	BE1CB7B61
BE1CB6B71	BE1CB7B71
BE1CB6B81	BE1CB7B81
BE1CB6B91	BE1CB7B91
BE1CB6B101	BE1CB7B101

Uncombinated
$90.00 each

EHD9000 Heavy Duty Door Closers

The EHD9000's single-piece cast iron design is quality you can feel. Expertly cast in Germany, it's sturdy with no seams — unlike competitors who use a threaded, two-piece construction with a steel tube — and designed to work from day one to decades down the road.

Rugged reliable single-piece cast iron construction.
Durable design meant to last and perform consistently over the years.

Many door closers require adjustments before installation. If you forget, then finish the install without adjusting, you may have to remove the whole closer and do it over again. The EHD9000 makes it easier for you to install without worry and maintain long after installation.



$724.00



BEEHD9016AF90P-689
ALUMINUM
BEEHD9016AF90P-693
BLACK

Precision 2100 Series 3RO-Reversible Rim, Wide Stile Exit Devices

Options and Exit Trim part numbers are shown on next page

The 2000 Series is composed of a contemporary touchbar made for today's demanding architectural requirements.
Finely machined parts ensure the smooth and easy operation of the touchbar. The clean, streamlined design of the touchbar and case cover are formed around heavy duty rugged components necessary to withstand heavy traffic and abuse.
Precision devices meet the most stringent needs of the owner and architect. Available in wide stile and narrow stile with a variety of trims.
Vandal resistant lever trim is available for the wide stile device.

Pull Trim 1700A

Lever Trim 4900A



Devices are for 3' door.
For 4', add (-4) to part #, no extra charge

DOORS
For all types of single and double doors with a mullion.
Available for 1-3/4" to 2-1/4" thick, up to 4'-0" wide opening. For thicker doors, consult factory. Furnished standard for 1-3/4" thick, 3'-0" wide opening.

FUNCTIONS
Functions are field selectable except for the Double Cylinder option. The device is furnished for a desired function if specified. If not specified the "03" function is furnished standard.
BASE MATERIAL
The Cover, Touchbar, Device Channel, Lock/Hinge Side Filler and End Cap are furnished of heavy wrought Brass, Bronze or Stainless Steel. 628 Devices are furnished with Aluminum, Brass, Bronze and Stainless Steel components.
LATCHBOLT
Stainless Steel, Deadlocking, 3/4" throw.
STRIKES
No. S300, Investment Cast Stainless Steel, Black Powder Coated furnished standard. No. S988, optional strike for use on Aluminum Door applications, please specify when ordering. No. S458, optional strike for use on Mullion applications, please specify when ordering.
DOGGING
1/4" turn hex key dogging standard.
NOT available on Fire Exit Hardware.
TOUCHBAR HEIGHT
39-15/16" from floor standard.
REVERSIBLE
Reversible for all functions and Trims.
RHRB.
UL LISTED

Device X Trim	Outside Function	628	606,612 613,622 630,690	626W	605, 625
PH2101	Exit Only, No Trim	$2,217.00	$2,552.00	$2,790.00	$2,852.00
PH2102x1702A	Dummy Trim	$2,483.00	$2,818.00	$3,056.00	$3,131.00
PH2103x1703A	Key Retracts Latchbolt				
PH2105x1705A	Key Controls Thumbpiece	$2,663.00	$2,998.00	$3,236.00	$3,315.00
PH2115x1715A	Thumbpiece Always Active				
PH2102x4902A	Dummy Trim	$2,766.00	$3,101.00	$3,339.00	$3,524.00
PH2103x4903A	Key Retracts Latchbolt				
PH2108x4908A	Key Controls Lever	$2,951.00	$3,286.00	$3,524.00	$3,709.00
PH2108xV4908A	Key Controls Lever W Clutch				
PH2114x4914A	Lever Always Active				
PHE2103x4908A **PHE2103xV4908A**	Mechanical Device With Electrified Trim	$3,762.00	$4,097.00	$4,335.00	$4,520.00

The pricing in this catalog is from December 2024. Prices are subject to change. Check our website, or call for current pricing.

*All trims are less cylinder *There are more lever styles available for special order, ask customer service for information.

Precision 2200 Series — 3RO-Reversible Surface Vertical Rod, Wide Stile Exit Devices

DOORS
For all types of single and double door applications. Available for 1-3/4" to 2-1/4" thick, up to 4'-0" wide by 10'-0" high openings. For thicker doors, consult factory. Furnished standard for 1-3/4" thick, 3'-0" wide by 7'-0" high openings.
DEVICE
Covers ANSI A115.2 (Type 161), A115.18 cylinder lock and A115.1 (Type 86) Mortise Lock preparation.
FUNCTIONS
Functions are field selectable. The device is furnished for a desired function if specified. If not specified the "03" function is furnished standard.
BASE MATERIAL
The Covers, Touchbar, Device Channel, Lock/Hinge Side Filler, Vertical Rods and End Cap are furnished of heavy wrought Brass, Bronze or Stainless Steel. US28 Devices are furnished with Aluminum, Brass, Bronze and Stainless Steel components.
CHASSIS
Investment Cast Steel, Zinc Dichromated.
TOP LATCHBOLT
Stainless Steel, Deadlocking, 3/4" throw.
REVERSIBLE
Reversible for all functions and trims. Standard packing RHRB.
UL LISTED
Panic and Fire Exit Hardware. Conforms to UL10C and UBC 7-2.
ANSI/BHMA
Devices are BHMA certified ANSI 156.3, Grade 1.
FINISHES
605, 606, 612, 613, 625, 628, 630.
CYLINDERS
Rim type, not furnished standard. Specify when required.
LESS BOTTOM ROD (LBR) OPTION
Specify suffix "LBR" (e.g. 2208LBR). Fire Rated Devices include FB277 Fire Bolt Assembly.
RETROFIT APPLICATIONS
The 2200 and FL2200 Series Devices are designed to retrofit into other manufacturers' mounting hole locations. 1700 Series Pull Trim and 4900 Series Lever Trim may also be factory set for these applications by specifying prefix "R" (e.g. 2208R4908A).
BOTTOM BOLT
Steel plated, independent action 5/8" throw, with adjustment range to suit 3/4" door undercut.
TOP STRIKE
No. S300 Surface applied, Investment Cast Stainless Steel, Black Powder Coated furnished standard.
BOTTOM STRIKE
No. S460, Flush mounted, Steel, Black Powder Coated.
DOGGING
1/4" turn hex key dogging standard.
NOT available on Fire Exit Hardware.
TOUCHBAR HEIGHT
39-15/16" from floor standard. Specify required height if other than standard





Top rod for 7' door is standard. extensions rods for 8' doors are sold separate:

		606,612,613, 622,630,690	605, 625,626W
8'	**PHTR1855**	$145.00	$187.00
10'	**PHTR1857**		
12'	**PHTR5197** (not for fire rated devices)		

Devices are for 3' door.
for 4', add (-4) to part #, no extra charge

Device X Trim	Outside Function	628	606,612 613,622 630,690	626W	605, 625
PH2201	Exit Only, No Trim	$3,105.00	$3,456.00	$3,730.00	$3,796.00
PH2202x1702A	Dummy Trim	$3,371.00	$3,722.00	$3,996.00	$4,071.00
PH2203x1703A	Key Retracts Latchbolt				
PH2205x1705A	Key Controls Thumbpiece	$3,551.00	$3,902.00	$4,176.00	$4,255.00
PH2215x1715A	Thumbpiece Always Active				
PH2202x4902A	Dummy Trim	$3,654.00	$4,005.00	$4,176.00	$4,255.00
PH2203x4903A	Key Retracts Latchbolt				
PH2208x4908A	Key Controls Lever	$3,839.00	$4,190.00	$4,464.00	$4,649.00
PH2208xV4908A	Key Controls Lever W Clutch				
PH2214x4914A	Lever Always Active				
PHE2203x4908A	Mechanical Device With Electrified Trim	$4,966.00	$5,317.00	$5,591.00	$5,776.00

For Fire Rated Exit Devices, add (FL) to the beginning of the part number, and add $251.00 to the price

For Electric Latch Retraction, add (ELR) to the beginning of the part number, and add $1,155.00 to the price.
ELR Requires PHELR150 Power Supply, See Below:
PHELR-150 (Power Supply, No Control Module) $661.00
PHELR-151 (Power Supply W/ 1 Control Module For 1 Device, $1,040.00
PHELR-152 (Power Supply W/ 2 Conrtol Modules for 2 Devices, $1,419.00

"03"-Storeroom

For Cylinder Dogging, add (CD) to the part number, add $127.00 to the price

"08"-Classroom

For Exit Alarm, add (ALK) to the part number & add $830.00 to the price

For Pull Trims Sold Separate:		606, 612, 613 622, 630, 690	605, 625
PH1701	Cover Plate	$191.00	$253.00
PH1702A	Dummy Trim	$457.00	$532.00
PH1703A	Key Retracts Latchbolt		
PH1705A	Key Controls Thumbpiece	$637.00	$716.00
PH1715A	Thumbpiece Always Active		

For Lever Trims Sold Separate:		606, 612, 613 622, 630, 690	605, 625
PH4901	Cover Plate	$248.00	$305.00
PH4902A	Dummy Trim	$740.00	$925.00
PH4903A	Key Retracts Latchbolt		
PH4908A	Key Controls Lever	$925.00	$1,100.00
PH4914A	Lever Always Active		

Precision 2300 Series 3RO- Handed, Wide Stile Mortise Exit Devices



Pull Trim 1700A

Lever Trim 4900A

DOORS
For all types of single and double door applications.
Available for 1-3/4" to 2-1/4" thick, up to 4-0" wide opening.
For thicker door, consult factory.
Furnished standard for 1-3/4" thick, 3'-0" wide opening.
DEVICE
Covers ANSI A115.2 (Type 161), A115.18 cylinder lock and A115.1 (Type 86) Mortise Lock preparation.
DOUBLE CYLINDER
Handed, "10" Function available. Requires one rim type cylinder and one 1-1/4" long mortise type cylinder, not furnished standard.
BASE MATERIAL
The Cover, Touchbar, Device Channel, Lock/Hinge Side Filler and end cap are furnished of heavy wrought Brass,
Bronze or Stainless Steel. US28 Devices are furnished with Aluminum, Brass, Bronze and Stainless Steel components.
CHASSIS
Investment Cast Steel, Zinc Dichromated.
DOGGING
1/4" turn hex key dogging standard. NOT available on Fire Exit Hardware.
TOUCHBAR HEIGHT - 39-15/16" from floor standard.
HANDED
Specify hand when ordering as RHRB or LHRB.
Touchbar Assembly, Mortise Lock and Trim may be reversed in the field. For reversibility of complete device, mortise strike is required for the other hand.
UL LISTED-Panic and Fire Exit Hardware.
Conforms to UL10C and UBC 7-2.
ANSI/BHMA
Devices are BHMA certified for ANSI 156.3, Grade 1.
CYLINDERS- Mortise type, not furnished standard.
RETROFIT APPLICATIONS
The 2300 and FL2300 Series are designed to retrofit into other manufacturers' mounting hole locations.
1700 Series Pull Trim & 4900 Series Lever Trim may also be factory set for these applications by specifying prefix "R" (e.g. 2308 R4908A).
Consult factory for details.
Exit Series - Handed
Fits doors machined per ANSI A115.1 (Type 86) Mortise Lock preparation.
BACKSET: 2-3/4".
CASE
Wrought Steel, Zinc Dichromate finish.
LOCK FRONT PLATE
8" x 1-1/4" Bronze, Brass or Stainless Steel, pivots for beveled or square edged doors.
LATCHBOLT
Stainless Steel, Deadlocking, 3/4" throw, anti-friction.
GUARDBOLT
Stainless Steel, sliding type.
FINISHES - LOCK FRONT PLATE and STRIKE
605, 606, 612, 613, 625, 630. 630 furnished for 626 and 628 locks.
STRIKES
No. S982, handed curved lip strike furnished standard.

Devices are for 3' door.
for 4', add (-4) to part #, no extra charge

Device X Trim	Outside Function	628	606,612 613,622 630,690	626W	605, 625
PH2301	Exit Only, No Trim	$3,055.00	$3,409.00	$3,672.00	$3,734.00
PH2302x1702A	Dummy Trim	$3,321.00	$3,675.00	$3,938.00	$4,013.00
PH2303x1703A	Key Retracts Latchbolt				
PH2305xM1705A	Key Controls Thumbpiece	$3,501.00	$3,856.00	$4,118.00	$4,197.00
PH2315xM1715A	Thumbpiece Always Active				
PH2302x4902A	Dummy Trim	$3,604.00	$3,958.00	$4,221.00	$4,406.00
PH2303xM4903A	Key Retracts Latchbolt				
PH2308xM4908A	Key Controls Lever	$3,789.00	$4,143.00	$4,406.00	$4,591.00
PH2308xMV4908A	Key Controls Lever W Clutch	$3,789.00	$4,143.00	$4,406.00	$4,591.00
PH2314xM4914A	Lever Always Active				
PHE2303xM4908A **PHE2303xMV4908A**	Mechanical Device With Electrified Trim	$4,757.00	$5,111.00	$5,374.00	$5,559.00

For Fire Rated Exit Devices, add (FL) to the beginning of the part number, and add $251.00 to the price

For Electric Latch Retraction, add (ELR) to the beginning of the part number, and add $1,155.00 to the price.
ELR Requires PHELR150 Power Supply, See Below:
PHELR-150 (Power Supply, No Control Module) $661.00
PHELR-151 (Power Supply W/ 1 Control Module For 1 Device, $1,040.00
PHELR-152 (Power Supply W/ 2 Conrtol Modules for 2 Devices, $1,419.00

"03"-Storeroom
"08"-Classroom

For Cylinder Dogging, add (CD) to the part number, add $127.00 to the price

For Exit Alarm, add (ALK) to the part number & add $830.00 to the price

Replacement Mortise Locks:
- PHM303: 01, 02 & 03 functions.
- PHM308: 05, 08, 14 & 15 functions.
- PHM310: 10 function.

For Pull Trims Sold Separate:			606, 612, 613 622, 630, 690	605, 625
	PH1701	Cover Plate	$191.00	$253.00
	PH1702A	Dummy Trim	$457.00	$532.00
	PH1703A	Key Retracts Latchbolt		
	PH1705A	Key Controls Thumbpiece	$637.00	$716.00
	PH1715A	Thumbpiece Always Active		

For Lever Trims Sold Separate:			606, 612, 613 622, 630, 690	605, 625
	PH4901	Cover Plate	$248.00	$305.00
	PH4902A	Dummy Trim	$740.00	$925.00
	PH4903A	Key Retracts Latchbolt		
	PH4908A	Key Controls Lever	$925.00	$1,100.00
	PH4914A	Lever Always Active		

The pricing in this catalog is from December 2024. Prices are subject to change. Check our website, or call for current pricing.

Precision 5100 Series 4RO- Non-Handed Rim Exit Devices

The Precision 5000 Series is the exit device of choice when an economical and reliable exit device is required. All Precision 5000 series exit devices are UL listed for panic and fire hardware and are certified to ANSI a156.3 grade 1. The Precision Series is available in durable powder coat finishes with a variety of trim styles and functions. the chassis is constructed of stainless steel and covers the standard type 161 door preparation.

DOORS
For all types of single and double doors with a mullion. Available for 1-3/4" to 2-1/4" thick, up to 4'-0" wide openings. For thicker doors, consult factory. Furnished standard for 1-3/4" thick, 3'-0" wide openings.
ACTIVE CASE & TRIM
Covers ANSI A115.2 (Type 161) or ANSI A115.18 cylinder lock preparation. Active Case through bolts in ANSI A115.18 preparation without additional machining.
FUNCTIONS
Universal Exit Device, add Trim for the desired function.
ACTIVE CASE COVER & ENDCAP
High Impact Thermoplastic.
ACTIVE CASE
Stainless Steel.
TOUCHBAR SUB-ASSEMBLY
Zinc Dichromate plated Heavy Wrought Steel.
TOUCH BAR ASSEMBLY
PowderCoatedHeavyWrought Steel.
STRIKES
No. S300, Investment Cast Stainless Steel, Black Powder Coated furnished standard. No. S988, optional strike for use on Aluminum Door applications, specify when ordering. No. S458, optional strike for use on mullion applications, specify when ordering.
LATCHBOLT
Stainless Steel, Deadlocking, 3/4" throw.
DOGGING
1/4 turn hex key dogging standard. NOT available on Fire Exit Hardware.
TOUCHBAR HEIGHT
40-5/16" from floor standard. May be varied as situation dictates.
UL LISTED
Panic and Fire Exit Hardware. Conforms to UL10C and UBC 7-2.
ANSI/BHMA
Devices are BHMA certified for ANSI 156.3, Grade 1.
FINISHES
689 Aluminum Powder Coat, 695 Dark Bronze Powder Coat.

603 & 703 trims use a rim cylinder, 808A trims use a mortise cylinder. cylinders are not included.

Devices are for 3' door.
For 4', add (-4) to part #, no extra charge

Device X Trim	Outside Function	689, 695
PH5101	Exit Only, No Trim	$850.00
PH5102x602	Dummy Trim	$878.00
PH5103X603	Key Retracts Latchbolt	
PH5102x702A	Dummy Trim	$960.00
PH5103x703A	Key Retracts Latchbolt	
PH5108x808A	Key Controls Lever	$1,197.00
PH5114x814A	Lever Always Active	

For Fire Rated Exit Devices, add (FL) to the beginning of the part number, and add $251.00 to the price

For Cylinder Dogging, add (CD) to the part number, add $127.00 to the price

For Exit Alarm, add (ALK) to the part number,& add $830.00 to the price

Trims Sold Separate For All Reliant 5000 Series Exit Devices



Cover Plate **PH501** $87.00

Wing Pull **PH602** $115.00



Wing Pull W/ Cyl. Hole **PH603** $115.00

Pull Handle **PH702A** $197.00



Pull Handle W/ Cylinder Hole **PH703A** $197.00

Lever Trim **PH808A** $434.00



Passage Lever Trim **PH814A** $434.00

Surface Vertical Rod 5200 Series Exit Devices use the same trims as the 5100 series rim devices, shown on previous page

Precision 5200 Series 4RO- Non-Handed Surface Vertical Rod Exit Devices

DOORS
For all types of single and double door applications.
Available for 1-3/4" to 2-1/4" thick, up to 4-0" wide by 10'-0" high openings. For thicker doors, consult factory.
Furnished standard for 1-3/4" thick, 3'-0" wide by 7'-0" high openings.
ACTIVE CASE & TRIM
Covers ANSI A115.2 (Type 161) or ANSI A115.18 cylinder lock preparation. Active case through bolts in ANSI A115.18 preparation without additional machining.
FUNCTIONS
Universal Exit Device, add Trim for the desired function.
ACTIVE CASE COVER, LATCH COVERS & ENDCAP
High Impact Thermoplastic.
ACTIVE CASE & TOUCHBAR SUB-ASSEMBLY
Zinc Dichromate plated Heavy Wrought Steel.
TOUCHBAR ASSEMBLY
Powder Coated Heavy Wrought Steel.
VERTICAL RODS: Powder Coated Steel.
TOUCHBAR HEIGHT
40-5/16" from floor standard.
REVERSIBLE: Reversible for all functions and trims.
Standard packaging RHRB.
UL LISTED: Panic and Fire Exit Hardware.
Conforms to UL10C and UBC 7-2.
ANSI/BHMA certified for ANSI 156.3, Grade 1.
FINISHES
689 Aluminum Powder Coat, 695 Dark Bronze Powder Coat.
LESS BOTTOM ROD (LBR) OPTION
Specify suffix "LBR" (e.g. 5200LBR). Fire Rated Devices include FB277 Fire Bolt Assembly
BOTTOM BOLT
Steel plated, independent action 5/8" throw, with adjustment range to suit 3/4" door undercut.
TOP STRIKE
No. S300, Investment Cast Stainless Steel, Black Powder Coated.
BOTTOM STRIKE
No. S460, Steel, Black Powder Coated, flush mounted.
DOGGING: 1/4 turn hex key dogging standard.
Not available for Fire Exit Hardware.
TOP LATCHBOLT: Stainless Steel, Deadlocking, 3/4" throw.



For Fire Rated Exit Devices, add (FL) to the beginning of the part number, and add $251.00 to the price

For Cylinder Dogging, add (CD) to the part number, add $127.00 to the price

For Exit Alarm, add (ALK) to the part number, & add $830.00 to the price

Surface Vertical Rod 5200 Series Exit Devices are stocked for 7' or 8' doors. extended rods are sold separate:

PHRTR1861, 8' Rod, $104.00
PHRTR1863, 10' Rod, $104.00

Devices are for 3' door.
for 4', add (-4) to part #, no extra charge

Device X Trim	Outside Function	689, 695
PH5201	Exit Only, No Trim	$1,401.00
PH5202x602	Dummy Trim	$1,429.00
PH5203X603	Key Retracts Latchbolt	
PH5202x702A	Dummy Trim	$1,511.00
PH5203x703A	Key Retracts Latchbolt	
PH5208x808A	Key Controls Lever	$1,748.00
PH5214x814A	Lever Always Active	

Arm-A-Dor® 7RO- Security Exit Hardware

Take control in the fight against back door break-ins with the Arm-A-Dor®

With so much depending on the security of a building's rear exit, business owners simply cannot afford to install a standard exit device, alarm or deadbolt to the rear entry door. Installed by many of the nation's largest retailers, the Arm-A-Dor® Series is actually three products in one:

Locking bar protection for security from the outside, built-in alarm to protect against inside theft panic device

This durable, pre-assembled, all-in-one exit device protects a facility's most important assets, while maximizing life safety at the same time.

PHA101-002 $2,268.00

Automatic relock, w/ alarm, fits 3' & 4' door widths, fits jambs up to 6-3/4"

PHA106-001, $418.00

Standard Double Door Kit

Mullions

The Mullion is used to adapt a double door opening to two single door openings with Rim Exit Devices. When the full width of an opening is required, the mullion may be removed.

Key Removable Mullion (KR) – Provides a secure yet quick & easy means of removing the 822 or FL822 Mullion.

Stock Size– For openings 8'-0" high. For openings less than 8'-0" high the mullion can be cut down.

(Mullions come with fittings, but are packaged separately)

Key Removable Cap **PHKMC822**
600-$814.00
689 or 695-$850.00

Fire Rated Key Removable Cap **PHKMC822F**
600-$1,174.00
689 or 695-$1,143.00

811

2"x2"

PH811-600 $814.00

PH811-689 or 695 $962.00

Fittings if sold separately:

Mullion Cap

PHMC811
600- $172.00
689 or 695- $197.00

Mullion Base

PHMB811
600- $126.00
689 or 695- $160.00

822

2"x3"

PH822-600 $1,038.00
PH822-689 or 695 $1,181.00

PHFL822-600 $1,331.00
PHFL822-689 or 695 $1,476.00

Fittings if sold separately:

Mullion Cap

PHMC822
600- $276.00
689 or 695- $303.00

Mullion Base

PHMB822
600- $223.00
689 or 695- $261.00

The pricing in this catalog is from December 2024. Prices are subject to change. Check our website, or call for current pricing.

*Priced Per Hinge

3=Bright Brass, 10B=Oil Rubbed Bronze, 26D=Satin Chrome, P=Prime Coat, 19=Black

Full Mortise Standard Weight Hinges



Part #	Size	3	10B	19	26D	P
STF179	3.5" x 3.5"	$9.15	$9.14	-	$7.92	$4.58
STF179	4" x 4"	$12.02	$12.02	-	$10.58	$5.28
STF179	4.5" x 4"	$12.99	-	-	$11.06	$7.26
STF179	4.5" x 4.5"	$12.99	$12.99	$13.01	$11.06	$7.28
STF179	5" x 4.5"	-	-	$31.15	$26.48	-
STF179	5" x 5"	-	-	$31.15	$26.48	$21.18

Non Removable Pin



Part #	Size	3	10B	19	26D	P
STF179NRP	4" x 4"	-	-	-	$17.88	$12.58
STF179NRP	4.5" x 4"	$20.29	-	$20.31	$18.36	$14.56
STF179NRP	4.5" x 4.5"	-	$20.29	$20.31	$18.36	$14.58
STF179NRP	5" x 5"	-	-	$38.45	$33.78	$28.48

Full Mortise Standard Weight, Ball Bearing Hinges



Part #	Size	3	10B	19	26D	P
STFBB179	3.5" x 3.5"	$21.77	-	-	$17.90	-
STFBB179	4" x 4"	$23.70	-	-	$18.86	$16.44
STFBB179	4.5" x 4"	$23.70	-	$23.33	$19.83	$16.92
STFBB179	4.5" x 4.5"	$23.70	$23.70	$23.33	$19.83	$16.92
STFBB179	5" x 4.5"	-	-	$36.43	$30.97	$28.55
STFBB179	5" x 5"	$39.68	-	$36.43	$30.97	$28.55

Non Removable Pin



Part #	Size	3	10B	19	26D	P
STFBB179NRP	4" x 4"	$31.00	-	-	$26.16	$23.74
STFBB179NRP	4.5" x 4"	$31.00	-	$30.63	$27.13	$24.22
STFBB179NRP	4.5" x 4.5"	$31.00	$31.00	$30.63	$27.13	$24.22
STFBB179NRP	5" x 5"	$46.98	-	$43.73	$38.27	$35.85

Full Mortise Ball Bearing Electrified Hinges



Part #		26D
STCEFBB179-54-4.5x4.5-26D	4 - Wire	$349.83

Full Mortise Heavy Weight, Ball Bearing Hinges



Part #	Size	3	10B	26D	P
STFBB168	4.5" x 4.5"	$51.30	$51.30	$45.49	$40.16
STFBB168	5" x 5"	$63.89	-	$49.84	$46.95

Non Removable Pin

Part #	Size	3	10B	26D	P
STFBB168NRP	4.5" x 4.5"	$58.60	-	$52.79	$47.46
STFBB168NRP	5" x 5"	$71.19	-	$57.14	$54.25

Full Mortise Heavy Weight, Ball Bearing Hinges



Part #	Size	3	10B	26D	P	32D
STFBB191	4.5" x 4.5"	$52.28	$52.28	$45.49	$41.14	$54.69
STFBB191	5" x 5"	$61.00	$61.00	-	-	$63.89

Non Removable Pin



Part #	Size	3	10B	26D	P	32D
STFBB191NRP	4.5" x 4.5"	$59.58	$59.58	$52.79	$48.47	$61.99
STFBB191NRP	5" x 5"	$68.30	$68.30	-	-	$71.19

We have many other sizes and finishes in stock, ask customer service for pricing and availibility.

Full Surface Ball Bearing Hinges




Part #	26D
STFBB171-4.5x4.5-26D	$52.28

Half Surface Standard Weight Hinges




Part #	26D	P
STF173-4.5x4.5	$25.04	$18.77

Part #	26D	P
STF173NRP-4.5x4.5	$32.34	$26.07

Half Surface Ball Bearing Hinges




Part #	Size	26D	P
STFBB173	4” x 4”	-	$31.44
STFBB173	4.5” x 4.5”	$42.11	$34.84
STFBB173	5” x 5”	$61.47	$53.73

Non-Removable Pin

Part #	Size	26D	P
STFBB173NRP	4.5” x 4.5”	$49.41	$42.14
STFBB173NRP	5” x 5”	-	$61.03

Spring Hinge

Square Corner



Part #	Size	3	26D	P
ST2060R	3.5” x 3.5”	$18.94	$18.21	$12.04
ST2060R	4” x 4”	$22.59	$21.86	$14.77
ST2060R	4.5” x 4”	$36.95	$35.50	$26.26
ST2060R	4.5” x 4.5”	$36.95	$35.50	$26.26

Spring Hinge

1/4” Radius Corner



Part #	Size	3	26D	P
STRD2060R	3.5” x 3.5”	$25.54	$24.81	$18.64
STRD2060R	4” x 4”	$29.19	$28.46	$21.37
STRD2060R	4.5” x 4”	-	$28.46	-
STRD2060R	4.5” x 4.5”	$43.55	$42.10	-

The pricing in this catalog is from December 2024. Prices are subject to change. Check our website, or call for current pricing.