Universal Fire Electric Strike

- Centerline latch entry for cylindrical locksets, with ANSI square faceplate
- UL/ULC 90 minute fire rated, UL 1034 burglary listed, UL 294
- 5/8" to 3/4" latch projection (throw)
- Selectable 12/24V, AC/DC
- Selectable fail safe/ fail secure
- Continuous duty operation
- Non-handed

CDCX-ED1410 $350.00

Surface Mount Rim Electric Strike

- "No-Cut" Surface mount RIM strike for Pullman latches.
- 15 lbs of *pre-load* pressure.
- 12/24V, AC/DC operation.
- 3/4" latch projection.
- Metal mounting jig included for easy installation.
- Removable latch monitoring switch included.

CDCX-EPD1289L
$525.00

CDCX-EPD1289L-BK
$575.00

All-in-One Fire Rated Electric Strikes

- Low profile strike body with latch and strike monitor switches.
- 4 faceplates for latchbolts included

CDCX-ED1689L-4
$525.00

- Strike body with latch and deadbolt monitors, includes 8 faceplates for latchbolts & deadbolts

CDCX-ED1799L-8
$550.00

Request To Exit Detectors

- Compact size, designed to mount on door frames
- Easy to use on-board programming buttons. No dip switches
- (4) Factory default operating modes
- selectable fail safe/ fail secure
- (2) Form 'C' contacts
- Momentary & latching relay modes
- Secondary activation device input
- Card/keypad input
- Door position switch input & RX input
- Built-in sounder (adjustable)
- Tamper switch

WHITE or BLACK

CDCMRQE70A (white)

CDCMRQE70ABK (black) $120.00

WIRELESS TRANSMITTER & RECEIVER

- 868Mhz. high security rolling code, 2-channel receiver
- 30 transmitters (fobs) capacity
- Easy transmitter enrollment
- Built-in antenna
- Ip65 weather-resistant enclosure

SECURE WIRELESS KIT

Includes (1) CM-SRX2 Wireless Receiver and (2) CV-WTX2 Two Button Key Fobs

CDCM-SRFM2
$125.00

Wireless Receiver	Two Button Key Fobs
CDCM-SRX2	**CDCV-WTX2**
$60.00	$32.00

Store Front Electric Strike

- 1/2"-5/8" latch projection
- Dual voltage 12/24, AC/DC
- Selectable fail safe/ fail secure
- ANSI round aluminum & dark bronze faceplates included

Grade 1

CDCX-ED1379
$150.00

Low Profile Electric Strike

- 1/2"-5/8" latch projection
- Dual voltage 12/24, AC/DC
- Selectable fail safe/ fail secure
- 3 stainless steel faceplates included
- Adjustable body for optimal installation
- Grade 2

CDCX-ED2079 $170.00

Magnet Locks

- Surface mount, single door
- On board MOV'S provide protection against voltage spikes & surges

Part #	Hold. Force	Size	Price
CDCX-91S-06	600 lbs	9-7/8"x2"x1-1/8"	$170.00
CDCX-91S-12	1200 lbs	10-1/2x2-5/8" x1-9/16	$200.00
CDCX-91S-12TDS	Adj.Timer, lock Sensor, Door Status, Relay/LED		$260.00

Delayed Egress Magnetic Lock

- Holding force up to 1,200 lbs
- Field selectable exit delay time 15/30 sec.
- 3"H, 11"W, 3"D

CDCX-DE1200-N1 $1,200.00

Brushed Aluminum Key Switches

CDCM1120

Fits Std. Single Gang Boxes

CDCM2020

Mullion Style 1-3/4" Wide

- Accept std. mort. cyl. 1" to 1-1/4"
- Heavy duty 1/4" thick aluminum plate
- 1 piece die cast construction
- Vandal resistant
- Tamper proof screws provided
- Indoor or outdoor applications
- UL approved switches
- 1 or 2 switches may be installed
- Wide range of switch configurations
- Color coded 18 AWG soldered leads
- Optional LED indicators

Mortise Cylinder Not Included

Part #	Function	Price
CDCM1120	SPDT Momentary	$116.00
CDCM1150	(2)SPDT Momentary	$160.00
CDCM2020	SPDT Momentary	$116.00

Lighted Piezo Exit Buttons

- Water & vandal resistant
- Stainless steel face plate
- Red and/or green illumination
- Fail safe / Fail secure selectable
- N/O & N/C outputs
- 12/24V DC
- Integrated adjustable 40 Sec. timer

CDCM9600/7 $175.00

Piezo Exit Switch

- One piece aluminum construction
- No moving parts
- No power required to operate
- Solid state output (N/O)
- Virtually impervious to vandalism
- Includes 3 labels

CDCM9700U $190.00

LED Push/Exit Switch

Surface Mount

- Capacitive "Light Touch Technology" No moving parts
- Weather & vandal resistant, IP66 rated
- LED light ring, red, green, orange, or None.

CDCM9800/7
$200.00

Push Buttons

CDCM310EE

Narrow Faceplate

CDCM30E, CDCM30EE, CDCM30U

Single Gang

- 12/24V Operation
- EE models incorporate an integrated 30 second timer with double break circuitry for additional safety.
- Stainless Steel Faceplates
- LEDs for long life and extra bright illumination.
- U models come with (14) english and spanish insert labels

Part #	Function	Price
CDCM30E	SPDT Momentary	$58.00
CDCM30U	SPDT Momentary	$66.00
CDCM30EE	SPDT Momentary	$145.00
CDCM310EE	SPDT Momentary	$150.00

CM-25 Series

All-Active Narrow Switch

- Mounts in aluminum jamb or in surface boxes
- Stainless Steel
- All-active design requires minimal actuation force
- ADA Approved
- UL Approved SPST N/O Switch, Rated 3 Amps @30VDC

CDCM25/2
$60.00

Surface Mount Escutcheons

- Complete kits for round switches
- Switch & TX-9 transmitter, not included.
- Flush or surface mounting

Part #	Description	Price
CDCM49	For 4-1/2" Switches	$62.00
CDCM79	For 6" Switches	$62.00

CDCM45/4
4-1/2" Square
$86.00

CDCM-43CBL
Surface Mnt. Box
$32.00

Exterior Use Industrial Key Switch

- Heavy-duty faceplates with die-cast aluminum enclosures and rubber gaskets for exterior use.
- 2 SPST momentary switches rated 3 A @ 240 VAC and a mortise cylinder with 2 keys.
- UL listed and CSA certified. Designed for activating overhead doors, storefront grilles and shutters.

CDCI-1KXS
$240.00

CM-60 Series

All-Active 6" Round Switch

- Rubber dampers for smoother actuation & quiet operation
- Stainless Steel
- All-active design for minimal actuation force
- ADA Approved
- UL approved SPDT switch, rated 15 AMPS, 30VDC
- Architectural finishes available for special order

CDCM60/4
$86.00

- ABS Surface Mount Enclosure

CDCM69S
$50.00

CM-40 Series

- All-active 4-1/2" round switch
- Same specifications as CDCM60/4 shown above, but with 4-1/2" dia.

CDCM40/2 $81.00

ABS Surface Mount Enclosure

CDCM47S $46.00

The pricing in this catalog is from December 2024. Prices are subject to change. Check our website, or call for current pricing.

All Active Push Plate

Single Gang

- Large, easy to operate switches
- Buffed stainless steel finish
- All-active design requires minimal actuation force
- Durable 4 stud design
- Various other configurations available

CDCM35/4
$81.00

ABS Single Gang Mount Box

CDCM34BL $30.00

Mushroom Exit Switch

- 4-1/2" x 2-3/4" Single Gang Stainless Steel Faceplate
- Rugged Free-Spinning Button
- 6 AMP Contacts
- N/O & N/C Contacts

CDCM420
$95.00

Vandal Resistant Push Buttons

CDCM-9080

Single Gang

CDCM-9180

Narrow Faceplate

All steel construction, set in a 1/4" thick aluminum plate. These super tough, low profile switches can withstand attack of all types, even direct hammer blows. Includes faceplate, 7/8" steel button, and security screws.

DPDT Momentary

Part #	Size	Price
CDCM-9080	2-3/4" X 4-1/2"	$112.00
CDCM-9180	1-3/4" X 4-1/2"	$112.00

Prox Reader Key Pad V3

Self Contained

- Up to 20,000 user pin codes, key fobs or both.
- Batch card/key fob enrollment, easy programming.
- Cast metal, heavy duty construction.
- Backlit, vandal resistant keypad.
- Weigand 26 bit input/output.
- 4 to 6 pin code length.
- Tamper alarm.
- Request to exit input.
- Door contact input.
- Weather resistant IP68 rated.
- Two-door interlock mode.

CDCV-550SPK-v3
$250.00

Access Control

CV-7600 Series - BLE
High-Security Card Reader w/ Bluetooth®

Features
- Field configurable reception range from 1 to up to 30ft
- Compatible with all access control systems
- Smartphone App, Android™ and Apple iOS™ compatible
- Extremely High Security MIFARE DESFire EV1 and EV2 smartcard support
- 26-bit Wiegand, ABA Track II magnetic strike (clock & data) and OSDP interface
- No manufacturer 'cloud' portal account required and no recurring fees.
- Mobile credential secured behind the password and biometric security of the mobile device
- Touchless auto unlock activation available on app
- IP67 water resistant
- Narrow (jamb) width with option for single gang mounting plate included

CDCV-7600
$550.00

Key Pads

- A rugged, weather and vandal resistant standalone device for control of electrically locked doors.
- Cast metal housings with metal backlit keypads,
- Support up to 2,000 users.
- Weather resistant ip68 rated
- Adjustable door delay time
- Adjustable door open time
- Tamper alarm output
- Request to exit device input
- 8 bit burst wiegand output, for connection to an access control system.
- Blue backlighting for night time use.

12VDC, 3A@30VDC

CDCM110SK
$190.00

Mounting Post

- 42" Tall Mounting Post (Switch Sold Separately, 36" Switch Height)
- Single Gang Prep, 6" X 6" Clear Aluminum
- Dark Bronze and Mill finish also available

CDCM-42-BSU-CLR
$440.00

36" Push Plate Switch Column

- Over 94 square inches total activation area
- (2) Fully Redundant SPDT, 15 Amp. UL Listed Switches
- Choice of clear aluminum, dark bronze and blue architectural finishes
- 'WHEELCHAIR' Symbol & 'PUSH TO OPEN' Graphic
- Optional 'Snap-in LAZERPOINT RF™ Wireless Transmitters or KINETIC Wireless Transmitters
- Adjustable leveling screws for easy installation on uneven walls
- No internal wires exposed to moving parts

CDCM-7536/4
$360.00

Indoor/Outdoor Stand-Alone Keypads

CM-120 Series

- CM-120W features backlit, weatherproof & vandal resistant metal keypad
- Flush mount single gang stainless steel faceplate
- 12/24V, AC/DC operation
- 999 users, 10 million possible codes
- Variable length 1 to 8 digit codes
- (2) 3 Amp form 'C' relays
- 3 Led's + Piezo buzzer
- 1-255 second time delay
- Request to exit (REX) input
- Door contact input for anti-tailgating & door open alarm
- Global lockout feature
- Includes tamperproof screws and driver

CDCM-120i

$140.00

Indoor Use Only

CDCM-120WV2

$200.00

Outdoor Use, Vandal Resistant

Sure-Wave™

- Wired touchless switch w/ built-in door control
- 1 relay
- Option for CM-TX99 wireless transmitter and light ring.
- Range up to 6'.
- Adjustable time delay up to 30 seconds.

CDCM-331/42

$220.00

Sure-Wave™ Hands-Free Switches

Infrared device designed for use with an automatic door operator or door locking product, (such as an electric door strike or magnetic lock) where physical contact with a switch is a health risk or is inconvenient.

- Adj. Operating Range 1"-26"
- Adj. Time Delay 1-5 Seconds
- Fail/Safe - Non Fail/Safe Selectable
- On-board LED for ease of set-up
- Excellent performance in all lighting conditions
- 12/24V AC/DC Operation
- Fully shielded against EMI, line voltage spikes and noise
- 5 Amp Relay, for use with all automatic operators & electrified locks

Part #	Size	Price
CDCM-324/41	Single Gang	$210.00

No-Battery Wireless Door Control System

- No Batteries Required
- Over 2,000,000 Cycles

KINETIC BY CAMDEN

900 Mhz

Package Contains:
Qty 2, CM-45K/A4 combo graphics
Qty 2, CM-43CBL surface enclosures
Qty 1, CM-RX-90v2 Kinetic/Lazerpoint Advanced 1 Relay Reciever

CDCM-RFK45/A4

$450.00

Wireless Switch Packages

Lazerpoint™ 915 Mhz.

Camden LAZERPOINT™ wireless is available in complete packages with everything you need for your automatic door switch installation, including a choice of stainless steel all-active push plate switches, rugged surface mount boxes/Enclosures, (2) Lazerpoint switch transmitters and (1) receiver - all at an economical

4-1/2" Circular Button



Package Contains:
(2) CM-40/4 COMBO GRAPHICS,
(2) CM-49A/B FLUSH/SURFACE ENCLOSURES,
(2) CM-TX-9 TRANSMITTERS,
(1) CM-RX-90 SINGLE RELAY RECEIVER

CDCM-RFL404-49A $440.00

6" Circular Button



Package Contains:
(2) CM-60/4 COMBO GRAPHICS,
(2) CM-79A/B FLUSH/SURFACE ENCLOSURES,
(2) CM-TX-9 TRANSMITTERS,
(1) CM-RX-90 SINGLE RELAY RECEIVER

CDCM-RFL604-79A $440.00

4-1/2" Square Button



Package Contains:
(2) CM-46/4 COMBO GRAPHICS,
(2) CM-43CBL SURFACE ENCLOSURES,
(2) CM-TX-9 TRANSMITTERS,
(1) CM-RX-90 SINGLE RELAY RECEIVER

CDCM-RFL464-SA $440.00

The pricing in this catalog is from December 2024. Prices are subject to change. Check our website, or call for current pricing.

7-Day Timer

- 15 Daily or Weekly Schedules
- Internal Memory Back-up
- Easy to Program/Setup
- Extremely Compact Size
- 12 or 24VAC/DC Models
- SPDT Contacts Rated 16 Amps @30V DC
- Dimensions: 2-3/8" X 2-3/8" X 1-1/4"

Part #	Voltage	Price
CDCX247-12	12V AC/DC	$86.00
CDCX247-24	24V AC/DC	$86.00

Isolation Relay Module

Selectable 12/24VDC
DPDT Relay Contacts, rated 8 Amps
LED Provides Relay Activation Status
Self-adhesive Velcro ™ tape Provided for easy mounting.

CDCX-IRB
$22.00



Advanced Logic Relay

- Ideal for most automatic door applications, as well as air lock and other security applications
- 15 operating modes, with sub-modes.

Selection and configuration with 3 push buttons

- Easily sequence multiple inputs with multiple maintain and hold outputs
- Large 3 segment (blue) led display
- Selectable time delays, w/ delay on input activation
- Outstanding power filtering and surge protection
- Large terminal strips allow larger wire gauge
- Clear plastic case provides better protection of circuit board and easy mounting
- 12/24V AC/DC

CDCX-33
$130.00

LAZERPOINT™ Series

Lazerpoint ™ is a completely new wireless Solution for door operators and introduces the many advantages of 915mhz spread spectrum wireless Technology. The system encompasses the widest range of transmitters, receivers, activation devices & switch enclosures available today. Lazerpoint ™ is designed to provide the very best performance & value in new installations.
Battery test, signal strength, and low battery indicator included.

TX

RX

Part #	Description	Price
CDCM-TX-9	Wall Switch Transmitter 915MHz	$75.00
CDCM-RX-90	Advanced Compact Single Relay	$90.00
CDCM-RX-91	Basic Single Relay Receiver 12/24VAC/DC	$90.00
CDCM-RX-92	Full Function Dual Relay Receiver 12/24VAC/DC	$130.00

Call for full details and other products in the camden door controls Lazerpoint ™ Series

Switching Network

- Bi-Directional Sequencing Mode
- 3 adjustable delays, up to 30 seconds max.
- LED'S for visual display
- Accepts wet or dry inputs
- 12/24V AC/DC operation
- (2) SPDT Contacts Rated 3 Amp @ 30VDC
- Input for connection to telephone entry system
- One shot design for security
- Maintained output for smoke EVAC
- Easily mounted with double side tape or fasteners



CDCX-12-PLUS
$105.00

Rocker Switch SPDT Momentary

- May be easily mounted under desks/counters, or on walls. Beige plastic enclosure with key symbol.
- SPDT Momentary or Maintained

CDCM-850 $45.00

Blue Pull Station

- Includes 5 labels in English, Spanish, & French.
- Clear Lift Cover optional
- One N/O & One N/C Switch

CDCM703U
$64.00

Pressure Gauges

CDCM-PG1 Used to measure swing door closing force, or switch activation force. 0-7 lb. pressure guage $62.00

CDCM-PG2 Used to measure auto door opening force. (swinging, sliding or overhead) 0-35 lb. pressure guage $72.00

CDCM-PG3 Used to measure opening force, as well as door sidelite breakout force. 10-50 lb. pressure guage $110.00

Magnetic Door Holder

- Multiple voltages: 12/24V, AC/DC, 120 VAC
- Armature plate adjusts to door alignment
- Surface or flush mount
- Up to 35 lbs (16 kg) holding force
- Used for door release in public, industrial and commercial applications

CDCX-95S-DH
$125.00