MULTI-HOUSING MORTISE LOCKS

Saffire LX is the innovative solution that combines smart-security with aesthetics to harmonize with progressive hotel technology and amenities.

Saffire LX is designed for your guestrooms, common areas and back-of-house access control. It is suitable for small to very large-scale properties, making it an ideal solution for your new construction and renovation projects or when you are replacing doors. The installation process is eased thanks to a simplified door preparation.

Easy to use and requiring minimal maintenance, Saffire LX operates with a completely sealed contactless reader. In addition, the 3AA batteries last up to two years or up to 80,000 openings. When the batteries are running low, the lock indicator alerts staff that they need to be changed soon. The Saffire LX programming and audit records are not erased during battery replacement.

Access tracking: the lock writes information on staff RFID keycard for enhanced staff monitoring
Saffire LX is offered with mechanical or electronic override for emergency access
Saffire LX is optionally equipped with a tracking mortise allowing hotel staff to receive door ajar reporting

DORMAKABA MULTI-HOUSING

SAFFIRE LX

(N) NO THUMBTURN, NO PRIVACY, STOREROOM

(P) PRIVACY W/THUMBTURN

LEVER STYLE (von)

TOGGLE CAPABLE

SATIN CHROME

BLACK FASCIA

outside

M002-EECB-PETCB-11L

inside

STAND ALONE

ENABLED

OVERRIDE
"E" ELECTRONIC
"K" KEY

LEVER STYLE (von)

SATIN CHROME

BLACK FASCIA

ASM 1-1/4 FACE PLATE FIELD REVERSIBLE HANDING

"1"AUTO DEADBOLT

"0"STANDARD DEADBOLT

LEFT HAND

PART #	DESCRIPTON	HAND	
SIM002-EECB-PETCB-11L	ELECTRONIC OVERRIDE, PRIVACY	LH	$750.00
SIM002-EECB-PETCB-11R	ELECTRONIC OVERRIDE, PRIVACY	RH	
SIM002-EECB-NETCB-10L	ELECTRONIC OVERRIDE, STOREROOM	LH	
SIM002-EECB-NETCB-10R	ELECTRONIC OVERRIDE, STOREROOM	RH	
SIM002-KECB-PETCB-11L	KEY OVERRIDE, PRIVACY	LH	$766.00
SIM002-KECB-PETCB-11R	KEY OVERRIDE, PRIVACY	RH	
SIM002-KECB-PETCB-10L	KEY OVERRIDE, STOREROOM	LH	
SIM002-KECB-PETCB-10R	KEY OVERRIDE, STOREROOM	RH	

PART #	DESCRIPTON	
SI118-515990	SAFFIRE ELPS (electronic battery override)	$128.00
SI12640-P24-BK	MIFARE Plus, 2K Memory, Black	$10.00 ea

New jobs require a special quote. Call for information.

BTS75V/BTS80 Series Floor-Concealed Closers

The BTS75V and BTS80 series of floor-concealed door closers offer adaptability to almost any installation. The closer's compact body permits its use where a larger closer would be prohibitive. Versatility allows installation in thin slab concrete subfloor construction. A wide selection of interchangeable spindles makes them suitable for virtually any floor covering or threshold application.

· Concealed Installation
· Non-Handed For Single And Double-Acting Doors
· Mechanical Backcheck



A=1-7/16" - 1-13/16" B=2-2-1/2" E=11-1/4"

BTS75V

BTS75V Only: Adjustable Spring Size 1-4
BTS80 Only: Fixed Spring Sizes

		List Price
DRBTS75V-NHO	Non-Hold Open	$1,529.00
DRBTS75V-BF-NHO	Non-Hold Open, Barrier Free	
DRBTS75V-90-HO	Hold Open	$1,618.00
DRBTS75V-105-HO	Hold Open	
DRBTS80-3, 4, or 6	Specify Spring Size	$1,671.00



A=1-13/32" B=2-2-1/2" E=13-7/16"

BTS80

Universal Cover Plate

Adaptable to right or left hand single action applications by simply snapping off the appropriate pre-blanked corner sections. For double action doors, the corner sections remain in place. The universal cover plate is available in stainless steel or satin brass (material thickness 1.5mm).



DR7410-630
$187.00

DR7510-630
$187.00

Spindles

A range of interchangeable spindles is available to provide greater floor clearance if required (e.g. doors with thresholds, carpeted floors etc).



DR74003
5/16"
Clearance

DR74005
½"
Clearance

DR74010
5/8"
Clearance

$120.00

BOTTOM ARM FOR ALUMINUM DOORS

Drop forged steel, zinc-plated;
Adjustable to various frame profiles

DR7422
$166.00



UNIVERSAL BOTTOM ARM FOR WOOD OR STEEL DOORS

Drop Forged Steel, Zinc-Plated
For Door Weights Up To 300 Kg.

DR7421
$121.00



The pricing in this catalog is from December 2024. Prices are subject to change. Check our website, or call for current pricing.

*We also have 5mm extended spindle, & size 4 strength. ask customer service for more information.

9000 Series Exit Device

The Dorma 9000 series wide stile exit device features a heavy duty cast chassis for superior durability, while the smooth reduced projection touchbar assembly minimizes catch hazards. The partial length touchpad permits field installation of options such as cylinder dogging and exit alarm.
A full complement of free wheeling lever trim is available in a wide range of architectural finishes.

Wide stile touchbar and rail, chassis, latch bolt covers, and end cap are fabricated and finished in true base metal
· End cap for touchbar assembly furnished in complementary finish.
· Most devices easily field-reversible.
· Fasteners provided for metal and wood door applications.
· Free wheeling, vandal-resistant trim standard.

Exit Device

DR9300B-436-630	36”	$1,949.00
DR9300A-436-630	48”	

Exit Trims

DRYR08-630
$779.00

DRYR23-630
$652.00

RTS88 Series Overhead Concealed Closer

The RTS88 is designed to give lasting, dependable service where surface applied units and other types of closers are not suitable, or would interfere with the architectural design. It can be easily installed in wood, aluminum, or hollow metal doors and frames, for single and double-acting doors.

· Concealed installation
· For single and double-acting doors
· A cushion at 90° or 105° is provided to help protect the door and frame

DRRTS88-90-HO-SZ3	90° Hold Open	$646.00
DRRTS88-90-HO-SZ3-5mm	90° Hold Open	
DRRTS88-90-NHO-SZ3	90° Non-Hold Open	
DRRTS88-90-NHO-SZ3-5mm	90° Non-Hold Open	
DRRTS88-105-HO-SZ3	105° Hold Open	
DRRTS88-105-NHO	105° Non-Hold Open	
DRRTS88-105-NHO-SZ3-5mm	105° Non-Hold Open	
DRRTS88-105-NHO-BFE	90° Non-Hold Open	

C800 Series

Grade 1 Heavy-Duty Cylindrical Locksets

The C800 series grade 1 heavy-duty cylindrical locksets provide exceptional security, enhanced aesthetics, and rugged dependability. These premium locks are built with a high performance cylindrical chassis for all applications where ANSI/BHMA a156 2 series 4000 grade 1 products are required.
To meet the aesthetic needs of your project, these versatile locks are available in a range of levers or knob trim design.

Dorma C800 Series locksets are easy to install in both wood and hollow metal doors with ANSI/BHMA Standard A156.115 Preparations for cylindrical locks.

To ensure exceptionally smooth operation, the C800 series locks with lever trim incorporate a cast stainless steel retractor combined with roller bearings.
This design provides both extremely high strength and an extended service life for the lock mechanism.

Part #	Function	Price
DRC853DLRC-626	Entry	$581.00
DRC870DLRC-626	Classroom	
DRC880DLRC-626	Storeroom	

TS93 Series

The TS93 Series represents the pinnacle of surface applied closers because of its unique cam and roller design. Doors equipped with the TS93 will open much easier than doors with rack and pinion closers with track arms. The TS93 is a closer with regular arm operating efficiency and track arm aesthetics.

Door closer ANSI/BHMA Grade 1 certified.

Unique cam and roller design
Easy opening
Possible push side installation
Hydraulic backcheck
Adjustable spring sizes
Meets barrier-free requirements

DRTS93-1-PT-CONT-SN3-689
$818.00

7400 Series Surface Door Closer

The 7400 series door closer is the ideal solution In a wide variety of applications, including Barrier-free. This grade 1 hydraulic surface door Closer is both flexible and easy to install. It offers a compact design and is available in a Variety of sprayed finishes to complement Any opening's decor. Door closer certified for ANSI grade 1.

· Features an adjustable backcheck, which provides cushioning when the door is abusively opened.
· Designed to provide a highly flexible door control system suitable for use on all hollow metal, aluminum, and wood Doors typically used in commercial construction.
· Has two independent valves to separately control sweep and latch closing speeds and provide constant speeds when temperatures change.

10-1/4" Hole Pattern

DR7414ARP-689	Aluminum Tri-Pack	1-4	$361.00
DR7414ARP-695	Duranodic Bronze Tri-Pack	1-4	
DR7436ARP-689	Aluminum Tri-Pack	3-6	
DR7436ARP-695	Duranodic Bronze Tri-Pack	3-6	

8600 Series Surface Door Closer

Grade 1

The 8600 door closer series is a non-handed surface applied door closer with adjustable spring power and backcheck positioning adjustment. It provides the flexibility needed to meet the many demands of commercial and institutional applications, including ADA barrier-free accessibility requirements.

· Adjustable Spring Sizes And Power
· Meets Barrier-Free Requirements
· Adjustable Backcheck
· Backed By 25 Year Warranty

DR8616AF86P-COV-SNB1-689
Aluminum Tri-Pack

DR8616AF86P-COV-SNB1-695
Duranodic Bronze Tri-Pack

$535.00

DR8616AR-COV-SNB1-695
Duranodic Bronze Tri-Pack

$496.00

8900 Series Heavy-Duty Surface Door Closer

The 8900 door closer series is designed to provide a highly flexible door control system suitable for institutional or high-traffic commercial applications. Its hydraulic control system features a full range spring power adjustment and backcheck, along with a narrow projection full cover and flatform style arm. Door closer certified for ANSI grade 1.

· Protects doors and their adjacent structures.
· Valve adjustment regulates backcheck intensity.
· Positioning adjustment for parallel arm applications provides a consistent range similar to regular and top jamb applications.

DR8916AF89P-689	Aluminum	
DR8916AF89P-695	Duranodic Bronze	$673.00
DR8916AF89P-626	Satin Chrome	$1,126.00

Intermediate Pivot

3/4" Offset Standard-Duty

DR75220-LH or **RH-626**
$444.00



Bottom Arm

3/4" Offset Standard-Duty

DR75323-LH or RH-689
$167.00



The pricing in this catalog is from December 2024. Prices are subject to change. Check our website, or call for current pricing.

QCL-100 Grade 1 Heavy Duty Cylindrical Locks

Performance Features
- Tested to meet grade 1 specification of 800,000 cycles.
- Standard clutching mechanism provides resistance to damage caused by physical force.
- Thru-bolt design and heavy-duty spring tension provides longer performance life and prevents lever sag.
- Concealed mounting screws.
- Compartmentalized packaging allows for quick and easy installation.

Product Specifications
- Handing - All QCL100 Series Levers Locksets are non-handed.
- Door thickness 1-3/8"-2"
- Backset - 2-3/4" Standard
- Exposed trim - Pressure cast zinc, plated to match finish designation.
- Strike - ANSI Strike 1-1/4" x 4-7/8" standard. Other strike options also available.
- Door prep - 2-1/8" diameter cross bore.
- Latch bolt - Keyed/Exterior 1/2" steel throw; Interior 1/2" spring latch.
- Latch faceplate - 1-1/8" x 2-1/4" standard
- Single dummy is surface mounted.

Schlage Keyway



	A	B	C	D
Sierra	4.895"	2.985"	3.543"	.407"
	124.32mm	75.82mm	90mm	10.34mm
Summit	4.929"	3.034"	3.543"	.407"
	125.20mm	77.06mm	90mm	10.34mm
Slate	4.937"	2.993"	3.543"	.407"
	125.40mm	76mm	90mm	10.34mm

Slate (A)

Sierra (E)

Summit (M)

Part #	Function	Lever Style- A, E, or M	626	605, 613, 619, 625
DRQCL130	Passage		$413.00	$423.00
DRQCL140	Privacy		$498.00	$508.00
DRQCL150	Entry		$569.00	$579.00
DRQCL160	Classroom			
DRQCL170	Storeroom			
DRQCL120	Single Dummy		$216.00	$221.00

QCL-200 Grade 2 Standard Duty Cylindrical Locks

Performance Features
- Tested to meet Grade 2 specification of 400,000 cycles.
- Standard clutching mechanism provides resistance to damage caused by physical force.
- Thru-bolt design and heavy-duty spring tension provides longer performance life and prevents lever sag.
- Concealed mounting screws.
- Compartmentalized packaging allows for quick and easy installation.

- Door prep -2-1/8" diameter cross bore.
- Latch bolt - Keyed/Exterior 1/2" steel throw; Interior 1/2" spring latch.
- Latch faceplate - 1-1/8" x 2-1/4" standard.

Product Specifications
- Handing - All QCL200 Series Levers Locksets are non-handed.
- Door thickness - 1-3/8" -2" standard.
- Backset - 2-3/4" square standard.
- Exposed trim - Pressure cast zinc, plated to match finish designation.
- Strike - ANSI Strike 1-1/4" x 4-7/8 standard.

Schlage Keyway



	A	B	C	D
Sierra	4.451"	2.6"	3.366"	.269"
	113.06mm	66.04mm	85.50mm	6.84mm
Summit	4.533"	2.744"	3.366"	.269"
	115.14mm	69.70mm	85.50mm	6.84mm
Slate	4.535"	2.87"	3.366"	.269"
	115.20mm	72.90mm	85.50mm	6.84mm

Slate (A)

Sierra (E)

Summit (M)

Part #	Function	Lever Style- A, E, or M	626	605, 613, 619, 625
DRQCL230	Passage		$238.00	$248.00
DRQCL240	Privacy		$251.00	$261.00
DRQCL250	Entry		$294.00	$304.00
DRQCL260	Classroom			
DRQCL270	Storeroom			
DRQCL220	Single Dummy		$120.00	$125.00

QTL-200 Grade 2 Standard Duty Tubeular Locks

Performance Features
• Tested to meet Grade 2 specification of 400,000 cycles.
• Heavy-duty torsion springs provide longer performance life and prevent lever sag.
• Concealed mounting screws.
• "Anti-Lockout" feature. The entry function will have a free interior. If the door is locked from the inside, it will unlock with the push of the interior side of the lever only or the turn of the button.
• 1/2" latch bolt made of stainless steel black powder metallurgy for enhanced durability and strength. Compartmentalized packaging allows for quick and easy installation.

Product Specifications
• Handing - All QTL200 Series Levers Locksets are non-handed.
• Door thickness - 1-3/8" - 1-3/4" standard.
• Backset - Universal backset standard, will fit either 2-3/8" or 2-3/4"

• Exposed trim - Pressure cast zinc, plated to match finish designation.
• Strike - Full-lip strike standard
Other strike options also available.
• Latch bolt -1/2" steel throw.
• Latch faceplate - 1" x 2-1/4" standard.

Schlage Keyway



	A	B	C	D
Sierra	4.103"	2.635"	2.953"	.443"
	104.21mm	66.93mm	75mm	11.24mm
Summit	4.224"	2.663"	2.953"	.443"
	107.29mm	67.64mm	75mm	11.24mm
Slate	4.488"	2.728"	2.953"	.443"
	114mm	69.30mm	75mm	11.24mm

Slate (A)

Sierra (E)

Summit (M)

Part #	Function	Lever Style- A, E, or M	626	605, 613, 619, 625
DRQTL230	Passage		$178.00	$198.00
DRQTL240	Privacy		$189.00	$210.00
DRQTL250	Entry		$211.00	$232.00
DRQTL260	Classroom			
DRQTL270	Storeroom			
DRQTL220	Single Dummy		$91.00	$103.00

QDC100
Grade 1, Extra Heavy Duty Door Closer

Performance Features
• Fully adjustable from 1-6
• All-weather fluid ensures optimal operational performance in multiple climate conditions.
• Delayed action and backcheck are standard in the same door closer body.



2-1/4" x 5" CTC Mounting Hole Patern

Part #	Function	689, 690
DRQDC111	Tri-Pack Arm	$568.00

QDC200
Grade 1, Heavy Duty Door Closer

Performance Features
• Fully adjustable from 1-6
• Delayed action and backcheck are standard in the same door closer body.
• All-weather fluid ensures optimal operational performance in multiple climate conditions.



3/4" x 12" CTC Mounting Hole Patern

Part #	Function	689, 690
DRQDC211	Tri-Pack Arm	$396.00
DRQDC214	HD w/Hold-Open	$602.00

QDC300
Grade 1 Door Closer

Performance Features
• Fully adjustable from 1-6
• Delayed action and backcheck are standard in the same door closer body
• All-weather fluid ensures optimal operational performance in multiple climate conditions



3/4" x 9-1/16" CTC Mounting Hole Patern

Part #	Function	689, 690
DRQDC311	Tri-Pack Arm	$326.00
DRQDC314	HD w/Hold-Open	$526.00

The pricing in this catalog is from December 2024. Prices are subject to change. Check our website, or call for current pricing.

QDB100 Grade 1 Deadbolts

Schlage Keyway

Performance Features
- Tested to meet Grade 1 specification of 250,000 cycles.
- Solid forged housing provides enhanced strength and durability.
- Full 1" throwbolt with saw-resistant hardened steel roller pin.
- Anti-drill design - two (2) ball bearings inserted to prevent drill attacks.
- ADA thumbturn.
- Compartmentalized packaging allows for quick and easy installation.

Certifications
- ANSI/BHMA A156.5 Series - Grade 1
- ANSI A117.1 Accessibility Code (ADA Compliant)
- UL/cUL Listed (3 hours) for "A" label single-door applications (4' x 8') (1.219m x 2.438m)
- UL10C/UBC 7-2 (1997) Positive Pressure Rated
- UL10B Pressure Rated

Product Specifications
- Door range - 1-3/8" to 2"
- Backset - 2-3/4" square standard. 2-3/8" available.
- Strike - Standard deadbolt strike 1-1/8" x 2-3/4" Other strike options also available.
- Door prep - 2-1/8" diameter cross bore.
- Latch bolt - Full 1" throw with hardened steel roller; Faceplate - 1-1/8" x 2-1/4"

Part # 1-1/8"x2-1/4"	Description
DR8Q00170	2-3/4", Square Corner
DR8Q00169	2-3/4", Radius Corner
DR8Q00168	2-3/8", Square Corner
DR8Q00167	2-3/8", Radius Corner

Part # 1"x2-1/4"	Description
DR8Q00237	2-3/4", Square Corner
DR8Q00236	2-3/4", Radius Corner
DR8Q00235	2-3/8", Square Corner
DR8Q00234	2-3/8", Radius Corner

Replacement Bolts
$30.00 each



Single Cylinder

Double Cylinder

Part #	Function	626	605, 613, 619, 625
DRQDB180	Single Cylinder	$208.00	$213.00
DRQDB182	Double Cylinder	$266.00	$271.00

QDB200 Grade 2 Deadbolts

Performance Features
- Tested to meet Grade 2 specification of 150,000 cycles.
- Full 1" throwbolt with saw-resistant hardened steel roller pin.
- Free-spinning cylinder collar prevents against wrench attacks.
- Anti-drill design - Two(2) ball bearings inserted to prevent drill attacks.
- ADA thumbturn.

Certifications
- ANSI/BHMA A156.12-1999Grade 2
- ANSI A117.1 Accessibility Code (ADA Compliant)
- UL/cUL Listed (3 hours) for "A" label single-door applications (4' x 8') (1.219m x 2.438m)
- UL10C/UBC 7-2 (1997) Positive Pressure Rated
- UL10B Pressure Rated

Product Specifications
- Door range - 1-3/8" to 2"
- Backset - 2-3/4" square standard. 2-3/8" available.
- Strike - Standard deadbolt strike 1-1/8" x 2-3/4" Other strike options also available.
- Door prep - 2-1/8" diameter cross bore.
- Latch bolt - Full 1" throw with hardened steel roller; Faceplate - 1-1/8" x 2-1/4"

Part # 1-1/8"x2-1/4"	Description
DR8Q00170	2-3/4", Square Corner
DR8Q00169	2-3/4", Radius Corner
DR8Q00168	2-3/8", Square Corner
DR8Q00167	2-3/8", Radius Corner

Part # 1"x2-1/4"	Description
DR8Q00237	2-3/4", Square Corner
DR8Q00236	2-3/4", Radius Corner
DR8Q00235	2-3/8", Square Corner
DR8Q00234	2-3/8", Radius Corner

Bolts
$30.00 each



Single Cylinder

Double Cylinder

Part #	Function	626	605, 613, 619, 625
DRQDB280	Single Cylinder	$130.00	$141.00
DRQDB282	Double Cylinder	$160.00	$168.00

QED311 Rim Exit Device



Performance Features
• Tested and certified to significantly exceed 500,000 cycles required for Grade 1 certification.
• Field sizeable. 36" to 32" door application
• Consistent styling allows for harmonization with other STANLEY Commercial Hardware products.

Certifications
• ANSI/BHMA A156.3 - Grade 1.
• UL/cUL listed (3 hours) for "A" label door applications (8' x 8')
• ANSI A117.1 Section 404.2.6 Accessibility Code (ADA Compliant)

Product Specifications
• Handing - All QED300 Series Exit Devices are non-handed.
• Door thickness - 1-3/4" standard (44.5mm).
• Latch bolt - Stainless steel 3/4" throw
• Strike - Stainless steel body with plated steel roller standard fire-rated stainless steel strike, with stainless steel roller standard on QED313.
• Fasteners - Wood and machine screws standard.

Sex bolts optional.
(Standard on fire-rated device).
• Head cap & end cap - Zinc die-cast.

• Stile width - 3-7/8" minimum
• Dogging - Hex key dogging and cylinder dogging available.

Double Door Strike



DR8Q00208

Part #	Description	689, 690
DRQED311	Rim, Hex Dogging, 36"	$459.00
DRQED313	Rim, 36", Fire Rated	$620.00

QED314 Surface Vertical Rod



Same specifications as rim device shown above.

Stocked for 7' Doors.

Part #	Description	689, 690
DRQED314	SVR, Hex Dogging, 36"	$754.00
DRQED316	SVR, 36", Fire Rated	$955.00

QED300 Series

Exit Device Trims

Schlage Keyway

Summit (M)



Sierra (E)

Rose Trims

Part #	Description	689, 690
DRQRT330	Passage	$199.00
DRQRT360	Classroom	$264.00
DRQRT370	Storeroom	$264.00

Less Cylinder

Thumbpiece

Sierra (E)

*Thumbpiece & Night Latch Pull Not Recommended On SVR Device

Night latch Pull

Summit (M)

Wing Pull

Part #	Description	689, 690
DRQET320	Dummy Escutcheon Lever	$302.00
DRQET330	Passage Escutcheon Lever	
DRQET360	Classroom Escut. Lever	$389.00
DRQET370	Storeroom Escut. Lever	
DRQET365	Thumbpiece	$420.00
DRQET375	Night Latch Pull	$229.00
DRQET377	Wing Pull W/ Cylinder Pull	$150.00

The pricing in this catalog is from December 2024. Prices are subject to change. Check our website, or call for current pricing.

QED111 Heavy Duty Rim Exit Device

Performance Features
- Tested and certified to significantly exceed 1,000,000 cycles - well above the requirements for Grade 1 certification.
- Thru-bolt trim design for increased security and durability.
- Wide variety of trim options to fit any job.
- Consistent styling allows for harmonization with other STANLEY Commercial Hardware products.

Certifications
- ANSI/BHMA A156.3 - Grade 1
- UL/cUL listed (3 hours) for "A" label door applications (8' x 8')
- ANSI A117.1 Section 404.2.6 Accessibility Code (ADA Compliant)

Product Specifications
- All QED100 Series Exit Devices are non-handed.
- Door thickness - 1-3/4" standard (44.5mm).
- Latch bolt - Stainless steel 3/4" throw

- Stile width - 4-1/4" minimum
- Dogging - Hex key dogging and cylinder dogging available.

Part #	Description	626	605, 313AN
DRQED111	Rim, Hex Dogging, 36"	$1,541.00	$1,575.00
DRQED113	Rim, 36", Fire Rated	$1,644.00	$1,678.00

QED114 Heavy Duty Rim Exit Device

Same specifications
as rim device shown above.

Stocked For 7' Doors.

Extension Rods Available For 8' Doors, $48.00

Part #	Description	626	605, 313AN
DRQED114	SVR, Hex Dogging, 36"	$2,018.00	$2,052.00
DRQED116	SVR, 36", Fire Rated	$2,119.00	$2,153.00

QED300 Series

Exit Device Trims
Less
Cylinder

Sierra (E)

Summit (M)

Night latch Pull

Thumbpiece

*Thumbpiece & night latch pull not recommended on SVR device

Part #	Description	605, 613, 626
DRQET120	Dummy Escutcheon Lever	$669.00
DRQET130	Passage Escutcheon Lever	
DRQET160	Classroom Escut. Lever	$755.00
DRQET170	Storeroom Escut. Lever	
DRQET165	Thumbpiece	$498.00
DRQET175	Night Latch Pull	$304.00

900 Series

Mechanical Pushbutton Lock provides fully mechanical access control, while allowing free egress at all times by interior thumbturn.

Deadbolt models must be manually relocked. Deadlocking spring latch models automatically relock each time the door closes. This fully mechanical lock eliminates the material and labor expense of battery replacements, has a single access-code and is programmed via the keypad without removing the lock from the door.

Numeric Keypad: Vandal Resistant, Solid Metal Pushbuttons

Handing: Field reversible latch; invert the lock for right-hand doors; roman numerals are easily read in either orientation

Models: 902, 904, 906, 910

Combination Entry,
Deadbolt,
1' Throw, Flat Face,
Auxiliary Lock,
Manual Relock







Part #	Door Thickness		04, 26D
SI902-0000-	1-3/8"-1-1/2"		$227.00
SI904-0000-	1-3/4"-2-1/8"		
SI906-0000-	1-3/8"-1-1/2"	Key Override	$285.00
SI910-0000-	1-3/4"-2-1/8"	Key Override	

Models: 917, 919, 935, 938

Combination entry, deadlocking latch,
5/8' throw, flat face,
primary or auxiliary lock,
automatic relock



Part #	Door Thickness	Features	04, 26D
SI917-0000-	1-3/8"-1-1/2"	Latch Holdback	$252.00
SI919-0000-	1-3/4"-2-1/8"	Latch Holdback	
SI919-1000-	1-3/4"-2-1/8"	W/ 74464 Strike For Metal Door Frames	$257.00
SI919-1300-	1-3/4"-2-1/8"	W/ 74464 Strike For Metal Door Frames, 2-1/2' Inside Lever	$289.00
SI919-3000-	1-3/4"-2-1/8"	2-1/2"Inside Lever	$284.00
SI922-0000-	1-3/4"-2-1/8"	No Latch Holdback	$252.00
SI929-0000-	1-3/4"-2-1/8"	Restricted Area DOD	$341.00
SI935-0000-	1-3/8"-1-1/2"	Key Override	$309.00
SI938-0000-	1-3/4"-2-1/8"	Key Override	

2015 Series Mechanical Exit Trim

The Simplex 2015 Mechanical Pushbutton Lock provides exterior access by combination, while allowing free egress at all times by interior exit device (not supplied). This fully mechanical lock eliminates the material and labor expense of battery replacements, has a single access-code and is programmed via the keypad without removing the lock from the door.

Number of codes: single access code—one easy-to-manage code for all users

locking device options: rim exit device: compatible with most leading brands of exit devices (exit device and mounting hardware not included)

handing: for non-handed or clockwise-rotating (adjustable up to 90°) exit device hubs only.

exit device may be "dogged" without affecting the 2015

Part #	Price
SI2015-626	$621.00



*Exit Device Not Included

*check Dormakaba website for list of compatible exit devices

The pricing in this catalog is from December 2024. Prices are subject to change. Check our website, or call for current pricing.

6200 Series Residential Combination Door Lock

Simplex 6000 provides fully mechanical exterior access by combination, while allowing free egress at all times by interior knob.

This fully mechanical lock eliminates the material and labor expense of battery replacements, has a single access-code and is programmed via the keypad without removing the lock from the door.

Dimensions: 5-7/8"(H) x 2-3/4"(W) x 2-9/16"(D)
Door Thickness: 1-3/8" - 2-1/4"
Strike: TS Strike Plate; DB Strike Box Latch & Backset: 1/2" throw latch, floating front, 2-3/4" backset (carries UL/ULC 3-hour Fire Rating For 'A' Labeled Doors).
Optional Latch & Backset: 1/2" Throw Latch, Flat Front, 2 3/4" or 2 3/8" backset (Carries UL/ULC 3-hour Fire Rating For 'A' Labeled Doors).
Door Handing: Factory Handed Left; Field Reversible.
Control: Combination Change Tool.
Weather Resistant.

Replacement Latches:
2-3/8”
SI75185-03, or **26D**

2-3/4”
SI204168-03, or **26D**

(60) Gold Tone 

(67) Almond

(85) Black

(86) Gray Tone 





½”Throw, Flat Face Plate

Part #	Backset	Finish	Price
SI6202-60-41	2-3/8”	Gold Tone	$331.00
SI6202-67-41		Almond	
SI6202-85-41		Black	
SI6202-86-41		Gray	

½”Throw, Floating Face Plate

Part #	Backset	Finish	Price
SI6204-60-41	2-3/4”	Gold Tone	$331.00
SI6204-67-41		Almond	
SI6204-85-41		Black	
SI6204-86-41		Gray	

7100 Series

Attractive, slim line auxiliary deadlocking latch or bolt for keyless access.
Uses the same reliable combination access as simplex heavy duty controls.
The combination is easily changed by the owner in under a minute, at no cost, without removing the lock from the door. (non-handed)
Fits wood and metal doors 1-3/8” to 2-1/4” thick.
Made from durable, weather-resistant materials for Reliable operation even in harsh climactic conditions.
Mounts above existing primary key-in-knob lockset.
Equipped with a force-proof ball bearing clutch to prevent forced access.

Lock has 1/2” inch deadlocking latch or 1” deabolt.
Always locked outside and unlocked inside.
Dimensions: 6"(h) x 2 1/2"(w).

Replacement Bolts:
2-3/8”
SI202064-03, or 26D
2-3/4”
SI202052-03, or 26D







Models 7102, 7104, 7108



Models 7106



Deadbolt
7102(2-3/4”)
7108(2-3/8”)



Deadlatch
7104
Adjustable



Rim
Deadlatch
7106
(2-3/8”)

(03) Bright Brass

(05) Antique Brass 

(19) Flat Black
*inside trim is 26D

(26D) Satin Chrome 

(GV) Gold Vein 

	Part #	Backset	03, 05	19, 26D, GV
Deadbolt	**SI7102-xx-41**	2-3/4”	$246.00	$221.00
	SI7108-xx-41	2-3/8”		
Deadlatch	**SI7104-xx-41**	Adj.		
Rim Deadlatch	**SI7106-xx-41**	2-3/8”		

1000 Series Simplex Mechanical Push Button Locks

Specifically designed for high-traffic, high-frequency use: provides excellent security for apartment lobbies, employee entrances, student dormitories, hotels, motels, luxury homes, and restricted area in airports, hospitals, clubs, business, industry and institutions. Eliminates problems and cost of issuing, controlling and collecting keys or magnetic cards. Combines trouble-free performance with durability and long-lasting attractiveness. All locks include standard strikes, installation instructions, full scale and key for access combination change.

Dimensions:
Lock Body Height: 7-7/8" x 3-1/8" x 3-13/16" Latch Front: 1-1/8" x 2-1/4"

Backset: 2-3/4" Standard, 2-3/8" Latch Sold Separate SI75185-xx
For Door Thickness: 1-3/8" - 2-1/4"

Replacement 2-3/4" Latch: SI20416826

Specify Finish: 605-bright Brass, 609-Antique Brass, 625-Polished Chrome, 626-Satin Chrome

*see last page of book for handing chart

Levers are handed: Add "LL" for left hand, "LR" for right hand, to the beginning of the part number.

ALL KEY OVERRIDES ARE FOR IC (LESS CORE)
*LFIC Medeco prep also works for ASSA, Yale, & Abloy cores (5 or 6-pin)

KNOB
Example part # SI1021B-26D
Knob w/ SFIC prep key override

LEVER
Example part # SILL1021B-26D
Left hand lever w/ SFIC prep key override

	Description	Part #	Key Override	Finish 605 or 625		Finish 609 or 626	
				Knob	Lever (LL or LR)	Knob	Lever (LL or LR)
1011 (knob)  **LL1011** **LR1011** (Lever)	Exterior access by combination. Egress by interior knob or lever	**SI1011**	None	$690.00	$822.00	$665.00	$797.00
1021 (knob)  **LL1021** **LR1021** (Lever)	Exterior access by combination, or key override. Egress by interior knob or lever	**SI1021B**	SFIC	$760.00	$892.00	$735.00	$867.00
		SI1021C	LFIC Corbin				
		SI1021M	LFIC Medeco				
		SI1021R	LFIC Sargent				
		SI1021S	LFIC Schlage				
1031 (knob)  **LL1031** **LR1031** (Lever)	Exterior access by combination or passage feature. Interior has passage feature thumbturn. Egress by interior knob or lever	**SI1031**	None	$740.00	$872.00	$715.00	$847.00
1041 (knob)  **LL1041** **LR1041** (Lever)	Exterior access by combination, key override, or passage feature. Interior has passage feature thumbturn. egress by interior knob or lever	**SI1041B**	SFIC	$810.00	$942.00	$785.00	$917.00
		SI1041C	LFIC Corbin				
		SI1041M	LFIC Medeco				
		SI1041R	LFIC Sargent				
		SI1041S	LFIC Schlage				
1076 (knob)  **LI1076** **LR1076** (Lever)	Combination Entry Key Override Interior Combination Change Privacy (Lockout)	**SI1076B**	SFIC	N/A	$912.00	N/A	$887.00
		SI1076C	LFIC Corbin				
		SI1076M	LFIC Medeco				
		SI1076R	LFIC Sargent				
		SI1076S	LFIC Schlage				

The pricing in this catalog is from December 2024. Prices are subject to change. Check our website, or call for current pricing.

EE1000 Series Double Sided Simplex Mechanical Push Button Locks

Fits doors up to 2" thick. Ideal for situations where access control is required on both sides of the door.

*LFIC preps available, ask customer service



No Key Override

SIEE1011/EE1011 609, 626 $1,435.00

SIEE1011/EE1011 605, 625 $1,485.00

SFIC prep key override on both sides



SIEE1021B/EE1021B 609, 626 $1,505.00

SIEE1021B/EE1021B 605, 625 $1,555.00

LP1000 Series Simplex Mechanical Push Button Exit Device Trim

*see last page of catalog for handing chart

Supplied with a 2-3/4"(70mm) long adjustable tail piece to operate surface mounted panic devices from outside. passage function is not available.

Price does not include interchangeable cores.

Panic device is not supplied.

LLP Shown

*Exit Device Not Included

*check Dormakaba website for list of compatible exit devices

LLP= Left Hand Reverse

Part #	Key Override	605, 625	609, 626
SILLP1010	None	$924.00	$899.00
SILLP1020B	SFIC	$994.00	$969.00
SILLP1020C	LFIC Corbin		
SILLP1020M	LFIC Medeco		
SILLP1020R	LFIC Sargent		
SILLP1020S	LFIC Schlage		

LRP= Right Hand Reverse

Part #	Key Override	605, 625	609, 626
SILRP1010	None	$924.00	$899.00
SILRP1020B	SFIC	$994.00	$969.00
SILRP1020C	LFIC Corbin		
SILRP1020M	LFIC Medeco		
SILRP1020R	LFIC Sargent		
SILRP1020S	LFIC Schlage		

Service Kits

1000 Series Service Kit

Combination Chamber	74366
Clutch Assembly	201430
Chamber Shaft Bushing	200026
Stop Plate	201040
Knob Return Spring	201019
Key Override Drive Shaft	201547
Standard Drive Shaft	201050

Service Kit #
SI203035-000-01 $167.00

L1000 Series Service Kit

	LH	RH
Combination Chamber	74366	74366
Clutch Assembly	201789	201788
Chamber Shaft Bushing	200026	200026
Stop Plate	201774	201773
Extension Spring	201762	201762
Key Override Drive Shaft	201813	201813
Standard Drive Shaft	201812	201812

Service Kit #
LH-SI203038-000-01 $221.00
RH-SI203037-000-01 $221.00

LP1000 SERVICE KIT

	LH	RH
Combination Chamber	74366	74366
Clutch Assembly	201789	201788
Chamber Shaft Bushing	200026	200026
Stop Plate	201774	201773
Extension Spring	201762	201762
Tail Piece Assembly	74303	74303
Key Override Shaft 'Best'	74679	74679
Key Override Shaft All Others	74529	74529

Service Kit # LH-SI203040-000-01 $221.00
RH-SI203039-000-01 $221.00

EE1000 Series Service Kit

Combination Chamber	74366
Clutch Assembly	201956
Chamber Shaft Bushing	200026
Stop Plate	201040
Return Spring	201019
Drive Shaft Retainer Clip	201918
Key Override Drive Shaft	201547
Standard Drive Shaft	201050

Service Kit # SI203036-000-01 $172.00

8100 Series — Simplex Mechanical Push Button Mortise Locks

Construction: Heavy-duty american steel-case mortise lock housing conforms to ANSI/BHMI 156.13
Dimensions:
Front Housing 7-3/8"H X 3-1/8"W X 3-3/16"D
Door Thickness: 1-3/4" to 2-1/4"
Strike: Includes mortise strike plate with dimensions 4-7/8" X 1-1/4" X 1/4"
Latch/backset: Two-piece, Anti-friction Latch 3/4" Meets or Exceeds UL/ULC 3-hour Rating aor "A" Labeled Doors; Accommodates ½" Throw, 2-3/4" Backset and 1" Deadbolt
Deadbolt: 1"
Installation: 5" Minimum Stile Required

Replacement Mortise Bodies

8146:
(RH) **801287**-Finish
(LH) **801288**-Finish $223.00

8148:
(RH) **801274**-Finish
(LH) **801273**-Finish $236.00

For LFIC Prep, Instead of
"B" For "BEST", Specify:
"C" For Corbin Russwin
"M" For Medeco
"R" For Sargent
"S" For Schlage

8146 = No Deadbolt

Part #	Key Override	Handing	05, 26D	03, 26
SIR8146B	SFIC BEST	Right Hand	$1,025.00	$1,050.00
SIL8146B	SFIC BEST	Left Hand		
SIRR8146B	SFIC BEST	RH Reverse		
SILR8146B	SFIC BEST	LH Reverse		

8148 = With Deadbolt

Part #	Key Override	Handing	05, 26D	03, 26
SIR8148B	SFIC BEST	Right Hand	$1,055.00	$1,080.00
SIL8148B	SFIC BEST	Left Hand		
SIRR8148B	SFIC BEST	RH Reverse		
SILR8148B	SFIC BEST	LH Reverse		

The pricing in this catalog is from December 2024. Prices are subject to change. Check our website, or call for current pricing.

3000 Series

Narrow Stile Simplex Mechanical Push Button Locks For Storefront Hardware

Fully mechanical and manufactured of precisely machined, all-metal components.

Requires no electrical wiring or batteries.

Changing the pushbutton combination is protected by a key lock on the inside of the door.

Operates standard Adams Rite 4510 and 4570 series latch mechanisms which may have previously been installed in the door.

May also use the existing key cylinder that operates the Adams Rite latch.

Will function with all key cylinders used to operate the Adams Rite latch. Compatible with all Adams Rite egress hardware, including paddles, lever handles & panic bars.

Combination Entry, Key Override, Passage, Lockout

Part #	Finish	Price
SI3001-55-41	Dark Bronze	$401.00
SI3001-26D-41	Satin Chrome	

Combination Entry, Key Override, Passage, Lockout, W/ Cylinder Guard

Part #	Finish	Price
SI3002-55-41	Dark Bronze	$417.00
SI3002-26D-41	Satin Chrome	

Requires drive assembly, choose from list below

Part #	Backset	Handing	Price
SI3010-19-41	31/32”	RH or RHR	$97.00
SI3020-19-41	31/32”	LH or LHR	
SI3030-19-41	1-1/8”	RH or RHR	
SI3040-19-41	1-1/8”	LH or LHR	

5000 Series

The simplex 5000 lock provides fully mechanical Pushbutton access control without any wiring, electronics or batteries. Exterior access is by combination. Egress is by interior lever and is free at all times. Lock is ADA compliant.
The Simplex 5000 is ideal for controlling access to high-traffic, security-sensitive areas in commercial, industrial, educational, governmental, lodging, and multi-unit residential settings. Perfect for locations with a high user turnover rate such as data processing Centers, employee entrances, etc.

Features
• Mechanical pushbutton strength and reliability.
• Keyless convenience - eliminates problems and costs associated with issuing, controlling, & collecting keys & magnetic cards.
• Combination can be quickly and easily changed; thousands of possible combinations.
• non-handed

• Direct Drive: Eliminates Potential Breakage in Critical Internal Links
• Rugged and Weather Resistant.
• Two Year Warranty

Replacement Chamber:
SI7483200001

Replacement Latches:
2-3/4” **SI204168**-Finish

2-3/8” **SI75185**-Finish

Finish 744, Dark Bronze W/ Brass Accents (Simulated 10B/613), Available for special order, add $100.00

For finishes 03, 04, 26, add $25.00

Part #	Features	Keyway/IC Prep	Price 26D
SI5010	Exit Trim	XK(KIL, Lori 90)	$910.00
SI5010	Exit Trim	XS(KIL, Schlage C)	
SI5010	Exit Trim	“B” SFIC BEST	
SI5021	Cylindrical	XS(KIL, Schlage C)	$810.00
SI5021	Cylindrical	XK(KIL, Lori 90)	
SI5021	Cylindrical	B, C, M, R, or S	
SI5031	Interior Combo Change DOD	XS(KIL, Schlage C)	$860.00
SI5031	Interior Combo Change DOD	XK(KIL, Lori 90)	
SI5031	Interior Combo Change DOD	B, C, M, R, or S	
SI5041	Cylindrical, Passage	XS(KIL, Schlage C)	$860.00
SI5041	Cylindrical, Passage	XK(KIL, Lori 90)	
SI5041	Cylindrical, Passage	B, C, M, R, or S	
SI5051	Cylindrical, Passage Interior Combo Change DOD	XS(KIL, Schlage C)	$910.00
SI5051	Cylindrical, Passage Interior Combo Change DOD	XK(KIL, Lori 90)	
SI5051	Cylindrical, Passage Interior Combo Change DOD	B, C, M, R, or S	

XK, XS = Key-In-Lever
(Can Be Replaced W/ Ilco 15995 Cylinders for Other Keyways
*Must Use Original Tail Piece)

For LFIC Prep, Instead of “B” For “BEST”, Specify:
“C” For Corbin Russwin
“M” For Medeco
“R” For Sargent
“S” For Schlage

E-Plex 2000 Series — Electronic Push Button Lock

The E-Plex 2000 Series provides exterior access by combination, while allowing free egress.

This electronic pushbutton lock eliminates problems and costs associated with issuing, controlling, and collecting keys and cards, has up to 100 access codes and is programmed via the keypad or with optional Microsoft Excel-based software.



- 100 Access Codes - Includes user and service levels
- 2-3/4" or 2-3/8" backset (specify)
- Minimum Stile Recommended: 5"
- 1/2" Latchbolt
- Door Thickness: 1-3/8" - 2-1/2". Pre-Assembled to accomodate doors 1-5/8"-2"
- Non-Handed

The efficient design of the E-PLEX 2000 provides at least 100,000 cycles of battery life with 3 aa batteries.
The E-PLEX 2000 easily installs on wood or metal doors with ASA 161 door prep.
Three through bolts secure the lock to the door.

Audit Trail: Records the most recent 1000 events, including the use of the mechanical key over-ride.

Software needed to view audit trail, SIEP-STD-XX-001



For 606 finish, add $25. For U13 (dark bronze) finish, add $100.

Part #	Key Override	626
SIE2031LL	None	$737.00
SIE2031XSLL	Schlage C	$787.00
SIE2031BLL	SFIC Best (LC)	

SIE201ULL	None, **Exit Trim**	$837.00
SIE201UXSLL	Schlage C, **Exit Trim**	$887.00
SIE201UBLL	SFIC, **Exit Trim**	

Powerplex 2000 Series — Self Powered Electronic Push Button Lock

Based on the POWERSTAR TECHNOLOGY, which has been used and manufactured for over 10 years, the Powerplex series utilizes new capacitor technology to store power longer and more efficiently.

There is no handle pumping required to wake up the lock and the built-in super capacitors will hold a full charge for up to 10 weeks with no activity at the lock.

The lock is perfect for small to mid-sized facilities, rarely visited remote locations, retail "employees only" areas and military facilities, just to name a few.

For 606 finish, add $25. For U13 (dark bronze) finish, add $100.

Part #	Key Override	626
SIP2031LL	None	$835.00
SIP2031XSLL	Schlage C	$885.00
SIP2031BLL	SFIC Best (LC)	

SIP201ULL	None, **Exit Trim**	$935.00
SIP201UXSLL	Schlage C, **Exit Trim**	$985.00
SIP201UBLL	SFIC, **Exit Trim**	

E-Plex 3000 Series — Narrow Stile Electronic Push Button

- 300 Access Codes
- Most Recent 9,000 Lock Events
- Locks are programmed via keypad or with optional Microsoft Excel based software.

Batteries are located in tamper proof base of outside housing.
Four AA alkaline batteries provide up to 180,000 cycles.
Lock data is maintained if batteries fail. Warning light for low battery.

Adapter kit available for various manufacturers' narrow stile exit devices, ask customer service for information.

Retrofits Inside Trim For:
Adams Rite® Locks 1850, 1950, 4070, 4510, 4520, 4530, 4710, 4720, 4730, 4900, 4920AN, MS1850S And MS1950S Series.

NL= Narrow Stile Lever, NT Narrow Stile Thumbturn

3065=Mortise Deadlatch, 3066=Mortise Deadbolt

Part #	Key Override	744	626
SIE3065-B-NL	SFIC Best	$1,329.00	$1,229.00
SIE3065-MS-NL	Schlage C		
SIE3066-MS-NT	Schlage C		

The pricing in this catalog is from December 2024. Prices are subject to change. Check our website, or call for current pricing.

E-Plex 5000

The e-plex 5000 series combines the strength, simplicity and reliability of simplex® mechanical pushbutton locks with the added security and features of electronic access control - it's never been easier to power up your access control.

Exterior access is by combination or key override, and egress is by interior lever and is free at all times.

Construction: extra heavy-duty grade 1 lock; cylindrical lockset, solid cast housings; solid cast levers, cylindrical drive wear tested for extensive use in indoor and outdoor applications

Numeric keypad: vandal resistant, 12 button, metal keys

Door handing: non-handed, pre-assembled for lefthand door installations

Strike: ASA and standard strike plate

Latches:1/2" (13 mm) throw latch, floating face plate
3/4" (19 mm) throw latch, beveled face plate

Key override: universal key-in-lever cylinder or Removable core formats.

Weight: 8 lbs. (3.63 kg)

Batteries: (4) four AA Alkaline batteries -located in Interior housing
• Battery life: up to 180,000 cycles

• Lock data is retained if batteries fail
door preparation: easily installs on wood or metal doors. ASA 161 door preparation with two (2) Additional through bore holes
Backset: 2-3/4" Backset
Minimum Stile Requirement: 5"
Door Thickness: 1-3/8" To 2-1/4"

Software: **SIEP-EPRISE**

100 Access Codes, Most Recent 3,000 Events

Part #	Keyway/IC Prep	Features	Price 26D
SIE5010	XS(KIL, Schlage C)	Exit Trim	$1,390.00
SIE5010	"B" SFIC BEST	Exit Trim	
SIE5031	XS(KIL, Schlage C)	Cylindrical	$1,290.00
SIE5031	XK(KIL, Lori 90)	Cylindrical	
SIE5031	B, C, M, R, or S	Cylindrical	

300 Access Codes, Most Recent 30,000 Events

Part #	Keyway/IC Prep	Features	Price 26D
SIE5210	XS(KIL, Schlage C)	Exit Trim	$1,800.00
SIE5210	"B" SFIC BEST	Exit Trim	
SIE5231	XS(KIL, Schlage C)	Cylindrical	$1,700.00
SIE5231	XK(KIL, Lori 90)	Cylindrical	
SIE5231	B, C, M, R, or S	Cylindrical	

Simplex 9600 Cabinet Locks

Simplex 9600 Series Mechanical Pushbutton Lock uses to same combination system as our other pushbutton access controls and are specifically designed for cabinet doors, desk drawers, and similar applications. They are ideal for use in many locations, such as medicine chests, liquor cabinets, gun boxes, courier pick-up boxes, home entertainment units, cleaning supply cabinets, tool chests, private files, audio-visual cabinets, and petty cash drawers.

This fully mechanical lock eliminates the material and labor expense of battery replacements, has a single access-code and is programmed via the keypad without removing the lock from the door.



C9601
Deadbolt



C9602
Spring Latch

Wood, 5/8" To 7/8", Door Thickness, End Throw, Trim Plate Included, Ball Bearing Clutch Knob

Part #	Bolt Type	605, 606, 626
SIC9601-xxx-41	Deadbolt	$144.00
SIC9602-xxx-41	Spring Latch	

SI96-6-2-C-1-0

Function | Bolt Throw | Trim Plate | Latch/Bolt

Function:
(-2) Wood, 5/8"-7/8" Door (add $2.00)
(-6) Sheet Metal, 14-20 Gauge Door
(-7) Sheet Metal, 1/8" Door
(-8) Sheet Metal, 3/16" Door
(-9) Sheet Metal, 1/4" Door

Bolt Throw:
(-1) Cross Throw (Horizontal)
(-2) End Throw (Vertical)

Trim Plate:
(-1) Without Trim Plate
(-2) With Trim Plate

Finishes:
605- Bright Brass (D.W.O.)
606- Satin brass
626- Satin Chrome

Latch Bolt:
(-0) Standard Deadbolt
(-1) Spring Loaded Latch (add $6.00)
(-3) Spring Loaded Latch W/ Key Override (add $14.00)

Base Model **SI9662-C10-26D-41** $135.00

E-Plex 5700 PROX Lock

The E-Plex 5700 Electronic Pushbutton Lock Series has up to 3,000 Users, 30,000 Audit Events, and supports PIN only, Prox Card only and PIN + Prox card.

• 3,000 Access Codes per door; over 100 million possible code combinations

• Most recent 30,000 lock events are recorded in memory including use of the mechanical key override

• Locks are programmed via E-plex advanced access control software (not included) - provides easy management of doors and users

LFIC preps are available for special order

Part #		Key Override	Price
SIE5731XSWL-626	Cylindrical	KIL, Schlage C	$2,228.00
SIE5731BWL-626	Cylindrical	SFIC BEST	
SIE5766XSWL-626	(ASM) Mortise	KIL, Schlage C	$2,348.00
SIE5766BWL-626	(ASM) Mortise	SFIC BEST	

E-Plex 5086 Back-to-Back, Mortise Lock

Electronic pushbutton lock provides combination access control for both interior and exterior sides of door. American standard mortise with 1-1/4" Face Plate.

• 100 Access Codes Per Side; Over 100 Million Possible Code Combinations

• Most Recent 3,000 Lock events per side are recorded in memory including use of the mechanical override key

• Locks are programmed via keypad or with optional Microsoft Excel based software.

3 operation modes: PIN ACCESS, LOCKOUT, PASSAGE - can be toggled on/off or can be preprogrammed to re-lock after a certain number of hours (from 1-24)

Part #	Key Override	Price
SIE5086XSWL-626	KIL, Schlage C	$2,322.00
SIE5086BWL-626	SFIC BEST	

E-Plex 7900 RFID Electronic Lock

The E-Plex 7900 wireless model integrates with keyscan Aurora software using a ZIGBEE wireless network, which creates a two-way communication from lock to aurora software.
This allows installation of up to 25 locks per gateway and 2 router hops to a maximum of 100 e-plex 7900 wireless locks per gateway on any system running keyscan aurora version 1.0.15 or later.
E-plex 7900 can also function on networks Utilizing other e-plex wireless locks using the Same credentials.

Typical E-Plex 7900 Integrated wireless application:
• One gateway per mesh
• 100 locks per mesh
• 25 locks per gateway or router device
• Up to 8 routers per gateway
• Locks can be up to 2-hops from gateway
• Locks will ping and look for closest gateway/router



Integrated wireless access control functions with keyscan aurora software can be utilized in conjunction with e-plex 5600/5700 wireless locks
No push buttons, new integrated RFID reader streamlined design, less projection off the door more secure, batteries and wireless antenna on the secure side of the door easier to see, top mounted led indicators

Cylindrical, Zigbee, Prox (125 kHz),

Part #	Description	626
SIE79N2031-LL-BF-006-626	"B" SFIC BEST	$1,116.00
SIE79N2031-LL-KF-006-626	KIL, Schlage C	$1,116.00
SIE75428-000-01	Gateway	$777.00

The pricing in this catalog is from December 2024. Prices are subject to change. Check our website, or call for current pricing.