Power Supplies

Selectable 12/24VDC output at 1.5A overall continuous.
Dual 500mA class 2 outputs, each with 1A overcurrent protection.
Auxiliary 500mA Class 2 output.
Supervised fire alarm/access control interface.
Choice of optional 7 or 12 AH battery back-ip interface.
AC fail, battery presence/fail supervision.
Key-locked, hinged cover metal enclosure.
12"W x 13H" x 4.3"D

DL5725 $349.00

Selectable 12/24VDC output at 3A overall continuous.
AC fail, battery presence/ fail supervision.
Key-locked, hinged cover metal enclosure.
13.3"W x 17.6"H x 4.3"D

DL5800 $432.00

4-zone power distribution board with 2A fused class 2 outputs.
Supervised Fire alarm/access control interface.

DL5850 $551.00

Selectable 12/24VDC output at 6A Continuous.
AC fail, battery presence/ fail supervision.
Key-Locked, hinged cover metal enclosure.
13.3"W x 17.6"H x 4.3"D

DL5900 $589.00

8-zone power distribution board with 2A fused class 2 outputs.
Supervised fire alarm/ access control interface.

DL5950 $772.00

Exit Sensor Bar

Non-latching, non-handed exit sensor bar for use with electromagnetic lock. Power transfer from door to frame.



*Not to be used with electric deadbolt locks.

36" Door	36" Door
DL6451-36-US10B	**DL6451-36-US28**
Dark Bronze	Aluminum
$564.00	$510.00

7000 Series Keyswitches

Switch contacts rated 6 Amps @ 125VAC and are available momentary or maintained, SPDT or DPDT.

*cylinder not included

Switch assembly requires 1-1/2" depth clearance

Finish: US32D

Standard Plate 2-3/4" Wide

DL7001	SPDT Maintained	$173.00
DL7002	SPDT Momentary	$157.00

Narrow Plate 1-3/4" Wide

DL7001-NR	SPDT Maintained	$186.00
DL7002-NR	SPDT Momentary	$170.00

Pushbuttons

PNEUMATIC DELAY PUSHBUTTON

1-5/8" Dia. Plastic Red Button Marked EXIT with 0-60 second Pneumatic Delay, factory preset to 30 seconds.

DL6290-32D	Single Gang	$386.00
DL6290-NR-32D	Narrow Stile	$399.00

SURFACE MOUNTED PUSHBUTTON

Concealed pushbutton ideal for under the desk or counter. Momentary SPDT

DL6336 $148.00

SINGLE GANG PUSHPLATE

Recessed pushplate equipped with form z contacts with a 0-60 second pneumatic delay.

DL6750 $516.00

Passive Infrared Sensor

REQUEST-TO-EXIT sensor detects the differential between a human body and the floor. designed for wall, ceiling or door frame mounting.

DL6420 $204.00

7080 Series

Adjustable Time Delay Module

Compact, in-line time delay module provides an adjustable relock delay for an electric lock controlled by a momentary normally-closed access/egress device.

DL7080
$93.00

*We also stock Dark Bronze (10B) finish, and Black (US19) finish, call for pricing and availability

1300 Series — Mortise Electric Deadbolt

The 1300 mortise electric deadbolt is designed for concealed mounting in areas where conventional locks do not fit. It has a mounting depth of only 1-5/8" and the ability to install in door or frame regardless of position.
The lock is silent, rated continuous duty, and fail-safe. Not recommended on wood door/frame installations or to be used with panic devices.

Auto-Relock Switch - Ball Type

DL1300-12/24-ARSB	12 volt	$596.00

Auto-Relock Switch - Concealed

DL1300-12/24-ARSM	12 volt	$596.00

2013 Series — 1200 Lb. Gate Lock

The 2013 series is a full size 1200 lbs. Holding force electromagnet. It is designed for high security on sliding and swinging gates, or any door subjected to the elements. Specify for outdoor commercial, industrial, Institutional, or residential openings.

*The 2013 is fully sealed with a ½" threaded conduit nipple for wiring from the side.
Specify RWE option for wiring from back without a nipple.

Single Gate Lock - 12/24 VDC

DL2013-US28	$577.00

Dynastat Force Sensor

DL2013-US28-DYN	$665.00

Gate Lock Brackets

DLGLB-US28	Adj. Z bracket	$152.00
DLGLB2-US28	L bracket	$187.00

2280 Series — 1200 Lb. Slimline

The new Dynalock 2280 series joins our popular 2268 series as an upscale, low profile 1200 lb. Holding force maglock. The 2280 features a reduced length, low profile seamless housing, milled from a solid aluminum billet. An adjustable mounting plate offers staggered mounting screw holes to enhance mounted stability. Ease of wiring and selection of options is facilitated by a replaceable built-in circuit board.

With a low 2-1/16" profile, it is ideal for opening heights of 7' or less.

Single Electromagnetic Lock Outswing

DL2280-US28	$710.00
DL2280-US28-DSM	$784.00
DL2280-US28-HSM	$836.00

Same as above, for double doors

DL2282-US28	$1,418.00
DL2282-DSM2	$1,565.00

2011 Series

· 1200 Lb. Holding Force
· Field Selectable 12VDC, 24VDC, 12VAC 24VAC
· 10 Year Limited Warranty

Single Outswing Door: 1 Lock, 1 Armature

DL2011-US28	$550.00

With Door Status Switch,
(signals door closed or ajar)

DL2011-US28-DSM	$624.00
DL2011-US28-HSM	$674.00

2268 Series — 1200 Lb. Classic Low Profile

The 2268 series is a full size 1200 lb. holding force electromagnet. It is designed for life safety and high security on rated or nonrated doors and frames.
With a low 2" profile, it is perfect for opening heights of 7' or less.

The 2268 is field selectable for 12VDC or 24VDC. Specify the RC option for AC voltage operation. Surge suppression is built-in and 12" long color coded wire leads are provided for easy installation.

Single Electromagnetic Lock Outswing

DL2268-10-US28	$670.00

2500 Series — 650 Lb. "Mini"

The coil and housing assembly mounts rigidly to the door frame while the armature mounts to the door in a manner that allows it to pivot slightly to compensate for door irregularities.



Single Electromagnetic Lock Outswing

DL2511-US28	$458.00

With Door Status Switch

DL2511-US28-DSM	$532.00

With Door Status Switch and Dynastat

DL2511-US28-DSM-DYN	$620.00

Double Electromagnetic Lock Outswing

DL2522-US28	$916.00

With Door Status Switch

DL2522-US28-DSM2	$1,063.00

The pricing in this catalog is from December 2024. Prices are subject to change. Check our website, or call for current pricing.

*We also stock Dark Bronze (10B) finish, and Black (US19) finish, call for pricing and availability

3000 Series

1500 Lb.

· 1500 lb. Holding Force
· Field Selectable 12VDC, 24VDC, 12VAC, 24VAC
· One Piece Housing
· Solid State Protection

Single Outswing Door: 1 lock, 1 armature

DL3000-US28	$597.00

With door status switch, signals door closed or ajar

DL3000-US28-DSM	$671.00

With High Security Monitor, Includes DSM

DL3000-US28-HSM	$721.00

Two 3000 locks mounted on dual FAS-TRAK 22" long for a pair of doors with no vertical center mullion.

DL3002-US28	$1,193.00
DL3002-US28-DSM2	$1,340.00
DL3002-US28-HSM2	$1,442.00

3101C Series

1500 Lb. Delay Egress

Delay egress electromagnetic locks, surface mounted for outswing single or double doors. Non-Handed.

Multi-Voltage
Field Selectable
12/24 VAC/VDC

3"D x 2 3/4"H x 11"L

Single Delay Egress Lock Outswing

DL3101C-G2-US28	$1,530.00

With Door Status Switch

DL3101C-G2-US28-DSM	$1,604.00

With Door Status Switch And Dynastat

DL3101C-G2-US28-DYN-DSM	$1,692.00

2585 Series

650 Lb. "Bantam"

Similar to the 2511 "mini", this electromagnetic lock has a shorter housing, at only 8-1/2" long. Perfect for installations where space is limited.

Size:
1-1/4"D x 1-3/4"H x 8-1/2"L

Single Lock Outswing

DL2585-US28	$445.00

2022 Series

Pair outswing doors with no vertical center mullion.
1 Dual Lock, 2 Armatures

1200 Lb.

DL2022-US28	$1,100.00

With door status switch, signals door closed and ajar

DL2022-US28-DSM2	$1,247.00
DL2022-US28-HSM2	$1,349.00

Hardware Kit

2000/3000 Series

An assortment of commonly used hardware for Dynalock electromagnetic locks.

180 Pieces

DL301000 $179.00

4800 Series Glass Brackets

Glass door brackets facilitate mounting an armature to a glass door with no top rail.

Rubber and metal shims protect glass during installation

Brackets will fit 3/8", 1/2" or 3/4" thick doors.

DL4850	**2011/2022*/3000/3002***	$179.00
DL4854	**2511/2522***	$179.00

*For double locks order 2 each

Plug-in Transformers

Part #		Price
DL5312	120VAC/12VAC, 3 Amp	$51.00
DL5313	120VAC/12VDC, 3 Amp	$70.00
DL5324	120VAC/24VAC, 1.5 Amp	$51.00
DL5325	120VAC/24VDC, 1.5 Amp	$70.00

Filler Plates

Single Maglocks

Size	2000/3000/3101C (11")	2511 (10-1/2")	2280 (12-3/4")	Price
1/8" x 1-1/4"	**4011**	**4010**	**4080**	$49.00
1/4" x 1-1/4"	**4111**	**4110**	**4180**	$54.00
3/8" x 1-1/4"	**4211**	**4210**	**4280**	$60.00
½" x 1-1/4"	**4311**	**4310**	**4380**	$64.00
5/8" x 1-1/4"	**4411**	**4410**	**4480**	$68.00
3/4" x 1-1/4"	**4441**	**4430**	**4448**	$73.00

Double Maglocks

Size	2022/3002/3121C (22")	2522 (21")	2282 (25-1/2")	Price
1/8" x 1-1/4"	**4022**	**4020**	**4082**	$64.00
1/4" x 1-1/4"	**4122**	**4120**	**4182**	$70.00
3/8" x 1-1/4"	**4222**	**4220**	**4282**	$73.00
½" x 1-1/4"	**4322**	**4320**	**4382**	$75.00
5/8" x 1-1/4"	**4422**	**4420**	**4482**	$77.00
3/4" x 1-1/4"	**4442**	**4450**	**4449**	$84.00

Angle Brackets

Single Maglocks

Size	2000/3000/3101C (11")	2511 (10-1/2")	2585 (8-1/2")	2280 (12-3/4")	Price
1" x 1"	**4511**	**4510**	**4585**	**4580**	$68.00
1-1/2" x 1-1/2"	**4611**	**4610**	**4685**	**4680**	$75.00
1-1/2" x 2"	**4711**	**4710**	**4785**	**4780**	$96.00

Double Maglocks

Size	2022/3002/3121C (22")	2268-20 (28")	2522 (21")	2282 (25-1/2")	Price
1" x 1"	**4522**	**4525**	**4520**	**4582**	$81.00
1-1/2" x 1-1/2"	**4622**	**4625**	**4620**	**4682**	$105.00
1-1/2" x 2"	**4722**	**4725**	**4720**	**4782**	$117.00

Top Jamb Connection Kits

Kits convert 2000, 3000 and 2280 series locks to top jamb mounting applications on In-swing doors. All kits include "Z" armature bracket(s) and mounting hardware.
2000 and 2280 kits also include "l" lock conversion bracket.

DLTJ20	Converts 2011 to 2011TJ20	$195.00
DLTJ22	Converts 2012 to 2022TJ22	$372.00
DLTJ25	Converts 2511 to 2511TJ	$157.00
DLTJ27	Converts 2522 to 2522TJ2	$370.00
DLTJ30	Converts 3000 to 3000TJ30	$177.00
DLTJ32	Converts 3002 to 3002TJ32	$298.00
DLTJ80	Converts 2280 to 2280TJ80	$164.00
DLTJ82	Converts 2280 to 2280TJ82	$331.00

Spacer Plates

DL4301	For 2011/3000/3101C-G2	$86.00
DL4302	For 2511	$73.00
DL4303	For 2522	$82.00

The pricing in this catalog is from December 2024. Prices are subject to change. Check our website, or call for current pricing.