610 Series Cabinet Lock

The 610 cabinet lock can be triggered by a simple relay as part of an access control system or with a standalone keypad.
The HES 610 is available with or without monitoring and has over 200 lbs of holding force.

- Field selectable fail secure/fail safe
- Compact design fits most drawers and cabinets
- Installation either at the side or front of cabinets

HE610	$149.00
HE610LM (Latch Monitor)	$208.00

660 Series Multi-Purpose Electro-mechanical

With over 1,000 lbs of holding force.
Available with or without locked state monitoring and a pre-load release function allowing for smooth functional operation under a variety of environmental conditions. strong, convenient and flexible, it is ideal for corporate and government applications including lockers, cabinets, and display cases.

HE660-12V	$175.00	**HE660-12V-LBSM**	$218.00
HE660-24V	$175.00	**HE660-24V-LBSM**	$218.00

ES100 Series Wireless Integrated Electric Strike

The most versatile way to retrofit an opening with real-time online access control

For the first time, the industry leading features of the 1500 and 1600 series electric strikes have been paired with Aperio® wireless technology to provide even more affordable access control retrofit options for remote control and monitoring. Available in both Convenient (non-monitored) and Secure (monitored) model options. Compatible with most models of cylindrical and mortise latchbolt locksets, including 1" deadbolts. Simply put, the ES100 Series Electric Strike is the affordable, universal retrofit solution that offers flexible configuration options and dynamic adjustability without the need to run wires.

Standard Features (All Models)
2.4 GHz Aperio wireless technology
Integrates with existing access control systems and credentials
Audit trail limited by access control system
Battery operated for stand-alone operation
SecuriCare three-year, no-fault, no questions asked warranty

Electric Strike Features
Non-handed
Fail secure operation (standard)
Static strength 1,500 lbs
Dynamic strength 70 ft-lbs
Interchangeable faceplates and accessories
Factory configured monitored (M) and non-monitored options x M Security – Monitored (Latch and Door Position Monitor)
x MH Security – Monitored Kit with AH20 1:1 Wiegand Hub

Frame Application,

Metal or Wood

Electrical
Estimated Battery Life: 45,000 Cycles*
(2) "AA" lithium batteries (included) x AA LR6 (1.5 V)



Card Reader Features
Supports HID multiCLASS SE® card technologies
Supports NFC & BLE mobile access credentials
BiColor LED visual status indicators; Red/Amber or Green/Amber

HEES100-16SH-IPS-630	$1,786.00
HEES100-16SMH-IPS-630 W/ Monitoring	$1,891.00

9100 Series

For glass openings with tubular, vertical rod exit devices. The low-profile 9100 offers simplified retro-mounted installation within the existing mechanical prep to provide fast and easy installation without the need to cut the frame. Integrated adjustability provides optimal latch positioning.
The 9100 has adaptable voltage sensing technology which allows the product to function in ranges from 12 through 24 volts with no required wiring selection. Field selectable fail safe/ fail secure functionality and monitoring options for maximized versatility. The 9100 exceeds Grade 1 standards and is designed with the strength and durability to meet UL outdoor rating requirements.

HE9100L-630	Left Hand	$799.00
HE9100R-630	Right Hand	$799.00

9200 Series Electric Strike for Surface Vertical Rod Exit Devices

Retro-mounted electric strike with integrated adjustability and field installable options for maximized versatility.

Features
- Retro-mount using existing header prep
- No cutting required
- Integrated adjustability
- Adaptable voltage sensing technology (12-24 VDC)
- Factory configured or field installable monitoring
- Static strength 1,500 lbs
- Dynamic strength to 70 ft-lbs
- Endurance 1 million cycles
- Field selectable fail secure/fail safe
- Quiet operation



Frame Application
- Aluminum
- Hollow Metal
- Wood (additional mounting hardware required)

Electrical
- Adaptable voltage (12-24 VDC)
- 480 mA at 12 VDC, 240 mA at 24 VDC

HE9200N-630 Narrow (4-5/8” Spacing)	$1,449.00
HE9200W-630 Wide (8-3/8” Spacing)	$1,449.00

The pricing in this catalog is from December 2024. Prices are subject to change. Check our website, or call for current pricing.

1006 Series Heavy Duty Electric Strikes

The dual interlocking plunger design and heavy duty stainless steel construction, enables it to exceed every standard developed for electric strikes.
With multiple faceplate options, the 1006 will fully accommodate every lock designed to work within an ANSI 4-7/8" strike plate. Tested to exceed 3,000 lbs of static strength, 350 ft-lbs of dynamic strength and factory tested to exceed 1 million cycles of operation, the 1006 is in a class of its own.

The 1006 electric strike can be purchased as body only, with a specific faceplate of your choice sold separate, or in complete kits that come with multiple faceplates for specific applications.

Accessories For HES & Folger Adam

	HE2001M	Plug-in Bridge Rectifier	$78.00
	HE2004M	2004M ElectroLynx® Adapter	$45.00
	HE2005M3	2005M3 SMART Pac® III	$119.00
	HE2006M	Plug-in Buzzer	$60.00

1006 Body Only



LBM=Latch Bolt Monitor

LBSM=Latch Bolt Strike Monitor

12/24VDC

Part #	Function	Price
HE1006-12/24-Black	Fail-Secure	$762.00
HE1006-12/24-630		$711.00
HE1006-12/24-Black-LBM		$894.00
HE1006-12/24-630-LBM		$843.00
HE1006-12/24-Black-LBSM		$914.00
HE1006-12/24-630-LBSM		$863.00
HE1006-F-12/24-Black	Fail-Safe	$762.00
HE1006-F-12/24-630		$711.00
HE1006-F-12/24-Black-LBM		$894.00
HE1006-F-12/24-Black-LBSM		$914.00

Faceplates Sold Separate:

LB OPTION

The latchbolt solution: Includes all hardware to accommodate every cylindrical and mortise lock up to a 3/4" latchbolt replaces function of the J, K, KM and KD options.



HELB-630 $56.00

4-7/8"x1-1/4"

*LB pack is Only available In 630 finish.



To get different finishes, you have to order the J, KD, or KM plates separately.
See next page for pricing.

DB OPTION - The deadbolt solution:
Includes all hardware to retain and release all mortise and cylindrical locks with up to a 1" deadbolt. Replaces function of the N, ND, NM, H, HD, HM, HT, & HTD options.



HEDB-630 $87.00

4-7/8"x1-1/4"

*DB pack is only available in 630 finish.

To get different finishes, you have to order the N, ND, NM, H, HD,HM, HT, or HTD plates separately.
ask customer service for pricing & availability.

DB-2 OPTION

The deadbolt solution: Includes all hardware to retain and release all mortise & cylindrical locks with up to a 1" deadbolt.
replaces the N-2 and H-2 options

IEDB-2-630 $113.00

9"x1-3/8"



*DB-2 pack is only available in 630 finish.
To get different finishes, you have to order the N-2, or H-2 plates separately.
Ask Customer Service For Pricing & Availability.

E OPTION-For use with normally extended 1" tubular deadbolts



4-7/8"x1-1/4"

HEE-605 $141.00
HEE-630 $70.00

*Other finishes available for special order
ask customer service for pricing & availability.

R OPTION-

For use with: ADAMS RITE style hookbolt up to 1" throw



4-7/8"x1-1/4"

HER-605 $141.00
HER-630 $70.00

*Other finishes available for special order
ask customer service for pricing & availability.

*not included

More Faceplates, & Complete Strike Packs, Next page ->

Z Option- for use with: unit and mono locks

4-7/8"x1-1/4"



HEZ-605	$140.00
HEZ-630	$46.00

J-2 Option- For use with all cylindrical locks up to a 3/4" latchbolt

9"x1-3/8"

HEJ-2-605	$155.00
HEJ-2-630	$90.00

KM-2 Option- For use with mortise locksets up to a 3/4" latchbolt



HEKM-2-605	$155.00
HEKM-2-630	$90.00

Miscellaneous faceplates sold separate, call for availability

Part #	630	BLK	613	605	606,612,629
HEJ-					
HEKD-	$45.00	$75.00	$76.00	$139.00	$124.00
HEKM-					
HEND-					
HENM-					
HEHM-	$70.00	$98.00	$99.00	$140.00	$122.00
HEHTD-					

1006 Accessories

HE1000-102	Rain guard	$44.00
HE1006-103	Full keeper shims	$16.00
HE1000-104	Lip extension trim adapter	$81.00
HE1006-105	Trim enhancer BLK (goof plate)	$42.00
HE1000-110	Replacement strike plate	$133.00
HE1000-130	KD filler plate	$59.00
HE150	Strike latch guard	$104.00
HEHESCUT-MTK	Metal template kit	$100.00

1006CS Smart Strike

The complete one box solution for all cylindrical and mortise locksets, with or without a 1" deadbolt.
The 1006CS SMART STRIKE includes a 1006 electric strike body and SMART PAC® III plus faceplates and brackets that can provide the same function as any of the following options:

J, K, KD, KM, H, HD, HM, HT, HTD, N, ND, & NM Option



HE1006CS-630	$853.00
HE1006CS-F-630	$853.00

*F=Fail-Safe

1006CLB For Latchbolt Strikes

The complete one box solution for all cylindrical and mortise locksets.
The 1006CLB includes the 1006 electric strike body plus faceplates and brackets that provide the same function as any of the following options:
J, K, KD, & KM OPTION



HE1006CLB-630	$767.00
HE1006CLB-F-630	$767.00
HE1006CLB-LBM-630	$899.00
HE1006CLB-F-LBM-630	$899.00
HE1006CLB-LBSM-630	$919.00
HE1006CLB-F-LBSM-630	$919.00

1006CDB For Deadbolts

The complete one box solution for all locksets with a 1" deadbolt.
The 1006CDB includes the 1006 electric strike body plus faceplates and brackets that provide the same function as any of the following options:

H, HD, HM, HT, HTD, N, ND, & NM OPTION

HE1006CDB-630	$797.00
HE1006CDB-BLK-Keeper-630	
HE1006CDB-F-630	

1006CAS For Recapture

The complete one box solution for deadbolt recapture.
The 1006CAS Smart Strike includes a 1006 electric strike body and SMART Pac® III, plus faceplates and brackets that can provide the same function as any of the following options:
A, AD, AM, N, ND, NM, T, & TD OPTION

HE1006CAS-630	$808.00
HE1006CAS-F-630	$808.00

*F=Fail-Safe

The pricing in this catalog is from December 2024. Prices are subject to change. Check our website, or call for current pricing.

1500C Works with all brands of cylindrical and mortise locksets **without a deadbolt**

The most advanced, modular electric strikes that work with every brand of cylindrical or mortise locks designed to work with a 4-7/8" strike plate.

The HES 1500 series electric strikes set a new standard in the industry by offering dynamic integrated adjustability and field configurable options compatible with any cylindrical or mortise lock. The modular design of the platform makes stocking and installing easier with interchangeable faceplates and accessories. For the first time, the aesthetics of an electric strike are complementary to other surrounding door hardware and blend in with the opening due to the fully finished design.







*Other finishes also in stock:
613E (DARK BRONZE OXIDIZED POWDER COAT)
& BSP (BLACK SUEDE POWDER COAT)
*Call for pricing.

- Stainless Steel Construction
- Tamper-resistant
- Static Strength 1,500 lbs
- Dynamic Strength 70 FT-lbs
- Endurance 1 Million Cycles
- Field Selectable Fail Safe/fail Secure
- Non-handed
- Interchangeable faceplates and accessories
- Field Replaceable Components
- Fully finished faceplate, keeper, case and trim
- Field Adjustable Integrated Shim
- Electrolynx® Connectors
- Strike Body Depth 1-3/8"

*LMS=Lock Monitor & Latch Monitor

HE1500C-630	$655.00
HE1500C-LMS-630	$775.00
HE1500-106-630 (Filler Plate & Trim Enhancer Kit)	$45.00

1600C Works with all brands of cylindrical and mortise locksets, **with or without a deadbolt**

The HES 1600 series electric strike accommodates up to a 1" deadbolt with enhanced vertical cavity spacing.

The HES 1600 series electric strikes set a new standard in the industry by offering dynamic integrated adjustability and field configurable options compatible with any cylindrical or mortise lock. The modular design of the platform makes stocking and installing easier with interchangeable faceplates and accessories. For the first time, the aesthetics of an electric strike are complementary to other surrounding door hardware and blend in with the opening due to the fully finished design.



CLB, Shown Above.

CS= All Faceplates Shown.

- Stainless Steel Construction
- Tamper-resistant
- Static Strength 1,500 Lbs
- Dynamic Strength 70 Ft-lbs
- Endurance 1 Million Cycles
- Field Selectable Fail Safe/fail Secure
- Non-handed
- Interchangeable Faceplates & Accessories
- Field Replaceable Components
- Fully finished faceplate, keeper, case and trim
- Field Adjustable Integrated Shim
- Electrolynx® Connectors
- Strike Body Depth 1 5/8"
- Static Strength: 1500 Lbs



HE1600CS-630	$705.00
HE1600CS-LMS-630	$825.00
HE1600CLB-630	$655.00
HE1600CLB-LMS-630	$775.00

HE1600-106-630 (Filler Plate & Trim Enhancer Kit)	$45.00

4500 Series For Cylindrical and Mortise Locksets up to a 3/4" Throw Latchbolt

The low-profile, heavy-duty, fire-rated solution.
The 4500C series electric strike is designed to maintain 1/2" drywall penetration even in a 2"UL 10c fire-rated frame. The 4500C features a low profile 1-3/8" depth, heavy-duty stainless steel construction. Its strength is derived from a unique keeper pin locking design, enabling the 4500C to exceed the ratings of the frame, door and locking hardware. The 4500C includes two faceplates designed to accommodate either cylindrical or mortise locksets up to a 3/4" throw latchbolt.

- Stainless Steel Construction
- Tamper-resistant
- Static Strength 1,500 Lbs
- Dynamic Strength 100 Ft-lbs
- Endurance 1 Million Cycles
- Field Selectable Fail Secure/fail Safe
- Two faceplates provided to Accommodate a variety of locksets
- Non-handed
- Internally Mounted Solenoid
- Accommodates up to a 3/4" Latchbolt
- Strike Body Depth 1-3/8"
- Plug-in Connector
- Trim Enhancer
- Full keeper shims for horizontal Adj.

*Other finishes also in stock:
613E (DARK BRONZE OXIDIZED POWDER COAT)
& BSP (BLACK SUEDE POWDER COAT)
*Call for pricing.





HE4500C-630	$773.00
HE4500C-LBM-630	$907.00
HE4500C-LBSM-630	$927.00

LBM=Latch Bolt Monitor

LBSM=Latch Bolt Strike Monitor

Accessories:

HE4500-105	Trim Enhancer - Black	$43.00
HE4500-110	Replacement Strike Plate	$130.00
HE4500-131	Filler Block - 7/16"	$55.00
HE150	Strike Latch Guard	$104.00
HEHESCUT-MTK	Metal Template Kit	$100.00
HE4501-1/2 ½"	Stackable Lip Extension	$73.00
HE4501-1 1"	Stackable Lip Extension	$80.00

7501 Series Works With Cylindrical Locksets up to a 3/4" Throw Latchbolt

The 7501 electric strike is ideal for fire rated applications with pre-load conditions caused by a warped or misaligned door, weather stripping, a smoke seal or any other condition that could cause door bind. the heavy duty stainless steel construction provides the strength and durability required to accommodate fire rated latchbolts up to 3/4" throw.

What is preload? simply stated, door preload is pressure exerted on a door, that is transfered to the keeper of the electric strike by the latch. A number of conditions can cause door pre-load including pressure from HVAC systems, thermal bowing, thick door seals or heavy weatherstripping, misaligned, damaged, bent, warped doors, or user anticipation. When pressure is applied to some models of electric strikes, the keeper may not release because the pressure binds it against the latch.



- Stainless Steel Construction
- Tamper-resistant
- Static Strength 1,500 Lbs
- Dynamic Strength 70 Ft-lbs
- Endurance 1 Million Cycles
- Field Selectable Fail Secure/fail Safe

- Accommodates Preload (up To 15lbs: Fail Secure Only)
- Non-handed
- Internally Mounted Solenoid
- Strike Body Depth 1-11/16"
- Plug-in Connector
- Trim Enhancer



*Will dimensionally fit into the jamb cutout of Folger Adam models 712 and 732, Von Duprin models 6211 and

HE7501-630	$745.00
HE7501-LBM-630	$867.00

The pricing in this catalog is from December 2024. Prices are subject to change. Check our website, or call for current pricing.

7000 Series

For Cylindrical Latchbolts up to 5/8" throw, & Rim Exit Devices up to a 3/4" throw

The dual, preload solution for cylindrical latch bolts and rim exit devices.
The 7000 series offers two solutions to address preloaded doors. The in-frame adjustable feature allows the installer to easily adjust the electric strike opening to accommodate the horizontal position of the latchbolt after installation. The pre-load release function allows the electric strike to operate smoothly throughout the year under varying loads on the door caused by air-conditioning pressure, changes in the weather, warped doors or doors with weather stripping that often bind standard electric strikes. This unit accommodates cylindrical latchbolts up to 5/8" throw and rim exit latchbolts up to 3/4" throw.

- Stainless steel construction
- Tamper-resistant
- Static strength 1,500 lbs (791 and 792 options)
- Dynamic strength 70 ft-lbs (791 and 792 options)
- Static strength 1,000 lbs (783S, 786S, and 789S options)
- Dynamic strength 50 ft-lbs (783S, 786S, and 789S options)
- Endurance 1 million cycles
- Field selectable fail secure/fail safe
- Accommodates preload (up to 15lbs: fail secure only)
- Horizontal adjustment
- Non-handed
- Strike body depth 1-11/16"
- Plug-in connector
- Trim enhancer (791 and 792 options)
- Pocket adapter (786S and 789S options)



Body Only	
HE7000-12/24	$317.00
HE7000-12/24-LBM	$439.00

Complete Packs	
HE7000C-12/24-630	$388.00
HE7000C-12/24-LBM-630	$510.00

HESMB
(Surface Mount Box)
only for 783S & 789S & 9000 Series
$244.00

Faceplates Sold Separately:

HE783S-630
$187.00
HE783S-613E
$267.00



9"x1-3/4" x11/16"

HE786S-630
$208.00
HE786S-613E
$302.00



For Rim , & SVR
6"x1-3/4" x1/2"

HE789S-630
$208.00
HE789S-613E
$302.00



9"x1-3/4" x1/2"

HE791-630
$70.00
HE791-613E
$91.00



4-7/8"x 1-1/4"

HE792-630
$70.00
HE792-613E
$91.00



7-15/16"x 1-7/16"

9800 Series

Compatible with Adams Rite 8700 and 8800 Series Rim Exit Devices.
Installs on aluminum, hollow metal and wood frames (wood screws not provided).
One 1/16" spacer plate included.
One 1/8" spacer plate included.
Decorative cover for sleek look.
Stainless steel construction.
Tamper resistant.

Static strength 1,500 lbs
Dynamic strength 70 ft-lbs
Endurance 1,000,000 cycles
Field selectable fail safe/fail secure
Horizontal adjustability
Non-handed
Internally mounted solenoid

HE9800-630
$695.00

5000 Series — Works with Cylindrical Locksets up to a 5/8" throw latchbolt

The grade 1, low-profile solution for cylindrical locksets. The 5000 series is a compact, high performance electric strike designed for low profile openings where there is limited space behind the jamb. Its strength is derived from a unique keeper pin locking design, enabling the 5000 to exceed the ratings of the frame, door and locking hardware. This field selectable fail secure/fail safe unit is easy to install and accommodates latchbolts up to 5/8" throw.

- Tamper-resistant
- Static strength 1,500 lbs
- Dynamic strength 70 ft-lbs
- Endurance 1 million cycles
- Field selectable fail secure/fail safe
- Non-handed
- Internally mounted solenoid
- Accommodates 1/2" – 5/8" latchbolt (5/8" with 1/8" door gap)
- Strike body depth 1-1/16"
- Plug-in connector
- Trim enhancer included





Faceplates Sold Separate:

*Other finishes available for special order

Part #	Size	630	605	613
HE501	4-7/8" x 1-1/4"	$24.00	$79.00	$49.00
HE501A	4-7/8" x 1-1/4"	$29.00	$85.00	$54.00
HE502	7-15/16" x 1-7/16"	$50.00	$103.00	$70.00
HE503	6-7/8" x 1-1/4"			
HE504	10" x 1-3/8"			

Body Only

HE5000	$201.00
HE5000-LBM	$292.00

Complete W/ 501 & 501A Faceplates

HE5000C-630	$227.00
HE5000C-LBM-630	$318.00

5200 Series — The Convenient Adjustable Solution

Works with Cylindrical Locksets up to a 3/4" throw latchbolt

The 5200 series electric strikes feature an in-frame horizontal adjustable design to simplify the installation process. This feature allows the installer to easily adjust the electric strike opening to accommodate the horizontal position of the latchbolt after the strike has been installed. This field selectable fail secure/fail safe unit is easy to install and accommodates latchbolts up to 3/4" throw.

- Tamper-resistant
- Static Strength 1,500 Lbs
- Dynamic Strength 70 Ft-lbs
- Endurance 1 Million Cycles
- Field Selectable Fail Secure/fail Safe
- In-frame Horizontal Adjustment
- Non-handed
- Internally Mounted Solenoid
- Accommodates 5/8" - 3/4" Latchbolt (3/4" with 1/8" Door Gap)
- Strike Body Depth 1-3/16"
- Plug-in Connector
- Trim Enhancer Included

Uses same faceplates shown above for the 5000 series





LBM=Latch Bolt Monitor

LBSM=Latch Bolt Strike Monitor

Body Only

HE5200	$212.00
HE5200-LBM	$302.00
HE5200-LBSM	$323.00

Complete W/ Both Faceplates

HE5200C-630	$237.00
HE5200C-LBM-630	$328.00
HE5200C-LBSM-630	$348.00

8000 Series Concealed Strike

The 8000 series is a compact, high performance electric strike featuring a unique concealed design for use with cylindrical locksets. No cutting on the frame is required. Simply remove the existing strike plate, adjust the vertical alignment feature to the latchbolt centerline, and install. Its strength is derived from a unique keeper pin locking design, enabling the 8000 to exceed the ratings of the frame, door and locking hardware. This field selectable fail secure/fail safe unit is easy to install and accommodates latchbolts up to 5/8" throw.

- No cutting on frame required
- Vertical adjustability to accommodate door sag and misalignment
- Tamper-resistant
- Static Strength 1,500 Lbs
- Dynamic Strength 70 ft-lbs
- Endurance 1 Million Cycles
- Field Selectable Fail Secure/fail Safe
- Non-handed



- Internally Mounted Solenoid
- Accommodates 1/2" – 5/8" Cylindrical Latchbolt (5/8" with 1/8" Door Gap)
- Strike Body Depth 1-1/16"
- Strike Body Width 1-7/16"



Body Only

HE8000	$243.00
HE8000-LBM	$354.00

Complete W/ 801 & 801A Faceplates

HE8000C-630	$278.00
HE8000C-LBM-630	$389.00

HE801
SQ Corner

HE801A
Round Corner

8300 Series Fire Rated

Falls within the guidelines for retrofit into fire-rated frames
No cutting on frame required
Vertical adjustability to accommodate door sag and misalignment

Body Only

HE8300	$592.00

Complete W/ 801 & 801A Faceplates

HE8300C-630	$604.00

Faceplates Sold Separate:
*Other finishes available for special order

Part #	Size	630	605	613
HE801	4-7/8"x1-1/4"	$35.00	$96.00	$63.00
HE801A	4-7/8"x1-1/4"	$43.00	$103.00	$68.00
HE802	7-15/16"x1-7/16"	$56.00	$120.00	$85.00
HE803	6-7/8"x1-1/4"			
HE805	9"x1-3/8"			

8500 Series Works with Mortise Locksets without a deadbolt up to a 3/4" throw latchbolt

The fire-rated, concealed electric strike solution for mortise locksets.
the 8500 series is a fire rated, compact, high performance electric strike featuring a unique concealed design for use with mortise locksets without a deadbolt. Designed for fast, convenient installation, the 8500 installs with little or no modification to the frame. Simply remove the existing strike plate, remove the dust box and install. Its strength is derived from a unique keeper pin locking design, enabling the 8500 to exceed grade-1 ratings. This unique electric strike complies with NFPA 80-07 guidelines for retrofit into fire-rated frames. The 8500 accommodates mortise latchbolts up to 3/4" throw.



- No cutting to the face of the frame
- Stainless Steel Construction
- Tamper-resistant
- Static Strength 1,500 Lbs
- Dynamic Strength 70 ft-lbs
- Endurance 1 Million Cycles
- Field Selectable Fail Secure/fail Safe
- Non-handed
- Metal or Wood Frame
- Internally Mounted Solenoid
- Accommodates 3/4" Mortise Latchbolts
- Strike Body Depth 1-5/16"
- Plug-in Connector
- Full pocket shims for horizontal adjustment



LBM=Latch Bolt Monitor

LBSM=Latch Bolt Strike Monitor

Body Only

HE8500-630	$606.00
HE8500-LBM-630	$728.00
HE8500-LBSM-630	$748.00



4-7/8"x1-1/4"
For Sargent 8100, 8200, 9200
HE851M-630 $48.00



4-7/8"x1-1/4"
For Yale 8800, Accurate, Falcon, Kaba/Unican
HE852M-630 $48.00



4-7/8"x1-1/4"
For Schlage L9000
HE852L-630 $48.00



4-7/8"x1-1/4"
For Corbin ML2000
HE852K-630 $48.00

9400 Series Surface Mounted Electric Strike

Works with Rim Exit Devices up to **1/2"** throw latchbolt

The 9400 series is a slim-line, surface mounted electric strike designed to accommodate rim exit devices with a 1/2" throw pullman latchbolt. All components are completely encased within its 1/2" thick stainless steel housing, so no cutting on the frame is required for installation. Simply place the electric strike on the surface of the frame, align it with the exit latchbolt, and install.

- Installs in metal and wood frames
- Wood screws not provided
- One 1/8" spacer plate included
- Decorative cover for sleek look
- Stainless steel construction
- Tamper-resistant
- Horizontal adjustability
- Non-handed
- Internally mounted solenoid
- Accommodates up to 1/2" pullman latch
- Tamper-resistant
- Static strength 1,500 lbs
- Dynamic strength 70 ft-lbs
- Endurance 1 million cycles
- Field selectable fail Secure/fail safe



*Architectural finishes are available for special order, ask customer service for information.

HE9400-630	$580.00
HE9400-613	$730.00

LBM=Latch Bolt Monitor

LBSM=Latch Bolt Strike Monitor

HE9400-LBM-630	$700.00
HE9400-LBSM-630	$715.00



9500 Series Works with Rim Exit devices

The Strong Durable, **Fire-rated** Surface Mounted Solution.

- Installs in metal or wood frames
- Wood screws not provided
- Separate base and decorative cover for easy adjustments
- Stainless steel construction
- Tamper-resistant
- Static strength 1,500 lbs
- Dynamic strength 70 ft-lbs
- Endurance 1 million cycles
- Field selectable fail secure/fail safe
- Horizontal adjustability
- Non-handed
- Internally mounted solenoid
- Accommodates up to 3/4" pullman latch

LBM=Latch Bolt Monitor

LBSM=Latch Bolt Strike Monitor

HE9500-630	$680.00
HE9500-613	$830.00
HE9500-LBM-630	$800.00
HE9500-LBSM-630	$815.00

9600 Series Windstorm-rated, Surface Mounted

- Installs in metal or wood frames
- Wood screws not provided
- Separate base and decorative cover for easy adjustments
- Stainless steel construction
- Tamper-resistant
- Static strength 2,000 lbs
- Dynamic strength 120 ft-lbs
- Endurance 1 million cycles
- Field selectable fail secure/fail safe
- Horizontal adjustment
- Non-handed
- Internally mounted solenoid
- Accommodates up to **3/4"** pullman latch



LBM=Latch Bolt Monitor

LBSM=Latch Bolt Strike Monitor

HE9600-630	$580.00
HE9600-613	$730.00
HE9600-LBM-630	$700.00
HE9600-LBSM-630	$715.00

9700 Series Works With Corbin Russwin SecureBolt® & Yale SquareBolt® Exit Devices

The stylish windstorm-rated and fire-rated, Squarebolt solution.
The 9700 series is a heavy duty, surface mounted electric strike designed to accommodate Corbin Russwin Securebolt™ and Yale Squarebolt® exit devices. All components are completely encased within its 3/4" thick stainless steel housing, so no cutting on the frame is required for installation. It is field selectable for fail secure or fail safe operation, and for 12 or 24 vdc.

- Installs in metal or wood
- Wood screws not provided
- Separate base and decorative cover for easy adjustments
- Stainless steel construction
- Tamper-resistant
- Static strength To 2,000 Lbs
- Dynamic strength To 120 ft-lbs
- Endurance 1 million cycles
- Field selectable fail secure/fail safe
- Horizontal adjustment
- Non-handed
- Internally mounted solenoid

HE9000-MTK
Metal Template Installation Kit
$79.00

HE9700-630	$695.00
HE9700-613	$845.00

LBM=Latch Bolt Monitor

LBSM=Latch Bolt Strike Monitor

HE9700-LBM-630	$815.00
HE9700-LBSM-630	$830.00



The pricing in this catalog is from December 2024. Prices are subject to change. Check our website, or call for current pricing.

310 Series

Folger Adam 310 Electric Strike works W/ Cyl. & Mort. locksets W/ ½", 5/8" or 3/4" throw latchbolts

The 310 series is a 3 hour fire-rated, industrial grade electric strike designed for extreme heavy duty applications. The all stainless steel construction of this device makes it ideal for high abuse applications that would disable other electric strikes.

Standard features
- Tamper-resistant, heavy duty construction
- Constructed entirely of stainless steel for strength and corrosion resistance
- Static strength 1,500 lbs
- Dynamic strength 70 ft-lbs
- Endurance rating 1 million cycles
- Horizontally adjustable keeper allows for door and frame misalignment
- 1/2" keeper depth (310-2)
- 3/4" keeper depth (310-2 3/4 and 310-2 3/4ob)
- 1" keeper depth (310-3-1)
- Non-handed
- Fail secure (standard)
- Plug-in connector

Overall Dim.
1-3/8" X 9"

Optional Features
- Fail Safe= "FS"
- LCBMA Latchbolt & Locking Cam Monitor With Auxiliary Switch (all Except 310-2-3/4OB)

LCBMA = Latchbolt & Locking Cam Monitor With Auxiliary Switch

F = Fail Safe

310-2

For a 1/2" or 5/8" throw latchbolt (without deadbolt) on single and pairs of doors ½" keeper standard

Latch Guard Astragal

O/A Dim. 1-1/2" X 9"

FO310-2-3 630

$250.00

Part #	630	605	606	613
FO310-2-12D	$951.00	$1,106.00	$1,062.00	$1,002.00
FO310-2-24D				
FO310-2-F-12D				
FO310-2-F-24D				
FO310-2-12D-LCBMA	$1,139.00	$1,295.00	$1,250.00	$1,203.00
FO310-2-24D-LCBMA				
FO310-2-F-12D-LCBMA				
FO310-2-F-24D-LCBMA				

Accessories
- 152 UNIVERSAL MOUNTING TABS
- 310-2-3 STRIKE LATCH GUARD (ASTRAGAL)
- 2001-1 WIRE-IN BRIDGE RECTIFIER
- 2001M PLUG-IN BRIDGE RECTIFIER
- 2004M ELECTROLYNX® ADAPTER
- 2005M3 SMART PAC® III
- 2006M PLUG-IN BUZZER

Strike Body Only

FOSB310-1-1/2-12D	$657.00
FOSB310-1-1/2-24D	
FOSB310-1-1/2-12D-LCBMA	$824.00
FOSB310-1-1/2-24D-LCBMA	
FOSB310-1-3/4-24D	$657.00
FOSB310-1-3/4-F-24D	
FOSB310-1-PK-24D	
FOSB310-1-PK-24D-FS	



310-2-3/4

For a 3/4" throw latchbolt **(without deadbolt)** on single doors and pairs of doors 3/4" keeper standard

LCBMA = Latchbolt & Locking Cam Monitor With Auxiliary Switch

Overall Dim.
1-3/8" X 9"

F = Fail Safe

Part #	630	605	606	613
FO310-2-3/4-12D	$1,084.00	$1,224.00	$1,183.00	$1,137.00
FO310-2-3/4-24D				
FO310-2-3/4-F-12D				
FO310-2-3/4-F-24D				
FO310-2-3/4-12D-LCBMA	$1,272.00	$1,427.00	$1,372.00	$1,322.00
FO310-2-3/4-24D-LCBMA				
FO310-2-3/4-F-12D-LCBMA				
FO310-2-3/4-F-24D-LCBMA				

310-3-1

For a lockset with both a 3/4" throw latchbolt and a 1" throw deadbolt
• Deadbolt must be retracted manually
• Position of block within cavity is adjustable for RH and LH applications
1" keeper standard

Overall Dim.
1-3/8" X 9"

Part #	630	605	606	613
FO310-3-1-12D	$1,359.00	$1,435.00	$1,413.00	$1,364.00
FO310-3-1-24D				
FO310-3-1-F-12D				
FO310-3-1-F-24D				
FO310-3-1-12D-LCBMA	$1,547.00	$1,635.00	$1,601.00	$1,556.00
FO310-3-1-24D-LCBMA				
FO310-3-1-F-12D-LCBMA				
FO310-3-1-F-24D-LCBMA				

310-6-8

For use on the active leaf of a pair of doors (without a mullion) equipped with **concealed vertical rod** exit devices having 1/2" or 5/8" throw latchbolts.

• Tamper resistant, heavy duty construction.
• Constructed entirely of stainless steel for strength and corrosion resistance.

Part #	627	612
FO310-6-8-12D	$1,125.00	$1,530.00
FO310-6-8-24D		
FO310-6-8-F-12D		
FO310-6-8-F-24D		
FO310-6-8-12D-LCBMA	$1,337.00	$1,742.00
FO310-6-8-24D-LCBMA		
FO310-6-8-F-12D-LCBMA		
FO310-6-8-F-24D-LCBMA		

310-4

Works with Pullman style Latchbolts
up to 3/4" and Squarebolt® style rim exit devices

Overall Dim. 1-1/2" X 9"

Part #	630	605	613
FO310-4-12D	$995.00	$1,143.00	$1,048.00
FO310-4-24D			
FO310-4-F-12D			
FO310-4-F-24D			
FO310-4-12D-LCBMA	$1,181.00	$1,339.00	$1,235.00
FO310-4-24D-LCBMA			
FO310-4-F-12D-LCBMA			
FO310-4-F-24D-LCBMA			

310 Series Parts

Locking Lever Spacer

FO18101506

Cam Pin

FO18101502

Spacer Cam Spring

FO18101503

Locking Cam NFS & FS

FO18101499

BCM Switch Tripper FS

FO18101518

LCM Switch Tripper

FO18101517

Compression Spring

FO18101505

Keeper Pin w/ Notch

FO18101497

Cam Spring FS

FO18101501

Cam Spring NFS

FO18101500

Latch Keeper Spring

FO18101498

Switch Insulator

FO18101516

Locking Lever

FO18104504

LBM Switch


FO18101514

LCM-LBM Switch


FO18101515

Solenoid Assy. 24VDC Pull

FO18104178

Solenoid Assy. 12VDC Pull

FO18104177

Solenoid Assy. 12VDC Push

FO18104179

Solenoid Assy. 24VDC Push

FO18104180

The pricing in this catalog is from December 2024. Prices are subject to change. Check our website, or call for current pricing.

700 Series Works With Cylindrical and Mortise Locksets Without a Deadbolt

The 700 series is a 3 hour fire-rated, industrial grade electric strike designed for extreme heavy duty applications.

The all stainless steel construction of this device makes it ideal for high abuse applications.The 712 series is designed to accommodate ½" throw latchbolts, and the 712-75 is designed to accommodate 3/4" latchbolts.*

For use with 1/2" to 5/8" throw latchbolts in hollow metal frame applications 1/2" PK keeper standard

Standard Features
- Tamper-resistant, heavy duty construction
- Constructed entirely of stainless steel for strength and corrosion resistance
- Static strength 1,500 lbs
- Dynamic strength 70 ft-lbs
- Horizontally adjustable keeper allows for door and frame misalignment
- 1/2" keeper depth (712 and 732)
- 3/4" keeper depth (712-75 and 732-75)
- Non-handed
- Fail secure (standard)
- Plug-in connector
- Securicare five-year, no fault, no questions asked warranty optional features
- Fail safe
- LBMLCM latchbolt & locking cam monitor

712

Overall Dim.
1-1/4" X 4-7/8"

LCBMA = Latchbolt & Locking Cam Monitor With Auxiliary Switch

F = Fail Safe

Part #	630	605	606	613
FO712-12D	$897.00	$1,046.00	$1,005.00	$952.00
FO712-24D				
FO712-F-12D				
FO712-F-24D				
FO712-12D-LBMLCM	$1,089.00	$1,237.00	$1,195.00	$1,143.00
FO712-24D-LBMLCM				
FO712-F-12D-LBMLCM				
FO712-F-24D-LBMLCM				

712-75

For use with 1/2"*, 5/8"*or 3/4" throw latchbolts in hollow-metal frame applications 3/4" PK keeper standard

Accessories
- 150 STRIKE LATCH GUARD
- 152 UNIVERSAL MOUNTING TABS
- 2001-1 WIRE-IN BRIDGE RECTIFIER
- 2001M PLUG-IN BRIDGE RECTIFIER
- 2004M ELECTROLYNX® ADAPTER
- 2005M3 SMART PAC® III
- 2006M PLUG-IN BUZZER

Overall Dim.
1-1/4" X 4-7/8"

LCBMA = Latchbolt & Locking Cam Monitor With Auxiliary Switch

F = Fail Safe

Part #	630	605	606	613
FO712-75-12D	$934.00	$1,083.00	$1,037.00	$993.00
FO712-75-24D				
FO712-75-F-12D				
FO712-75-F-24D				
FO712-75-12D-LBMLCM	$1,126.00	$1,274.00	$1,226.00	$1,182.00
FO712-75-24D-LBMLCM				
FO712-75-F-12D-LBMLCM				
FO712-75-F-24D-LBMLCM				

732

For use with 1/2"* to 5/8"* throw latchbolts in wood frame applications. Features an offset solenoid PK keeper standard

LCBMA = Latchbolt & Locking Cam Monitor With Auxiliary Switch

F = Fail Safe

*Other Finishes Available For Special Order.

Part #	630	605	606	613
FO732-12D	$897.00	$1,046.00	$1,005.00	$952.00
FO732-24D				
FO732-F-12D				
FO732-F-24D				
FO732-12D-LCBMA	$1,089.00	$1,237.00	$1,195.00	$1,143.00
FO732-24D-LCBMA				
FO732-F-12D-LCBMA				
FO732-F-24D-LCBMA				

732-75

For use with 1/2", 5/8" or 3/4" throw latchbolts in wood frame applications. Features an offset solenoid 3/4" PK keeper standard

LCBMA = Latchbolt & Locking Cam Monitor With Auxiliary Switch

F = Fail Safe

*Other Finishes Available For Special Order.

Part #	630	605	606	613
FO732-75-12D	$934.00	$1,083.00	$1,037.00	$993.00
FO732-75-24D				
FO732-75-F-12D				
FO732-75-F-24D				
FO732-75-12D-LCBMA	$1,126.00	$1,274.00	$1,226.00	$1,182.00
FO732-75-24D-LCBMA				
FO732-75-F-12D-LCBMA				
FO732-75-F-24D-LCBMA				

700 Series Parts

Keeper LBM



FO18310641

Keeper LBM-3/4



FO18310642

Locking Cam Assy 710

FO18310645

Locking Cam Assy 730

FO18310646

Locking Lever



FO08310652

Locking Cam Spring 730-FL

FO18310649

Locking Cam Spring FS

FO18310650

Locking Cam Spring 710-FL



FO18310648

Switch Insulator



FO18310661

Compression Spring



FO18310654

Switch-LCM



FO18310660

Switch-LBM



FO18310659

Solenoid Assy Pull Type 12VDC



FO18311685

Solenoid Assy Pull Type 24VDC



Fo18311682

Solenoid Assy Push Type 12VDC



FO18311683

Solenoid Assy Push Type 24VDC



FO18311684

The pricing in this catalog is from December 2024. Prices are subject to change. Check our website, or call for current pricing.