Push Plates

Available Sizes
3.5" x 15"
4" x 16"

Black hardware now in stock!

Call for pricing & availability on specific items

Many sizes & finishes available for special order, ask customer service for information

Part #	Size	US3	US4	US10	US10B, US15	US26	US26D	US28	US32D	BLK
IV8200-3-1/2"x15"	3-1/2" x 15"	$44.50	$44.50	$49.60	$97.00	$55.60	$55.60	$28.00	$27.50	$44.50
IV8200-4"x16"	4" x 16"	$57.50	$57.50	$65.70	$119.50	$67.30	$65.20	$21.50	$32.90	$57.50

Kick Plates

8400 Series Protection Plates
• Door Protection Plates are available in .050" thick Brass, Stainless Steel or Aluminum

Many sizes & finishes available for special order

Part #	Size	US32D
IV8400-8x34	8" x 34"	$76.60

Vandal Resistant Exit Trim

For Von Duprin 99 Series

For use with Von Duprin 98/99 Series rim and vertical rod exit device
Non-handed
Thru-bolts directly to the exit device
Width- 5-1/4"
Height- 11"
Thru bolt pattern- 1-3/8" wide x 7" high
Clearance grip to door- 1-1/2"
Projection- 1-7/8"
630 STAINLESS STEEL



Dummy Trim

IVVR910-DT $422.90
WITH BLACK GRIP

IVVR914-DT $456.10
WITHOUT BLACK GRIP

For use with Von Duprin 98/99 Series rim and vertical rod exit device
Non-handed
Thru-bolts directly to the exit device
Width- 5-1/4"
Height- 11"
Thru bolt pattern- 1-3/8" wide x 7" high
Clearance grip to door- 1-1/2"
Projection- 1-7/8"
630 STAINLESS STEEL



Night Latch Trim

IVVR910-NL $422.90
WITH BLACK GRIP

IVVR914-NL $456.10
WITHOUT BLACK GRIP

Door Pulls

8102HD Door Pull
3/4" Round
1-1/2" Clearance

Part #	CTC	3, 4	10B	26	26D	28	32D
IV8102HD-6	6"	$76.20	$118.80	$85.60	$76.20	$30.50	$46.60
IV8102HD-8	8"	$85.60	$134.10	$95.20	$85.60	$31.70	$51.90

8103HD Door Pull
1" Round
1-1/2" Clearance

Part #	CTC	4	10B	15	26	26D	32D
IV8103-8-HD	8"	$151.90	$234.10	$177.40	$161.90	$152.70	$90.40

Standard Pull

Surface Mounting

CTC 5-1/4"

IV8112-5B26D
$61.40

8111-5 Door Pull



CTC
5-1/4"

Part #	3, 4, 26	10, 15	26D	28	32D
IV8111-5	$78.50	$87.70	$84.00	$48.90	$72.70

8300 Series Pull Plates

8302 (W/ 8102 Pull)



Part #	CTC	Plate Size	3	10	28	26D	32D
IV8302-6	6"	3.5"x15"	$162.90	$186.40	$71.50	$171.70	$97.80
IV8302-8	8"	4"x16"	$184.70	$211.40	$71.90	$193.40	$110.60

8303 (W/ 8103 Pull)



Part #	CTC	Plate Size	3	10	28	26D	32D
IV8303-8	8"	3.5"x15"	$270.30	$303.30	$90.90	$279.60	$167.00
IV8303-8	8"	4"x16"	$279.10	$314.40	$89.30	$288.50	$165.00

8305 (W/ 8105 Pull)



Part #	CTC	Size	3	10	28	26D	32D
IV8305-6	6"	3.5"x15"	$172.40	$208.10	$77.70	$172.00	$123.50
IV8305-8	8"	4"x16"	$246.20	$270.30	$88.50	$262.20	$162.30

8311 (W/ 8111 Pull)



Part #	CTC	Plate	3	10	28	26D	32D
IV8311-5	5"	3.5"x15"	$166.30	$187.80	$97.90	$182.50	$136.90
IV8311-5	5"	4"x16"	$174.80	$196.40	$96.30	$190.80	$135.60

The pricing in this catalog is from December 2024. Prices are subject to change. Check our website, or call for current pricing.

Self Latching Flush Bolts

FB61P top and bottom bolts (pair)
• constant latching—inactive door remains latched until the active door is opened, releasing the automatic bottom bolt and then the top bolt can be manually released. Inactive door will relatch automatically when door closes.
• Low Actuation Forces.
• Non-Handed.
• Bolt Throw Is 3/4" With a 7/8" Vertical Adjustment.
• Bolt Backset Is 3/4"
Sold In Pairs

Top


Bot

FB61P For Wood Doors
Used With Labeled Wood-covered Composite Fire Doors Not Exceeding a 1-1/2 Hour Fire Rating In 8 Feet In Height.
U.L. Listed

	Base Material Brass	Base Material Stainless
Part #	3, 4, 10, 10B	US32, US32D
IVFB61P-WD	$331.50	$331.50

Automatic Flush Bolts — Wood Doors

FB41P top and bottom bolts (pair)
• Fully automatic—inactive door is latched, bolts are extended when active door closes, door is unlatched bolts retract when active door is opened.
• Low actuation force top bolt has no spring tension.
• Non-Handed.
• Bolt throw is 3/4" with a 7/8" vertical adjustment.
• Bolt Backset Is 3/4"


Top

Bot

Listed for use on the inactive leaf of a pair of classified wood-covered composite fire doors, swinging in pairs, not exceeding 1-1/2 hour fire rating or 8 feet in height. Simplified router mortise installation at the top and bottom corners of the door. Furnished with sheet metal screws for bolts and strikes, and lead shields for the optional installation of standard bottom strike in a concrete floor.

	Base Material Brass	Base Material Stainless	
Part #	3, 4, 10, 10B	US32	US32D
IVFB41P-WD	$328.40	$328.40	$310.40

Self Latching Flush Bolts

Top and Bottom Bolts (pair)
• Constant Latching—Inactive door remains latched until the active door is opened, releasing the automatic bottom bolt and then the top bolt can be manually released. Inactive door will re-latch automatically when closed.
• Low Actuation Forces.
• Fits Standard ANSI A115.4 Door and frame preparations.
• Non-Handed.
• 3/4" Bolt Throw With a 7/8" Vertical Adjustment.
• 3/4" Backset
• Standard Rod Length Is 12", Which is measured from the center of the flush bolt body to the bolt tip.
For top bolt only on non-fire rated Openings—18", 24", 36" And 48".
For Metal Doors
U.L. Listed

Top

Bot

	Base Material Brass	Base Material Stainless	
Part #	3, 4, 10, 10B	US32	US32D
IVFB51P-12-MD	$313.80	$313.80	$296.70

Manual Flush Bolt — Wood Doors, UL 90 Minutes

• When the active door is opened, the lever can be moved to the 'up' position, retracting the bolt and allowing the inactive leaf to be opened. When the inactive leaf is closed, the lever can be moved to the 'down' position, projecting the bolt into the strike and securely locking the inactive leaf.

• Reduces Installation Costs; Requires only simple router mortise at top and bottom corners of doors.
• Door strength and rigidity maintained by tying door faces to reinforcing extensions on guide with machine screws and bearing washers, not supplied.
• Non-Handed.
• Bolt Tip 1/2" Diameter
• Bolt throw is 3/4" with a 7/8" vertical adjustment.
• Bolt backset is 3/4"
• Not available for rabbeted door installations.

Part #	3, 4, 10	10B	15, 26	26D
IVFB358-WD	$61.00	$56.50	$61.00	$56.50

Automatic Flush Bolts — Metal Doors

FB31P Top And Bottom Bolts (Pair)
• Fully Automatic—Inactive door is latched, bolts are extended when active door closes, door is unlatched, bolts retract when active door is opened.
• Low actuation forces, top bolt has no spring tension.
• Fits Standard ANSI A115.4 door frame preparations.
• Non-Handed.
• Bolt Throw Is 3/4" With A 7/8" Vertical Adjustment.
• Bolt Backset Is 3/4"
• Standard rod length is 12", which is measured from the center of the flush bolt body to the bolt tip

Top

Bot

Listed for use on the inactive leaf of a pair of classified hollow-metal fire doors with a maximum rating of three hours, not exceeding 9 feet in height; and on steel covered composite fire doors not exceeding 8 feet high. Fits standard A.N.S.I door and frame preparation.

	Base Material Brass	Base Material Stainless	
Part #	3, 4, 10, 10B	US32	US32D
IVFB31P-12-MD	$313.80	$313.80	$291.00

Dust Proof Strikes

• Designed for use with the bottom bolt of all flush bolts.
• Spring-loaded plunger returns to floor or threshold level anytime flush bolt is retracted, eliminating need to clean standard floor strikes.
• Strike Hole is 3/4" Diameter and 1-1/8" Deep

DP1 Face Plate: 1-7/16" Diameter
DP2 Face Plate: 1-5/8" W x 3-1/2" L x 1/8" Thick
Body: 1-3/16" Diameter x 1-7/8" Deep

DP1

DP2

Part #		3, 4, 10	10B	15, 26	26D
IVDP1	Threshold	$44.40	$41.20	$44.40	$41.20

Part #		3	4, 10, 10B, 15, 26, 26D
IVDP2	Threshold or Floor	$55.70	$51.70

Manual Flush Bolts

• Simplified installation in metal frames. Round bolt head requires only a punched hole. Use of strike optional. Special design of guide and flat sided bolt tip to prevent bolt rotation.

• Non-handed.
• Bolt tip is 1/2" diameter.
• Bolt throw is 3/4" with a 7/8" vertical adjustment.
• Bolt backset is 3/4"

457
Wood Doors
1-1/4" W
6-3/4" H

Part #	Rod Size	3, 4, 10	10B	15, 26	26D
IVFB457-12	12"	$45.30	$42.00	$45.30	$42.80

Body Size:
1" Wide x 6-3/4" Long x 1-1/8" Deep
Guide Size:
1" Wide x 2" Long x 5/64" Thick
Strike Size:
15/16" Wide x 2-1/4" Long x 5/64" Thick

458
Metal Doors
1" W
6-3/4" H

Part #	Rod Size	3, 4	10	10B,15	26D
IVFB458-12	12"	$35.50	$36.30	$35.50	$33.70

Gravity Door Coordinators

• When active door is open, coordinator prevents active door from closing until inactive door bypasses. Closing of inactive door causes strike plate on top of door to contact cam and lift arm, allowing active door to close. As inactive door continues closing, roller rides over strike plate on to door bracket, holding arm above active door.
• Non-handed.
• Gravity action arm and door bracket are adjustable on the job for ease of installation. Rubber roller provides quiet and efficient operation, and helps protect the astragal and doors from damage.
• Nylon roller on short arm glides smoothly over door bracket and strike, ensuring silent operation.
• Made of forged brass.

• COR7G for use on pairs of doors with astragal on active door up to 4' or with astragal on inactive door up to 3'4" or with astragal onboth doors up to 2'10"

• COR9G for use on pairs of doors with astragal on active over 4' or with astragal on inactive door over 3'4" or with astragal on both doors over 2'10"

Part #	Size	3, 4, 10, 10B	26	26D
IVCOR7G	7" Arm	$139.80	$188.50	$107.80

Part #	Size	3, 4, 10, 10B	26	26D
IVCOR9G	9" Arm	$158.10	$188.50	$133.30

The pricing in this catalog is from December 2024. Prices are subject to change. Check our website, or call for current pricing.

Sliding Door Edge Pull

• 3/4" Width allows installation on narrow as well as standard doors.
• Spring automatically returns lever flush with plate.
• Made from solid brass.

3-7/8" High x 3/4" Wide

Part #	3	4	5	10	US10B	15	26, 26D
IV230B	$21.40	$23.10	$25.10	$23.10	$24.30	$23.20	$24.30

Roller Bumpers

• Constructed in heavy-duty cast brass.
• RB470 used where two doors open against each other to Prevent damage to the doors or hardware.
• RB471 and RB472 are ideal for use in situations where doors meet each other at approximate right angles (back to back).

• Replaceable rubber roller available. IV09-137-626

RB470



Meets ANSI/BHMA 156.16, L12212

RB470 Base Size:
1-11/16" x 2-1/4"
RB470 Arm Offset: 2-3/4"
RB470 Length: 5"

Part #	3	26	26D
IVRB470	$50.50	$63.10	$63.10

RB471

Meets ANSI/BHMA 156.16, L12192



RB472

Meets ANSI/BHMA 156.16, L12202

RB471 Base Diameter: 2"
RB471 Length: 4-1/2"

RB472 Base Diameter: 2"
RB472 Length: 6"

Part #	Projection	3	4, 26	26D
IVRB471	4-1/2"	$47.60	$57.10	$52.90
IVRB472	6"	$50.60	$60.20	$55.80

Mortise Door Bolts

• Brass oval turn knob and escutcheon.
• Steel bolt for extra strength.
rack is milled for precision fit with pinion.

Backset: 1-3/4"
Bolt Throw: 1/2"
Bolt Diameter: 1/2"

Case:
2-1/2" Long X 9/16" Diameter

Strike:
1-3/4" High X 7/8" Wide

Part #	3	5	US10B	15	26	26D
IVS48	$28.10	$36.40	$32.50	$31.50	$35.10	$35.10

Hinge Pin Door Stops

• For use on hinged doors where the installation of a standard door stop is not desirable
• Positive slip proof adjustment
• Non-marring rubber tips
• Removable bushings accommodate 1/4" to 5/16" diameter hinge pins
• Easy installation:
only a screwdriver required

69

Door opening adjustments
70° - 100°

Part #	3, 5, 10	10B, 15	15A, 26, 26D
IV69F	$7.20	$6.70	$7.20

• Designed for narrow trim installation
• Removable bushings accommodate 1/4" to 5/16" diameter hinge pins

Door opening adjustments
85° - 125°

70

Base Material Aluminum

Part #	3	4, 10	5, 10B, 14, 15	26, 26D, 92	W, BLK
IV70A	$3.50	$3.70	$4.10	$3.50	$4.70

Base Material Brass

Part #	3, 4	5, 10	10B, 15	26,716, BLK
IV70B	$18.80	$24.00	$24.00	$24.00

85° to 125°
Door Opening Adjustments

72

Part #	605E, 609E, 613E, 619E, 625E, 626E, 716, B, W
IV72Z	$4.40

Part #	605E, 613E, 619E, 625E
IV73Z	$8.70

73

• Burnished cast aluminum.
• Replaceable non-marring white rubber bumper.
• Packed with sheet metal screws.

WS65

Base Diameter: 1-5/8”
Overall Projection: 3-3/4”

Part #	US3AL, 10AL, 10BAL, 27
IVWS65	$7.70

Door Silencers

Diameter: 1/2”
Thickness: 1/8”

SR64 door silencer
• For use on metal frames featuring pneumatic design that, once installed, Forms an air pocket to absorb shock and reduce noise of door closing.
• Tamper-proof once installed on the frame.
• Proper installation also eliminates door rattle and provides constant tension for door latches or locks.

IVSR64
(Bag of 100) $49.60

SR65 Door Silencer
• For use on wood frames, also feature pneumatic design to cushion shock and absorb noise.

Height: 3/4”
Diameter: 3/8”
Thickness: 1/8”

IVSR65
(Bag of 100) $49.60

SR66 Door Silencer
• Self Adhesive Rubber Silencers.
• Economical installation requires no drilling of frames.

Dimensions
Diameter: 1/2”
Thickness: 1/8”

IVSR66
(Qty 100) $49.60

Crash Stops

CS115 Crash Stop
• Specially designed for full-size exterior doors.
• Tear resistant, grey vinyl cover.
• Heavy duty compression spring assembled to both ends of chain and end brackets.
• Packed with sheet metal screws.
• Cast brass brackets with solid, welded steel chain.

Dimensions
Bracket Size:
1-9/16” x 1-9/16”

Part #	Door Size	10B	26D
IVCS115-20-1/2	30”	$79.50	$73.10
IVCS115-25-1/2	36”	$78.60	$78.60
IVCS115-30-1/2	42”	$94.10	$87.30

Chain Door Guard

• Permits the door to be slightly opened to allow viewing.
• Narrow chain holder maintains chain in stationary position when door guard is not in use, eliminating marring of door and frame caused by dangling chain.
• Welded twist link steel chain finished to match door plate and chain holder.

Door Plate:
3-3/8" Long x 1-7/16" Wide
Chain Holder:
1-10/16" High x 3/4" Wide
Chain Length: 4-3/4"

Part #		Finish	Price
IV481B3	Base Material Brass	605	$18.30
IV481B26D		626	$21.40
IV481F3	Base Material Steel	632	$10.20
IV481F4		633	$10.20
IV481F5		638	$11.30
IV481F10		639	$11.30
IV481F15		646	$9.50
IV481F26		651	$10.20
IV481F26D		652	$9.50

Door Guard

• For use on doors that are flush with frames.
• The solid bar, interlocking with the ball on the strike plate, permits the door to be slightly opened to allow viewing.

• The hinged bar allows the door guard to be positioned 180° away from the door when not in use.
• Edge guard only, furnished with cast brass door guards, minimizes the chance for marring the door or frame.

• Strike plate is designed to prevent the solid bar from marring the inside of the door when in use.

Base Material Brass

Part #	3	4, 10, 10B	15	26, 26D
IV482B	$50.70	$55.70	$76.60	$55.70

Base Material Zinc

Part #	605E	609E	625E	626E
IV482Z	$15.00	$15.00	$18.00	$18.00

The pricing in this catalog is from December 2024. Prices are subject to change. Check our website, or call for current pricing.

Flexible Door Stops

- Utilizes heavy gauge spring to maintain rigid protections
- made from burnished wrought steel

060

Part #	Size	3, 5, 10, 10B, 14, 15, 26, 716, B
IV060F	3”	$2.10
IV061F	4”	$2.20

63

Dimensions
Base Diameter: 1”
Tip Diameter: 9/16”
Projection: 3”
Finish: Steel

Part #	605E, 609E	619E	625E, 626E	716
IV63F	$1.60	$1.50	$1.60	$1.50

Base Door Stops

Made Of Solid Brass
60: 3-3/4” Projection,
Base Diameter: 1”
61: 3-1/8” Projection
on brass units,
3-3/16” Projection on
aluminum units,
Base Diameter: 7/8”, Tip Diameter: 5/8”



60, 61

Base Material Aluminum

Part #	3, 14, 15, 26, 26D, 92, B	10B, 716
IV60A	$5.40	$7.80

Base Material Brass

Part #	3, 4, 5	10, 10B	15	26, 26D, 716, BLK
IV60B	$20.70	$27.00	$25.00	$27.00

Base Material Aluminum

Part #	3, 10B, 14, 15, 92, 716	5, 10, 26, 26D, BLK, W
IV61A	$5.40	$5.80

- Base door stop features deluxe one-piece styling, w 3-1/2” projection
- Easily screws into base
- Designed with square head to accommodate wrench or pliers when installing

64

Base Material Aluminum

Part #	3, 10B, 92
IV64A	$4.70

Base Material Brass

Part #	3	4	5, 10, 10B, 15, 26, 26D, 716, B
IV64B	$18.30	$20.10	$23.60

Heavy Duty Door Stops

Dimensions
Base Diameter: 2-1/4”
Overall Projection: 3-11/16”

WS443
WS447 Wall Stop
- Constructed in brass.
- Ideal for interior or exterior use.
- Replaceable non-marring rubber tip.

WS443 is packed with expansion shield and lead shield for masonry type mounting.

WS447 is packed with wood screws for drywall mounting.

443

Part #	3	4, 15, 716	10, 10B, 26	26D
IVWS443	$58.50	$72.90	$70.30	$65.20



447

Part #	3	4, 10, 10B, 26	26D	B	15
IVWS447	$53.10	$63.90	$59.20	$51.40	$66.40

FS444 Floor Stop
FS448 Floor Stop
- Ideal for interior or exterior use.
- Cast brass construction.
- Accommodates door undercut up to 2-1/2”.
- Replaceable non-marring rubber tip.

FS444 is packed with expansion shield and lead shield, for masonry type mounting.

FS448 is packed with wood screws, for drywall mounting.

Overall Height: 3”
Base Diameter: 2-1/2”

444

Part #	3, 4, 10, 26	B	10B	716	15	26D
IVFS444	$44.60	$41.40	$48.70	$52.50	$57.10	$40.00

448

Part #	3, 4, 10	26D	5	10B	15, 26, 716, B
IVFS448	$52.70	$46.60	$53.10	$45.00	$62.90

WS40 Automatic Wall Holder
- Constructed of sturdy cast brass, or aluminum.
- Holder is mounted on wall and strike is mounted on door.
- Roller on holder rides up seats itself on strike, with a heavy duty bumper pad deadening the sound and shock.
- Universal screw pack accommodates all types wall construction.

Part #	3, 4, 10, 10B, 26, 26D	26D	28
IVWS40	$180.80	$157.50	$144.20

Heavy Duty Door Stop W/ Holder

WS445
WS449 Manual Wall Holder
• Unit functions as a stop but serves as a hold-open device when hook is manually engaged in strike.
• Unit requires manual disengagement to release hold-open.
• Replaceable resilient, non-marring rubber tip.

WS445 is packed with expansion shield and lead shield for masonry type mounting.

WS449 is packed with wood screws for drywall mounting.

Base Diameter: 2-1/4"
Base Projection: 3-11/16"
Engaged Projection: 5-3/4"
Strike Height: 1-1/2"
Strike Width: 13/16"
Strike Projection: 13/16"

445



Part #	3	4, 10, 10B, 26	26D	B	15, 716
IVWS445	$92.70	$111.30	$103.30	$111.30	$115.90

449



Part #	3	4, 10, 10B, 26	26D	B, 15	716
IVWS449	$88.60	$106.20	$98.50	$106.20	$110.30

FS446 Floor Stop & Manual Door Holder
FS450 Floor Stop & Manual Door Holder
• Manual type floor holder ideal for interior or exterior use.
• Cast brass or aluminum construction.
• Accommodates door undercut up to 2-1/2".
• Replaceable non-marring rubber tip.
• Unit functions as a stop but serves as a hold-open device when hook is manually engaged in strike. Unit requires manual disengagement to release hold-open.

FS446 packed with expansion shield and lead shield, for masonry type mounting

FS450 packed with 3 wood screws, for floor mounting.

Overall Height: 3-3/4
Height from floor to stop center line: 2-5/8"
Stop Diameter: 1-1/16"
Base Diameter: 2-1/12"

446



450

Part #	3, 4, 10, 26, 716, B	10B	15	26D
IVFS446	$88.50	$72.90	$81.70	$58.30

Part #	3, 4, 10, 10B, 26, BLK	15	26D
IVFS450	$94.10	$99.80	$63.40

Floor Door Stops

430 Floor Door Stop
• Burnished wrought steel.
• For undercut doors up to 1-1/2"
• packed with screws and plastic anchors.

Overall Height: 1-5/16", Base Diameter: 1-1/4"

430

Part #	3	4	5, 10B, 26, 26D	15
IV430	$25.50	$23.50	$29.90	$31.60

FS441 Floor Stop
• Accommodates door undercut up to 1-1/2".
• Replaceable non-marring rubber bumper.

FS441 packed with expansion shield for masonry type mounting, and wood screws for drywall mounting.

Overall Height: 2-1/8"
Overall Length: 2-7/8"
Base Depth: 1-5/8"

FS441

Part #	US3	4, 10	5, 10B	15, 26, 716	26D
IVFS441	$37.60	$43.10	$40.30	$51.90	$33.90

FS434 Floor Stop
• Burnished wrought steel.
• For undercut doors up to 1-1/2"
• Packed with screws and plastic anchors.

Overall Height: 2-5/8"
Base Size: 1-1/2" W x 2-3/4" L

Replacement Rubber
IV09-318

Part #	US2C
IVFS434-US2C	$13.70

FS410 Decorative Floor Stop
• Non-directional
• Cast Brass Construction

Overall Height: 1-1/2"
Bumper Thickness: 1/4"
Diameter: 1-1/4"

Part #	US3	15, 26, 26D, 716, BLK
IVFS410	$44.50	$37.60

FS439 Universal Dome Floor Stop
• High or Low-Rise Mount
• Zinc or Stainless Steel
• Spring-loaded Rubber Contact

Overall Height: 1-1/2"
Pad Height: 1-1/8"
Base Height: 1/4"
Base Diameter: 1-7/8"

Part #	3, 4, 15	10B, BLK	26, 716	26D
IVFS439	$18.80	$19.10	$20.50	$15.70

The pricing in this catalog is from December 2024. Prices are subject to change. Check our website, or call for current pricing.

Dome Door Stops

- FS436 For doors without threshold.
- FS438 For doors with threshold or undercut doors.
- Heavy-duty cast dome stops Constructed of brass, bronze or aluminum.
- Packed with wood screw & plastic anchor.

36

Overall Height: 1”
Base Height: 3/16”
Base Diameter:
1-3/4” x 2” Oval

Part #	3, 5	4	10	10B	26	26D	716, B
IVFS436	$10.90	$10.10	$12.50	$11.50	$10.60	$9.10	$11.30

438

Overall Height: 1-3/8”
Base Height: 9/16”
Base Diameter:
1-3/4” x 2” Oval

Part #	3, 4, 5	10, 716	10B	15	26	26D	B
IVFS438	$11.60	$14.70	$13.90	$17.60	$13.80	$10.20	$13.70

Auxiliary Pusher

- Aid in the operation of the CL11 and CL12 where hinges or surrounding conditions prevent smooth operation of doors.
- Provides 1-1/16" throw.
- Nylon pusher.
- Brass construction.
- Applies 10 pounds to open the door.

Body:
2-15/16" Long X
1-11/16" Wide X
5/8" Deep

Part #	3	4, 10, 26D
IVCL14	$71.50	$60.00

Kick Down Door Holders

4 Mounting Holes

Units provide simple hold and release, activated with a touch of the foot.

FS452-4 Has a door-to-floor clearance of 2” or less.
FS452-5 has a clearance up to 3”.

FS452

Part #	Size	3, 4, 10	10B	15	26	26D
IVFS452-4”	4”	$48.50	$51.00	$66.30	$71.80	$43.20

Part #	Size	3, 4, 10, 10B, BLK	15	26	26D
IVFS452-5”	5”	$67.00	$75.50	$84.00	$53.60

Invisible Cabinet Latch

CL11 Invisible Latch
- Invisible latch is ideal for installations where no visible latch is desired.
- Unit can be installed at the top, bottom or side of the door.
- Can be mortised into the stop or surface mounted to the stop.
- Recommended for use on small panels, cabinet doors or light weight closet doors.
- Operation is simple, latching is accomplished by a slight push. to unlatch the door, a harder push releases the door and pushes the door out.
- Applies 13 pounds to open the door.

Body:
1-1/4" Wide x
1-7/8" High x
7/16" Thick

Strike: 9/16" Wide x
1-5/16" High x
9/16" High

Part #	3	4, 10	26D
IVCL11	$71.80	$56.70	$52.50

- Invisible latch is ideal for installations where no visible latch is desired.
- Unit can be installed at the top, bottom or side of the door.
- Can be mortised into the stop or surface mounted to the stop.
- Recommended for use on larger panels or regular size doors.
- Operation is simple, latching is accomplished by a slight push. to unlatch the door, a harder push releases the door and pushes the door out.
- Applies 27 pounds to open the door.

Body:
1-1/4" Wide X
2-1/4" High X
9/16" Thick

Strike:
5/8" Wide X
1-13/16" High X
9/16" Projection

Part #	3	4, 26D	10
IVCL12	$78.00	$64.10	$69.10

Kick Down Door Holders

3 Mounting Holes

Door-to-floor clearance:
2” or less
Plate Height: 1-3/4”
Plate Width: 1-3/4”

FS455
4”

Base Material Aluminum

Part #	3AL	5AL	27AL
IVFS455-4	$13.30	$19.40	$12.30

Base Material Brass

Part #	3, 4, 10	5, 26, B	10B, 26D	15
IVFS455-4	$52.50	$58.50	$63.10	$64.60

Wall Bumpers

CONCAVE

Base Diameter: 2-1/2”
Base Thickness: 3/8”
Overall Projection: 1”

Concave rubber bumper packed with wood screw and plastic anchor, and drywall anchor.



Part #	3	4, 10, 15, 26	10B, 26D
IVWS401/402-CCV	$27.20	$31.60	$29.40

CONVEX

Base Diameter: 2-1/2”
Base Thickness: 3/8”
Overall Projection: 1”

Convex rubber bumper packed with wood screw and plastic anchor, and drywall anchor.



Part #	3	4, 10, 15, 26	10B, 26D
IVWS401/402-CVX	$27.20	$31.60	$29.40

CONVEX

Base Diameter: 1”
Overall Projection: 17/32”

WS404CVX



• Packed with sheet metal screw, rawl plug and brad.
grey convex rubber bumper

Part #	3	4, 5, 10, 10B	15	26, 26D, 716, B
IVWS404CVX	$9.70	$11.20	$11.60	$11.40

CONCAVE

Base Diameter: 2-1/2”
Base Thickness: 3/8”
Overall Projection: 1”

Concave Rubber Bumper, packed with wood screw plastic anchor, and drywall anchor.



Part #	3, 4, 26D	5, 26, 716	10, 10B, B
IVWS406CCV	$6.50	$7.40	$6.80

CONVEX

Base Diameter: 2-1/2”
Base Thickness: 3/8”
Overall Projection: 1”

Convex Rubber Bumper, packed with wood screw plastic anchor, and drywall anchor.



Part #	3, 4, 26D	5, 26, 716	10, 10B, B
IVWS406CVX	$6.50	$7.40	$6.80

411R-W Wall Bumper
• Adhesive-backed wall door stop for use on clean, smooth, flat surfaces only.
• non-marring white rubber.
• concave design permits knob to strike stop without damaging or engaging lock mechanism.

Dimensions
Base Diameter: 1-7/8”
Base Thickness: 3/8”
Overall Projection: 1-1/16”

$4.40 each

IV411R-W (White)

IV411R-G (Grey)

The pricing in this catalog is from December 2024. Prices are subject to change. Check our website, or call for current pricing.

Lock Guards

• Units are non-handed
• Unit covers the latch bolt area of the door and lock, thereby providing added protection from burglars, vandals or normal abuse.
• Ideal for use with mortise or cylindrical locks.
• Easy installation.
• Through bolted with carriage bolts and nuts.
• Available in a variety of materials, 13 gauge stainless steel,12 gauge steel and brass material.

Part #	Material	Size	Price
IVLG7-32D	Stainless Steel	3” x 11-1/2”	$75.20

• Ideally suited for use with rose or escutcheon 2-3/4" wide or less.
• For use with type 86 mortise and type 161 cylindrical locks (ANSI 156.13 Series 1000 and ANSI 156.2 Series 4000).
• No exposed fasteners on face of unit.
• Unique design provides maximum security, virtually eliminating the opening between door and frame at the latch point.

Part #	Material	Size	Price
IVLG10-32D	Stainless Steel	2-1/2” x 9-1/2”	$70.10
IVLG10-USP	Prime Coat	2-1/2” x 9-1/2”	$47.70

• Narrow design unit for use on rose or escutcheon 3-1/2” or less.

• For use with type 86 mortise and type 161 cylinder locks

Part #	Material	Size	Price
IVLG12-32D	Stainless Steel	1-1/2” x 9-1/2”	$65.20
IVLG12-USP	Prime Coat	1-1/2” x 9-1/2”	$47.70

• Narrow design unit for use on rose or escutcheon 3-1/2” or less.

• For use with Von Duprin 6210 and 6211 electric strike.

Part #	Material	Size	Price
IVLG14-32D	Stainless Steel	2-9/16” x 9-1/2”	$97.00

Security Sash Lock

07 Window Lock

• Designed low to the sash for superior strength and greater resistance to breakage.
• Vertical and horizontal camming action for snug, non-rattling fit.
• Heavy gauge springs provide long-wearing action.
• Made from solid brass, aluminum, or epoxy coated aluminum.

Dimensions
Base: 15/16" x 2-9/16"
Strike: 5/8" x 2-9/16"

Part #	3, 92	10B, 14, 15, 26, 26D, 716	B, W
IV07A	$4.10	$4.70	$6.50

Casement Adjuster

71 Casement Adjuster

• Securely holds casement window in any position.

• Can also be used to hold cabinet lids and drafting table tops in various positions.

• Made from burnished steel or solid brass.

• Available in 10" and 12" lengths.

Dimensions
Tube: 3/8" x 5/8"
Projection: 1"
Sash Plate:
Brass: 1-5/8" High x 5/8" Wide
Steel: 2 x 5/8" Wide
Sill Plate:
2-1/4" x 15/16" Wide

Part #	Size	3, 26
IV71B	10”	$107.70
IV71B	12”	$117.30

Floor Stop & Automatic Holders

FS40, FS41, FS42, FS43
• Automatic door holders ideal for heavy-traffic situations that require a simple, fool-proof, hold-open device.
• Unit is activated automatically when door is opened. a firm pull on door releases the mechanism.
• Holder position on door is adjustable.

Part #	Clearance	3, 10, 10B, 26	4	26D
IVFS40	½” or less	$134.80	$100.80	$93.50
IVFS41	9/16” to 1-1/16”	$140.40	$106.60	$106.60
IVFS42	1-1/8” to 1-9/16”	$168.80	$134.80	$134.80
IVFS43	1-5/8” to 2-1/16”	$185.70	$151.90	$151.90

Ball Catches

CL21A Ball Catch

- Four-way catch with plate type strike.
- Ideal for closet doors, access doors, hinged openings and numerous other applications.
- The strike slides between two stainless steel balls that are under spring tension. as the strike engages, the door is held tightly shut.
- Strike can enter body from any direction.
- Spring tension is easily adjusted to suit field conditions.
- Body can be surface applied or mortised.
- Brass construction.

Dimensions
Body:
3/4" Wide x
3" High x
3/4" Deep

Strike:
7/16" Wide x
1-3/4" High x
7/8" Deep

Part #	3, 26	4, 10	26D
IVCL21A	$76.10	$51.40	$51.70

CL22 Ball Catch

- Three-way catch with plate type strike.
- Ideal for smaller cabinet doors or panels.
- The strike slides between two stainless steel balls that are under spring tension. as the strike engages, the door is held tightly shut.
- Strike can enter body from either side or front.
- Spring tension is easily adjusted to suit field conditions.
- Body can be surface applied or mortised.
- Brass construction.

Body:
½" Wide x
2-3/16" High x
½" Deep

Strike:
3/8" Wide x
1-3/8" High x
5/8" Deep

Part #	3, 26	4, 10	26D
IVCL22	$44.60	$31.30	$37.60

345 Adjustable Ball Catch

- Ideal for cabinets and small interior doors.
- Free rolling ball insures smooth, positive and trouble-free action.
- Adjustable threaded barrel compensates for various door clearances.
- Adjustable spring tension.

Face Plate: 3/4" Wide x 1-1/2" High
Bore: 1" Deep x 9/16" Dia.
Strike: 25/32" W x 1-1/2" H,
Lip to center- 13/32"

Part #	3	5	10, 10B, 26, 26D	15
IV345B	$12.90	$15.10	$15.80	$16.30

347 Dual Adjustable Ball Catch

- For catch in door installations.
- Dual adjustment for door clearance and holding strength.
- Lip strike is designed for use where strike is mounted in jamb.
- Free rolling ball insures smooth, positive and trouble-free action.
- Adjustable threaded barrel compensates for various door clearances.
- Adjustable spring tension.
- Made from wrought brass.

Square Corner

Dimensions
Face Plate:
1" Wide x 2-1/8" High
Bore:
7/8" Diameter x 1-3/8" Deep
Strike:
1-3/8" Wide x 2-1/8" High,
Lip to center- 7/8"

Part #	3, 4	5, 15	10	10B, 26, 26D	716	B
IV347B	$19.40	$20.70	$23.50	$21.70	$22.50	$21.70

349 Ball Catch



- For catch in door installations.
- Radiused corners allow easy installation with a router.
- Dual adjustment for door clearance and holding strength.
- Lip strike is designed for use where strike is mounted in jamb.
- Free rolling ball insures smooth, positive and trouble-free action.
- Adjustable threaded barrel compensates for various door clearances.
- Adjustable spring tension.
- Made from wrought brass.

Round Corner

Face Plate:
1" Wide x 2-1/8" High
Bore:
7/8" Diameter x 1-3/8" Deep
Strike:
1-3/8" Wide x 2-1/8" High,
Lip to center- 7/8"

Part #	3, 4	5, 10, 26, 716, B	10B, 26D	15
IV349B	$20.80	$24.60	$22.80	$23.70

Cabinet Elbow Catch

- Ideal for use on the inactive leaf of a pair of cabinet doors.
- Surface applied, making installation simple.
- Made from cast aluminum.

Dimensions
Plate: 1-3/8" High x 5/8" Wide
Strike: 13/16" High x 5/8" Wide

Part #	3, 92	5, 15, 26, 26D, 716, B
IV2A	$6.00	$7.20

The pricing in this catalog is from December 2024. Prices are subject to change. Check our website, or call for current pricing.

Magnet Catches

325 Magnetic Catch
• Double Pole.
• Self aligning magnet insures maximum pull.
• Case design allows easy magnet adjustment on cabinet or small door applications.
• Aluminum case.
• Packed with sheet metal screws.
• 5 lbs. load capacity

Dimensions
Case: 1-1/8" Wide x 2-1/16" Long x 5/8" Thick

Part #	3, 92
IV325A	$4.50

326 Mighty-Mite® Heavy Duty Magnetic Catch

• Dual Double Pole.
• Self-aligning magnets insure maximum pull.
• Can be surface mounted or mortised.
• Packed w/ sheet metal screws, 2 short strikes and 1 long strike.
• 9 lbs. load capacity



Case: 1" Wide x 3-1/8" Long x 9/16" Thick

Part #	3, 92
IV326A	$12.90

327 Super-Mite® Heavy Duty Magnetic Catch

• Dual Triple Pole.
• Self-aligning magnets insure maximum pull.
• Can be surface mounted or mortised.
• 14 lbs. load capacity



Case: 1" Wide x 3-1/8" Long x 3/4" Thick

Part #	3, 92
IV327A	$22.00

330 Roller Catch

• Independent rollers allow positive action and self-alignment.
• Cushioned rollers absorb shock and noise, hold door away from cabinet.
• Application allows for easy adjustment.
• Made from wrought steel.

Dimensions
Case: 1-1/4" High x 11/16" Wide
Strike: 1-1/4" High x 3/8" Wide

Part #		Price
IV330F2C	Zinc	$3.20

Roller Catches

335 Roller Catch
• Smooth, positive latching action insured by powerful conical spring.
• Durable nylon roller insures quiet operation.
• Adjustable tension. adjustments can be varied from 4 to 17 lbs. of holding power making possible a wide range of door performance.
• Easily installed on thin doors.
• full lip style strike designed for simplified mortising.
• Made from wrought brass or wrought steel.
• Packed with sheet metal screws.

Dimensions
Face Plate: 7/8" Wide x 2-1/4" High
Bore: 1-3/4" Deep x 13/16" Diameter
Strike: 1-5/8" Wide x 2-1/4" High,
Lip to center- 1-3/16"

Part #	3	5, 10, 26, 716, B	10B, 26D	15
IV335B	$22.00	$28.40	$26.40	$27.40

336 Roller Catch
• Smooth, positive latching action insured by powerful conical spring.
• Durable nylon roller insures quiet operation.
• Adjustable tension. adjustments can be varied from 4 to 17 lbs. of holding power making possible a wide range of door performance.
• Easily installed on thin doors.
• Standard box type strike designed for neat appearance.
• Made from wrought brass or wrought steel.
• Packed with sheet metal screws.

Bore:
13/16" Diameter x 1-3/4" Deep
Strike: 7/8" Wide x 2-1/4" High,
Lip to center- 1-1/8"



Dimensions
Face Plate:
7/8" Wide x 2-1/4" High

Part #	3	4, 5, 10, 15, 26, 716, B	10B	26D
IV336B	$21.50	$28.40	$26.40	$24.30

Handrail Bracket

- Made from solid brass, cast aluminum or epoxy-coated aluminum.
- Features solid construction for increased strength.

Dimensions
Base: 2-1/4" High x 1-3/8" Wide
Base to Center of Rail: 2-7/16"

Base Material Aluminum

Part #	3, 5, 10B, 15, 92, 716	10, 14, 26, 26D	B, W
IV059A	$5.60	$6.00	$7.20

Base Material Brass

Part #	3	5, 26, 26D	10B, 15, 15A, 716, B
IV059B	$33.30	$47.40	$39.30

59 Hand Rail Bracket

Dimensions
Aluminum Base: 2-13/16" High x 1-1/2" Wide
Brass Base: 2-15/16" High x 1-1/2" Wide
Base to Center of Rail: 2-3/4"

Base Material Aluminum	3, 92	5, 14, 15, 716	10B
IV59A	$5.70	$7.70	$9.90

Base Material Brass	3	5, 15, 26, 26D, 716
IV59B	$33.50	$41.50

Screen Door Pull

- Cast aluminum or epoxy-coated aluminum
- Also used as a window lift, drawer or utility pull

Dimensions
Length 4-7/8"
Projection 1-5/32"
Mounting Holes 4-1/8" CTC

Part #	3, 92	B, W
IV25A	$3.10	$4.40

Flush Pulls

- Ideal for use on sliding doors.
- Easy installation.
- Made from wrought brass.

Dimensions:
Inside cup dia: 3/4"
Overall diameter: 1"
Depth: 5/16"

Part #	3	5, 10, 10B	15	26, 26D, 716, B
IV218B	$16.80	$31.60	$16.80	$23.20

221 Flush Pull

- Ideal for use on sliding doors.
- Built-in prong design eliminates the need for screws or brads and facilitates installation.
- Packed with two escutcheon pins for added holding power.
- Made from wrought brass.

Dimensions, Inside Cup Diameter: 2-1/8",
Overall Diameter: 2-7/16", Depth: 7/16"

Part #	3, 4, 5	10	10B, 26, 26D, 716, B	15
IV221B	$6.10	$8.20	$6.70	$6.50

Flush Pulls

22 Flush Pull

- Low profile makes this pull ideal for louvered, bi-folding or wardrobe doors.
- Extra deep recess and reverse tapered grip provide for ease of pulling and gripping.
- Made from wrought brass.

Dimensions
1-5/16" High x 3-1/8" Wide x 7/16" Deep

Part #	3	5, 10B, 26, 26D, 716, B	15
IV22B	$5.20	$6.10	$5.60

222 Flush Pull

- Low profile makes this pull ideal for louvered, bi-folding or wardrobe doors.
- Reverse tapered grip provide for ease of pulling.
- Made from cast brass.

Dimensions
3-1/8" High x
1-5/8" Wide x
7/16" Deep

Part #	3, 4	5, 10, 26, 716	10B, 26D, B	15
IV222	$35.40	$40.50	$37.50	$36.50

223 Flush Pull

- Low profile makes this pull ideal for louvered, bi-folding or wardrobe doors.
- Made from wrought brass

Dimensions
3-9/16" High x
1-5/16" Wide x
½" Deep

Part #	3, 4	10, 10B, 26, 716, B	26D	15
IV223	$10.90	$12.20	$11.20	$10.70

227 Flush Pull

- Contoured for ease of pulling.
- Extra deep well.
- Deluxe quality.
- Made from wrought brass.

Dimensions
3-5/8" High x 1-3/4" Wide x 9/16" Deep

Part #	3, 4	10, 26, 716	10B, 26D, B	5	15
IV227	$16.20	$18.70	$17.30	$18.10	$16.80

The pricing in this catalog is from December 2024. Prices are subject to change. Check our website, or call for current pricing.

Sliding Door Pull (Passage)

990 Sliding Door Pull

- Fits doors 1-3/8" to 1-1/2"
- Decorative coined edges.
- Pre-assembled for doors opening left to right. plates are reversible.
- Body and strike made from solid brass.

Dimensions
1-3/4" D
x 2-1/4" H

Base Material Aluminum

Part #	3, 5, 14, 26D, 716	15
IV990A	$12.50	$12.90

Base Material Brass

Part #	3	613, 619, 26, 26D, 716, B
IV990B	$17.50	$21.90

Sliding Door Pull (Privacy)

991 Sliding Door Pull

- Fits doors 1-3/8" to 1-1/2"
- Decorative coined edges.
- Pre-assembled for doors opening left to right. plates are reversible.
- Body, turn knob and strike made from solid brass.

Dimensions
1-3/4" D
x 2-1/4" H

Base Material Aluminum

Part #	3, 5	14	14, 15, 26D, 716
IV991A	$14.70	$17.00	$15.80

Base Material Brass

Part #	3	613, 619, 26, 716, B	26D
IV991B	$25.00	$28.40	$30.70

Letter Box Plate

620 Magazine size letter box plate with standard (open) back plate
- Spring-loaded front plate

Dimensions
Overall Size: 13" Wide x 3-9/16" High Plate
Opening: 11" x 2" H.

Base Material Aluminum

Part #	Price
IV620PA28	$71.50

Base Material Brass

Part #	3	5	15, 26D, 716	26, B
IV620B	$114.70	$152.60	$137.40	$148.20

601 Sleeve for use with letter box plate

- Made Of Stainless Steel.
- For 1-3/4" Hollow Core Doors.

IV601 $27.90

Coat & Hat Hook

405 Coat & Hat Hook

- Wide body design is ideal for public buildings, schools, dormitories, etc., where hook must withstand unusual stress and strain.
- Made from cast aluminum

Dimensions
Base: 1-1/2" High x 7/8" Wide
Projection: 2-1/2"

Part #	3, 4, 5, 10, 10B, 14	92
IV405A	$4.10	$3.80

Coat & Hat Hook 571

- All-purpose hook in traditional design.
- Made from cast brass, cast aluminum, or epoxy-coated aluminum.

Dimensions
Base: 1-3/4" High x 1-1/4" Wide
Projection: 3"

Base Material Aluminum

Part #	3, 92	10	5, 26	14, 15, 26D	716, B, W
IV571A	$1.90	$2.10	$3.00	$2.80	$3.70

Base Material Brass

Part #	3	4, 5, 10B, 26, 26D, 716, B	15
IV571B	$13.40	$15.60	$15.20

Coat & Hat Hook 574

574 Coat & Hat Hook

- Decorative design is ideal for commercial and residential installations.
- Made from cast brass, cast aluminum or epoxy-coated aluminum.

Dimensions
Base: 1-5/8" High x 1-3/4" Wide
Projection: 3-3/4"
Overall Height, Brass: 4-3/4"
Overall Height, Aluminum: 5"

Base Material Aluminum

Part #	3, 26, 92
IV574A	$13.30

Base Material Brass

Part #	3, 4	10, 10B, 26	15	26D
IV574B	$44.80	$53.50	$59.00	$49.50

572 Coat & Hat Hook

- Step-up Decorative Version Of The Traditional All-purpose Hook.
- Ideal for locations where additional strength is required.
- Made from cast brass or cast aluminum.

Dimensions
Brass Base: 1-1/2" High x 1-5/16" Wide
Aluminum Base: 1-5/8" High x 1-5/16" Wide,
Projection: 3"

Base Material Aluminum

Part #	3, 92
IV572A	$6.50

Base Material Brass

Part #	3, 4, 10	5, 15	10B, 26	26D
IV572B	$18.00	$22.50	$21.50	$20.00

575 Coat & Hat Hook

- Especially designed to accommodate large hats.
- Made from solid brass or cast aluminum.

Dimensions
Base: 2-1/4" High x 1-3/8" Wide
Projection: 3-5/8"
Overall Height: 5-3/4"

Base Material Aluminum

Part #	3, 92	10B
IV575A	$7.80	$8.80

Base Material Brass (Discontinued When Out)

Part #	3	5	15A	26D
IV575B	$22.90	$26.11	$26.11	$28.70

580 Ceiling Hook

- Ideal for use in closets, attached to underside of shelves, or in storage lockers.
- Made from cast brass or cast aluminum.

Dimensions
Base: 1" High x 1-7/8" Wide
Projection: 2-1/4"

Part #	3, 92	5, 10, 14, 15, 26, 26D, B	716
IV580A	$4.20	$4.70	$4.40

Wardrobe Hooks

581 Wardrobe Hook

- Compact hook is perfect where space is limited, such as behind doors where low profile is needed.
- Made from cast brass, cast aluminum or epoxy-coated aluminum.

Dimensions
Base, Brass/Aluminum: 1-1/4" High x 1-1/4" Wide
Base, Zinc: 1-1/2" High x 3/4" Wide
Projection, Brass: 1-11/16"
Projection, Aluminum, Zinc: 1-5/8"

Base Material Aluminum

Part #	3, 92
IV581A	$2.50

Base Material Brass

Part #	3	4	5, 10B, 26, 26D, B	15, 716
IV581B	$9.00	$9.50	$10.80	$11.00

582 Double Wardrobe Hook

- Compact double hook is perfect where space is limited, such as behind doors where low profile is needed.
- Made from cast brass, cast aluminum or epoxy-coated aluminum.

Dimensions
Base, Brass: 1-1/8" High x 1-1/4" Wide
Base, Aluminum: 1-1/16" High x 1-3/16 Wide
Base, Zinc: 1-5/8" High x 7/8" Wide
Projection, Brass: 1"
Projection, Aluminum, Zinc: 1-3/32"

Base Material Aluminum

Part #	3	92
IV582A	$3.00	$2.80

Base Material Brass

Part #	3	4, 5	10B, 26D	10, 26, B	15	716
IV582B	$11.60	$13.40	$13.00	$14.00	$13.60	$14.60

Hands Free, Arm & Foot Pulls

Arm Pull



Part #	32D	SP313	BLK
IVAP101	$160.80	$189.60	$189.60

Foot Pull



Part #	32D	SP313, BLK
IVFP100	$195.40	$174.90

The pricing in this catalog is from December 2024. Prices are subject to change. Check our website, or call for current pricing.

Concealed Screw Surface Bolts

- Concealed screw design enhances appearance and security.
- Exceptional strength and durability provided by interlocking construction of heavy gauge track and rod.
- Permanent stop prevents rod disengagement from track.
- Tension spring holds bolt in desired position.
- Track assures smooth operation and interlocks with side edges of rod to eliminate marring.
- Decorative 5/8" diameter knob designed to facilitate bolt operation.
- Made from extruded brass or aluminum.
- Available in 3", 4" and 6" lengths.
- Packed with both universal and mortise strikes.

40

3" Bolts Have 11/16" Throw, 4" & 6" Have 15/16" Throw

Part #	Length	3	5	10B	15	26	26D
IV40Bxx-3	3"	$25.80	$25.80	$27.00	$25.80	$27.00	$27.00
IV40Bxx-4	4"	$27.00	$27.10	$26.40	$25.10	$28.40	$26.40
IV40Bxx-6	6"	$31.80	$31.80	$30.70	$30.10	$33.10	$30.70

Heavy Duty Security Surface Bolts

- Standard surface bolt has 1" throw for maximum security.
- Ideal for all types of doors.
- Fully concealed mounting prevents vandalism.
- Available in locking version. unit locks in both the up and down position. locking bolts are furnished with 2 keys in 4 keying variations.
- Units packed with wood and machine screws to meet most field conditions.
- Units available with either a universal top strike (t) or a flat bottom strike (b).
- 1630 series is constructed of heavy duty steel.

8" Steel Bolts
B-packed W/Mortise Strikes, T-packed W/Universal Strikes

Part #	US2G	US10B	US26D
IVSB1630B	$67.70	$156.40	$96.50
IVSB1630T	$75.40	$163.90	$106.20
IVSB1630BL (Locking)	$146.80	$210.60	$175.70
IVSB1630TL (Locking)	$121.80	$222.10	$191.20
IVSB1630TB	$89.20	$185.10	$123.50
IVSB1630TBL (Locking)	$140.80	$239.10	$210.60

Decorative Heavy Duty Solid Brass Surface Bolts



253

Finish

Part #	Length	Guides	Throw	605	613	626
IV253B-8	8"	1-9/16"	1-1/8"	$106.20	$122.30	$122.30
IV253B-12	12"	1-9/16"	1-1/8"	$139.70	$149.50	$149.50

Dutch Door Bolts

Practical, rugged, attractive bolt for application on dutch doors as well as other areas.

Throw: 5/8"
Projection: 1-1/8"
Half Round Rod: 5/8"
Overall Width: 1-5/8"
Rod Length: 4-1/4"

Part #	3,4	10	10B	15	26	26D
IV054Bxx	$74.50	$67.70	$75.50	$84.70	$81.50	$69.00

SB453 Surface Bolt

- Surface bolt has 1-3/16" throw for maximum security.
- Strong tension springs prevent creep.
- Ideal for all types of doors.
- Available 8" & 12" lengths.
- Units packed with both a universal top strike (us) and a mortise bottom strike (ms).
- Constructed of heavy duty steel.

Bar: 3/4" Wide x 1/4" Thick
Overall Width: 2-1/32"
Overall Projection: 1-5/16"
Top Strike: 1-1/2" Wide x 1-1/2" Long x 3/16" Thick
Bottom Strike: 1-5/8" Wide x 3-1/2" Long x 1/8" Thick

Part #	Size	US2C, 3, 4	10	10B	15	26D
IVSB453-8-TB	8"	$61.00	$79.20	$78.90	$85.10	$75.10
IVSB453-12-TB	12"	$82.80	$88.60	$96.50	$102.36	$94.90