Larry Lock Construction Lock

In search of a temporary construction lock that is affordable and easy to install? The Larry Lock is your answer. Attach to a metal door frame with a minimum 2" face, close your 1-3/4" thick door, apply a padlock and walk away knowing that the Larry Lock has done the job.
Remember, all screws are hidden when the door is closed.

- No damage to doors or frames
- No more chains through sheet rock routine
- Re-usable temporary locks that effectively secure both in-swing and out-swing doors
- Provide effective protection by preventing theft and keeping losses down
- Mount to ASA, t-strike, full-lip, flush bolt and deadlock strike preparations

LLLARRYLOCK
$84.38 each



*Accepts up to 5/16" dia. shackle padlock, padlock not included

LOCK SAVER C

Mil-Comm, a major supplier of lubricants to the US armed forces and Federal Bureau of Prisons, now brings their NEXT GENERATION lubricants to the locksmith industry.

Synthetic Lubricant for all locks with PTFE-Particle technology!
- Longest Lasting Lubrication
- Total Anti-Corrosion Protection
- Resists Wash-Off, Wear-Off
- Frees Sticky Mechanisms
- Won't Freeze or Gum Up
- Frees Frozen Locks
- Works in all climates, conditions
- Temperatures -65 F to +450
- Saves Maintenance and Money
- Non-Toxic, Non-Hazardous

LS60601 (12.65 oz Aerosol)
$17.95

LS60602 (6.1 oz Aerosol)
$13.95

Mil-Comm Products' lubricant protectant technology is based on a proprietary form of PTFE, combined with a unique blend of synthetic oils.
This formula delivers outstanding results in a long list of performance products.

LS60151 (.5 oz Grease Syringe)
$10.08

LS60051 (.5 oz Oil Syringe)
$10.08

LS60381 (8 oz Grease Jar)
$64.23

LCN

Mounting Types

HINGE (PULL) SIDE MOUNT



TOP JAMB (PUSH SIDE) MOUNT



PARALLEL ARM (PUSH SIDE) MOUNT



Arm Types

Regular (REG) 3077



Hold Open (H) 3049



RW/PA=Regular Arm With Parallel Bracket

Cush-N-Stop (CUSH)



Hold-Open Cush-N-Stop (HCUSH)



Spring Cush (SCUSH)

Hold Open Spring Cush (SHCUSH)

The pricing in this catalog is from December 2024. Prices are subject to change. Check our website, or call for current pricing.

1250 Series Light Duty Cast Aluminum

The 1250 Series offers you alternative closer solutions at competitive prices, with lcn quality, engineering, reliability and service all built right in. These door closers are ANSI grade 1 certified, constructed of durable cast aluminum and built with top-quality components to provide years of worry-free performance in light duty door control applications. Designed for low-frequency and low-abusive traffic areas, 1250 series closers are ideal for aluminum storefronts, interior offices and many other applications.
With the most common hole pattern in the industry, the 1250 series is the perfect choice for easy aftermarket replacement.



Key Features
- Cast Aluminum Body
- Patent Pending Design
- Peel-n-Stick Templates
- Universal Screw Pack
- Full Complement Bearing
- All Weather Fluid
- Adjustable Spring Size 1-5
- Non-Handed
- Standard Tri-Pack Arms For Regular, Top Jamb, & Parallel Mounting

Drop Plates

Requires minimum 1-1/2″ top rail or 1-1/4″ head frame

LC1250-18
$81.00

Requires 1-3/4″ min. top rail

LC1250-18PA
$81.00

*ask customer service for special pricing on case qty of LC1250-RW/PA-AL

Part #	Arm	Price
LC1250-RW/PA-AL	Regular	$295.00
LC1250-RW/PA-DKBRZ	Regular	
LC1250-HW/PA-AL	Hold Open	$335.00
LC1250-HW/PA-DKBRZ	Hold Open	

1260 Series Cast Iron

The 1260 is designed to retrofit perfectly or meet the needs of new construction. In fact, your 1260 can be practically custom built for your project's unique demands.
LCN has built in a host of features that just might make the 1260 the last closer you'll ever need.
- Advanced v-shield seal for longer life & durability
- Standard and custom powder coat finishes
- Optional slim line cover
- Meets ADA requirements

- Standard Tri-Pack arms for Regular, Top Jamb, & Parallel Mounting

All Weather Fluid, Non-Handed
Peel-N-Stick Template
3/4" X 9-1/16" Hole Pattern





Quick Fix Plate



Optional kit includes retro-fit mounting plates for closer cylinder and shoe. Useful in applications when previously drilled holes are damaged.

LC1260-18QF $82.00

Drop Plates

Requires minimum 1-1/2″ top rail or 1-1/4″ head frame

LC1260-18
$82.00

Requires 1-3/4″ min. top rail

LC1260-18PA
$82.00

Part #	Arm	Price
LC1261-RW/PA-AL	Regular	$410.00
LC1261-RW/PA-DKBRZ	Regular	
LC1261-HW/PA-AL	Hold Open	$451.00
LC1261-HW/PA-DKBRZ	Hold Open	
LC1261-HCUSH-AL	HO-CUSH	$611.00
LC1261-HCUSH-DKBRZ	HO-CUSH	

1450 Series Medium Duty Cast Aluminum

The 1450 Series cast aluminum closer was specially designed to deliver consistent, dependable, long-term performance in frequently-used, low-abusive traffic areas. The patent-pending LCN design, featuring the industry's most common hole pattern, is an excellent choice for a range of applications — from aftermarket replacement, to aluminum store fronts, to new construction projects — anywhere quality, reliability and value are important. The 1450 series also looks as good as it functions, with a standard slim line cover, optional full plastic cover or optional full metal cover, in six available standard finishes, as well as custom colors. The result is a great look with a long list of valuable features — plus LCN quality, engineering and service — all at a competitive price.

- Cast Aluminum Body
- Patent Pending Design
- Peel-n-Stick Templates
- Universal Screw Pack
- Full Complement Bearing
- All Weather Fluid
- Adjustable Spring Size 1-6
- Non-Handed

Drop Plates

Requires minimum 1-1/2″ top rail or 1-1/4″ head frame

LC1450-18



LC1450-18FC
(for use with full cover)

LC1450-18PA

Requires 1-3/4″ min. top rail



LC1450-18PAFC
(for use with full cover)

$82.00

3/4" x 12"
Mounting Hole Pattern

Part #	Arm	Price
LC1450-RW/PA-AL	Regular	$390.00
LC1450-RW/PA-DKBRZ	Regular	
LC1450-HW/PA-AL	Hold Open	$430.00
LC1450-HW/PA-DKBRZ	Hold Open	

1461 Series Cast Iron

Super stock is a non handed, cast iron closer that's ready to be mounted one of three different ways: hinge face (pull side), over door or (push side) or stop face (push side, parallel arm). It is non-sized so spring power can be adjusted from size 1 through size 6 to provide the right control for interior and exterior doors. Hydraulic check cushions the opening swing on every mounting. Super stock has modern, slim line design that makes it ideal for narrow stile doors and frames. One super stock closer eliminates the need for stocking 30 different standard closers.

1461 adjustable from size 1 through 6. adjustable hydraulic back check provides cushioning of opening swing prior to 90 dg.
back check and delay adjustments are separate and independent. safety override allows closer to be pulled from delay cycle without damage.
one super stock closer can handle 30 different applications:
modern, slim line design...
mounts on narrow stile doors & frames.
full rack and pinion hydraulic action.
reversible shoe to increase latching power.
joints in arm and shoe adapt to uneven trim.
noncritical, tamper resistant regulating screws.
delayed action option available.
separate screws for closing and latching speeds, back check and delayed action.
unique mounting feature allows fast and easy installations.

Drop Plates

LC1460-18

Requires minimum 1-1/2″ top rail or 1-1/4″ head frame

LC1460-18PA

Requires 1-3/4″ min. top rail

$82.00



1" x 7-1/2"
Mounting
Hole Pattern

Part #	Arm	AL or DKBRZ
LC1461-RW/PA	Regular	$514.00
LC1461-HW/PA	Hold Open	$555.00
LC1461-CUSH	CUSH	$630.00
LC1461-HCUSH	HO-CUSH	$715.00
LC1461-SCUSH	Spring-CUSH	$715.00
LC1461-SHCUSH	HO-Spring-CUSH	$798.00

The pricing in this catalog is from December 2024. Prices are subject to change. Check our website, or call for current pricing.

4010, 4020, & 4110 Series Closers

The 4010, 4020 and 4110 series are heavy-duty closer's that meet demands for high-traffic installations and each are designed specifically for unique mounting applications. They are UL and CUL listed, meet ansi/bhma grade 1 standards and boast 30-year warranties. They feature a standard plastic cover, with optional plated finishes for the cover, arm and fasteners. They also feature the LCN green dial spring force indicator, which takes the guesswork out of adjustment.



2-1/2" x 6"
Mounting Hole Pattern

Part #	Arm	AL or DKBRZ
LC4011 OR LC4016-LH	Regular	$688.00
LC4011 OR LC4016-RH	Regular	
LC4011H OR LC4016H-LH	Hold Open	$763.00
LC4011H OR LC4016H-RH	Hold Open	
LC4013T-STD(Specify Handing)	Track Arm	$787.00
LC4013T-H(Specify Handing)	HO-Track Arm	$821.00

4010 Series

Grade 1- ANSI A156.4, UL10C, ADA, 100 Hour
Salt spray, meets baa - buy american act
Cast iron body
Full complement bearing
1-1/2" diameter piston
11/16" diameter heat treated
All weather fluid
Handed- specify handing
Strength: 4011 (adjustable sizes 1-5)
4016 (size 6 only)
30 year warranty
Plastic cover standard
Mounting: hinge (pull side)

Drop Plates



Requires 2" min. top rail

LC4010-18
$82.00

*Track Closers Are Not Recommended For Exterior Doors

The 4010T Is LCN's best performing heavy grade track closer. designed specifically for interior doors in high traffic areas.

Sized 1, 3 or 4.

4020 Series

Grade 1- ANSI A156.4, UL10C, ADA, 100 Hour
Salt Spray, Meets BAA - Buy American Act
Cast Iron Body
Full Complement Bearing
1-1/2" Diameter Piston
11/16" Diameter Heat Treated
All Weather Fluid
HANDED- Specify Handing
Strength: 4021 (Adj. Sizes 1-5)
4026 (Size 6 Only)
Plastic Cover Standard

Mounting:
Top Jamb (Push Side)



2-1/2" x 6"
Mounting
Hole Pattern

Drop Plates

LC4020-18
Requires minimum 2" top rail or 1-3/4" head frame

LC4020-18G
Requires 2-3/4" min. top rail, 1-3/4 head frame

$82.00

Part #	Arm	AL or DKBRZ
LC4021 OR LC4026-LH	Regular	$688.00
LC4021 OR LC4026-RH	Regular	
LC4021H OR LC4026H-LH	Hold Open	$763.00
LC4021H OR LC4026H-RH	Hold Open	

4110 Series

Grade 1- ANSI A156.4,
UL10C, ADA, 100 Hour
Salt Spray, Meets BAA -
Buy American Act
Cast Iron Body
Full Complement Bearing
1-1/2" Diameter Piston
11/16" Diameter Heat Treated
All Weather Fluid
HANDED- Specify Handing
Strength: 4111 (Adj. Sizes 1-5)
4116 (Size 6 Only)
Plastic Cover Standard
Mounting: Parallel (Push Side)

Drop Plates

Requires minimum 2" top rail

LC4110-18 $82.00

Part #	Arm	AL or DKBRZ
LC4111 OR LC4116-LH-EDA	Regular	$708.00
LC4111 OR LC4116-RH-EDA	Regular	
LC4111H OR LC4116H-LH-HEDA	Hold Open	$763.00
LC4111H OR LC4116H-RH-HEDA	Hold Open	
LC4111 OR LC4116-LH-CUSH	CUSH	$749.00
LC4111 OR LC4116-RH-CUSH	CUSH	
LC4111-HCUSH(Specify Handing)	HO-CUSH	$846.00
LC4111 OR LC4116-LH-SCUSH	Spring-CUSH	$853.00
LC4111-SHCUSH(SPECIFY HANDING)	HO-Spring-CUSH	$924.00

4210 Series

The 4210 Smoothee® series is a high security closer with special components to minimize tampering and vandalism. Forged steel parallel arms and heavy gauge metal security covers are designed for correctional, vandal prone institutional and other high traffic applications.

• Standard 4210 series closer shipped with extra duty arm (non-hold-open), metal security cover, and Torx® machine screw pack.
• 4211 (adjustable size 1-5), 4216 (size 6 only)
• Closer mounts parallel arm, specify right or left swinging door.



Part #	Arm	AL or DKBRZ
LC4211 OR LC4216-LH-EDA	Regular	$795.00
LC4211 OR LC4216-RH-EDA	Regular	
LC4211 OR LC4216-LH-CUSH	CUSH	$836.00
LC4211 OR LC4216-RH-CUSH	CUSH	
LC4211-LH-HCUSH	HO CUSH	$933.00
LC4211-RH-HCUSH	HO CUSH	

Concealed Closers

Concealed In Door

The Concealed 3030 Series is designed to mount in a 1-3/4″ interior door. The double lever arm provides superior door control and the choice of finishes and arm functions meet virtually all architectural requirements.



3031

Part #	Arm	AL or DKBRZ
LC3031-3034-REG-LH	Regular	$654.00
LC3031-3034-REG-RH	Regular	
LC3031-3034-H-LH	Hold Open	$654.00
LC3031-3034-H-RH	Hold Open	

The Concealed 3130 Series is designed to mount in a 1-3/4" interior door. the single lever arm & roller assembly provides complete concealment .

LC3130-3034
Track Roller



3131

Part #	Arm	AL or DKBRZ
LC3131-3133-STD-LH	Regular	$792.00
LC3131-3133-STD-RH	Regular	
LC3131-3133-H-LH	Hold Open	$826.00
LC3131-3133-H-RH	Hold Open	
LC3131-3133-Bumper-LH	Bumper	$798.00
LC3131-3133-Bumper-RH	Bumper	
LC3131-3133-H-Bumper-RH	HO-Bumper	$840.00
LC3131-3133-H-Bumper-RH	HO-Bumper	

4031 Series

The 4030 is a cast iron, universal closer designed specifically for doors in moderate traffic conditions.
This versatile closer compliments the rest of the 4000 series & offers the choice of 3 mounting options & multiple arms

1-23/32" x 6-17/16"
Mounting Hole Pattern

Grade 1- ANSI A156.4, UL10C, ADA, 100 Hour Salt spray, meets BAA - Buy American Act
Cast iron body
full complement bearing
1-1/8" diameter piston
½" diameter heat treated
all weather fluid
non-handed
Strength: adjustable size 1-4
metal cover standard
mounting: tri pack

Drop Plates

LC4030-18TJ
$82.00

LC4030-18PA
$82.00

Part #	Arm	AL or DKBRZ
LC4031-RW/PA	Regular	$639.00
LC4031-HW/PA	Hold Open	$729.00
LC4031-CUSH	CUSH	$736.00
LC4031-HCUSH	HO-CUSH	$833.00
LC4031-SCUSH	Spring-CUSH	$840.00
LC4031-SHCUSH	HO-Spring-CUSH	$911.00

The pricing in this catalog is from December 2024. Prices are subject to change. Check our website, or call for current pricing.

4040XP

The 4040XP Series is LCN's most durable surface-mounted heavy-duty closer, designed for the most demanding high-use-and-abuse applications. It meets ANSI/BHMA a156.4 grade 1 standards and ADA reduced opening force requirements. This closer is CUL listed and UL listed for self-closing doors without hold-open and boasts a 30-year limited warranty.

The 4040xp series features include standard non-handed plastic cover, with optional plated finish available for cover, arm and fasteners. Materials include high-strength cast-iron cylinder, forged steel arm, double heat-treated steel pinion and full complement, low friction bearing for rugged reliability in high-traffic installations.



2-1/4" x 5" Mounting Hole Pattern

LCN Peel-n-Stick Templates assure quick and accurate installation, and the patented LCN green dial takes the guesswork out of spring force adjustments.

Grade 1- ANSI A156.4, UL10C, ADA, 100 Hour Salt Spray, Meets BAA - Buy American Act
Cast Iron Body
Full Complement Bearing
1-1/2" Diameter Piston
3/4" Diameter Double Heat Treated Pinion Journal
All Weather Liquid X Fluid
Non-Handed
Strength: Adjustable Size 1-6
30 Year Warranty
Plastic Cover Standard
Mounting: Tri-Pack

Drop Plates $82.00

LC4040XP-18

LC4040XP-18G

LC4040XP-18TJ

LC4040XP-18PA

Part #	Arm	AL or DKBRZ
LC4040XP-RW/PA	Regular	$729.00
LC4040XP-HW/PA	Hold Open	$819.00
LC4040XP-EDA	EDA	$785.00
LC4040XP-HEDA	HO-EDA	$840.00
LC4040XP-CUSH	CUSH	$826.00
LC4040XP-HCUSH	HO-CUSH	$923.00
LC4040XP-SCUSH	SCUSH	$930.00
LC4040XP-SHCUSH	SHCUSH	$1,001.00

Auto Equalizer

Electro-Hydrolic Powered Systems

These auto equalizer products are an addition to the original pneumatic drive system. people moving through a door can use it as a normal rack & pinion door closer or, at the touch of a button, open the door automatically. An integrated digital control suite provides all electrical control functions. These self-contained units are suitable for use on single leaf doors or pair of doors where each leaf is equipped with an operator.

4630 (Pull Side Mounting) Top Jamb

The 4630 mounts on the pull side of the door, the 4640 series mounts on the push side of the door.



Adjustable Spring Size 1-4
New digital control suite utilizes a 4040 heavy duty closer
On-Board Diagnostics
On-Board power Supply
Factory-Default memory
Includes " No Destruct" Drive System

Guard rails or safety mats not required
ANSI A117.1, A156.19
ADA Compliant

UL & cUL Listed With Regular Arm For Self Closing Doors.





Part #	Exterior, Vestibule Doors	Interior Doors	AL or DKBRZ
LC4631	2' - 3'	2' - 4'	$8,337.00

4640 (Push Side Mounting) Top Jamb

Part #	Exterior, Vestibule Doors	Interior Doors	AL or DKBRZ
LC4642	2' - 3'6"	2' - 4'6"	$8,230.00

6400 Series COMPACT Automatic Operator

Non-Handed.
Mounts directly onto 4040XP.

Header Dimensions: 12-1/4" W x 7-1/4" H x 3-3/4" D.
Door weight limit: 185 lbs.

The COMPACT motor gearbox assembly is surface installed on the door or top jamb and attaches to the 4040XP with a mounting plate and just 4 screws. It can be powered by a standard wall outlet or an external power supply. The operator includes a wiring harness with a wall adaptor plug that steps down the building's 110 voltage to 24VDC. A door loop kit is included to route the wiring from the door to the wall.

Features

24V input for safe door-mount applications.

Configurable power input to allow for simple wall plug-in or external power supply.

Simple calibration set-up with visible & audio feedback.

Adjustments via mechanical closer to meet closing force preferences.

Power boost to overcome interior stack pressure and allow for lower spring settings.

Compatible with 3 different 4040XP mounting configurations.

Fire input to deactivate actuation upon signal.

Dedicated input for actuation signal (hardwired or wireless receiver)

Certified to UL10C, UL325 and UL228

Certified to ANSI Standard A156.19

Compliant with ANSI Standard A117.1

Part #	Description	List Price	
LC6440-689 *4040XP Closer not included	Modular Kit: Gearmotor assembly Cover Pluggable power supply Door loop 30ft. copper wire (not shown) Necessary mounting hardware	$1,343.00	
LC6440-2210-689 *4040XP Closer not included	Modular and Touchless, Battery-Powered, RF Actuator Kit: 6440 Module Kit Components 8310-2210 Touchless battery powered, RF actuator kit which includes: (2) Single gang face plates and built in transmitters. 2-3/4" x 4-1/2" stainless steel battery powered. (2) Surface mount boxes. (1) 915 MHZ receiver.	$2,294.00	
LC6440-3813W-689 *4040XP Closer not included	Modular and Touchless, Line-Powered, RF Actuator Kit 6440 Modular Kit Components 8310-3813W Touchless, line-powered, RF actuator kit, which includes: (2) Standard duty, double gang, black 8310-813 series touch actuators. (2) 885 Transmitters (1) 880 Reciever	$2,566.00	

The pricing in this catalog is from December 2024. Prices are subject to change. Check our website, or call for current pricing.