AM Series Home Security Safes

- Powder-Coated Blue with Black Nickel hardware
- Gray Fabric Interior
- Backlit U.L. Listed ESL5 Electronic Lock
- 12-Gauge Steel Body
- Drywall Lined
- 45-Minute ETL Fire Rating
- Three-Way Bolt Work
- Electrical Access Hole
- 4 Pre-Cut Anchor Holes
- 1 Year Parts and Labor Warranty

*AM Series Comes Standard w/ The ESL5 Electronic Lock.

AM2020E5

AM3020E5

AM4020E5

	Outside Dimensions	Inside Dimensions		
Part #	H W D	H W D	Weight	Price
ASAM2020E5	20” X 20” X 20”	17-1/4” X 17-1/4” X 14”	180 lbs	$1,090.00
ASAM3020E5	30” X 20” X 20”	27-1/4” X 17-1/4” X 14”	230 lbs	$1,275.00
ASAM4020E5	40” X 20” X 20”	37-1/2” X 17-1/4” X 14”	282 lbs	$1,460.00

FS Series “Microwave” Safes

The economical range of our IMPORTED RESIDENTIAL FIRE SAFES are the answer's to today's high incidence of residential fires. Our Fire Safes also provide burglary protection making them ideal for home and light commercial applications.

MODEL FS1814E5
- U.L. Listed 350°F 1-Hour fire rating
- U.L. Listed ESL5 E-lock
- Handle operated locking mechanism with three-way boltwork
- Two deadbolts prevent door removal
- One (1) key-lock drawer and one adjustable shelf
- One (1) internal anchor hole and hardware,
- Attractive black granite finish

MODELS FS914E5LP AND FS149E5LP
- U.L. Listed 350°F 1-Hour fire rating
- U.L. Listed ESL5LP E-lock
- One (1) drawer shelf
- Handle operated side-locking mechanism with two chromed locking bolts
- Two deadbolts prevent door removal
- Four (4) rubber feet
- One (1) internal anchor hole and hardware
- Attractive black granite finish

FS149E5LP

FS914E5LP

FS1814E5 (front view)

FS1814E5

AMSEC's FS Series is the only 1hr. economical fire safe with a high-security electronic lock.

	Outside Dimensions	Inside Dimensions		
Part #	H W D	H W D	Weight	Price
ASFS149E5LP	19-1/2” X 14” X 15-3/8”	15-1/4” X 9-3/4” X 9-7/8”	96 lbs	$720.00
ASFS914E5LP	14” X 19” X 15-3/8”	9-3/4” X 15-1/4” X 9-7/8”	96 lbs	$690.00
ASFS1814E5	23-3/4” X 18-7/8” X 18-1/2”	18-1/4” X 13-1/8” X 12-3/8”	164 lbs	$1,030.00

The pricing in this catalog is from December 2024. Prices are subject to change. Check our website, or call for current pricing.

EST Series Home Security Safes

• DL6000 bounce-proof electronic lock with a large LCD display allows smooth and easy operation.

• LCD display shows low battery indicator, time, date and keypad.

• Emergency key-lock override system with two (2) keys, power override battery box, built-in spy-proof function and motion detector alert.

• Heavy 14 gauge solid steel construction, plus dual live bolts made also of heavy gauge steel.

• Can be bolted to the wall or floor.

• Carpeted base.

• Pry-resistant recessed door with internal hinges for anti-theft protection.

• Anchor hardware standard.

EST813

EST2014

EST1014

EST916

	Outside Dimensions	Inside Dimensions		
Part #	H W D	H W D	Weight	Price
ASEST813	7-7/8" X 12-1/4" X 8"	17-11/16" X 12-1/16" X 5-3/8"	16 lbs	$170.00
ASEST1014	9-3/4" X 14-1/8" X 9-3/4"	9-9/16" X 13-15/16" X 7-3/4"	22 lbs	$190.00
ASEST916	9" X 16" X 13-1/4"	8-13/16" X 15-13/16" X 11-1/8"	27 lbs	$265.00
ASEST2014	19-3/4" X 13-3/4" X 12-1/4"	19-9/16" X 13-9/16" X 10"	40 lbs	$330.00

Wall Safes

AMSEC WALL SAFES are designed to provide hidden protection for documents and miscellaneous valuables.
Each wall safe is also designed for easy installation between 16" o/c wall studs.
Pre-drilled anchor holes and a built-in flange eliminates unnecessary re-plastering.

WEST2114

• 3/16" Solid steel door and flange.
• Same DL6000 lock as EST series
• Emergency key-lock override system with two (2) keys, power override battery box, built-in spy-proof function and motion detector alert.

• Pry-resistant recessed door with internal hinges for anti-theft protection.

• Two removable shelves.

• Cream colored, durable powder coated finish.

WS1214E5

• Same features as super brute floor safes.

• Two removable shelves. extra deep interior.

• ESL5 electronic lock with illuminated keypad.

WFS149E5LP W/ ESL5LP Electronic Lock:

• Same specs as the FS149E5LP

	Outside Dimensions	Inside Dimensions		
Part #	H W D	H W D	Weight	Price
ASWS1214E5	12-5/8" X 14" X 10"	12-1/4" X 13-5/8" X 5-1/4"	86 lbs	$755.00
ASWEST2114	21-5/8" X 13-7/8" X 4"	12-1/4" X 13-3/4" X 2-7/8"	31 lbs	$335.00
ASWFS149E5LP	19-9/16" X 14" X 15-3/8"	15-3/8" X 9-13/16" X 10-1/4"	104 lbs	$825.00

BWB B-Rated Wide Body Chests

- ½" Thick solid steel door, recessed for resistance to pry attacks.
- Formed, high-tensile steel body and jamb
- Auxiliary spring-loaded relock device.
- Locks and relocks protected by a large carburized hardplate.
- Four anchor bolt holes.
- Reinforced internal jambs on all four sides to provide excellent protection against sledgehammer attack.
- 3-way locking mechanism consisting of five massive 1" diameter chromed steel locking bolts.
- Bolt detent system keeps bolts retracted when the door is open, then automatically engages when door is shut.
- Door mounted recessed coin rack.
- Large capacity for storage of cash trays.

	Outside Dimensions	Inside Dimensions		Price
Part #	H W D	H W D	Weight	ESL10
ASBWB2020E1	20" X 20" X 20"	19-3/4" X 19-3/4" X 17"	154 lbs	$1,420.00
ASBWB3020E1	30" X 20" X 20"	29-3/4" X 19-3/4" X 17"	218 lbs	$1,765.00

With front load drop slot

ASBWB2020FLE1	29-3/4" X 20" X 20"	STORAGE AREA	9" X 19-3/4" X 17"	218 lbs	$1,905.00
ASBWB3020FLE1	39-3/4" X 20" X 20"	STORAGE AREA	19" X 19-3/4" X 17"	278 lbs	$2,060.00
ASBWB4020FLE1	49-3/4" X 20" X 20"	STORAGE AREA	29-3/4" X 19-3/4" X 17"	360 lbs	$2,210.00

BWB2020

BWB3020

BWB2020FL

BWB4020FL

MS1414 B-Rated Mini Safe

- Formed, high-tensile steel body and jamb construction to maximize protection against pry attacks.
- ½" Solid Steel Door.
- Three 1" Diameter Chromed Steel Locking Bolts.
- Bolt Detent System Engages Boltwork Automatically.
- Auxiliary Spring-loaded Re-locking Device.
- Lock And Re-lock Protected By Large Carburized Hardplate.
- Four Anchor Bolt Holes.
- Adjustable Shelf Provided.

MS1414-E1

	Outside Dimensions	Inside Dimensions		
Part #	H W D	H W D	Weight	Price
ASMS1414-E1	14" X 14" X 14"	13-3/4" X 13-3/4" X 11"	67 lbs	$920.00

DST Series B-Rated Rotary Top Load

Amsec's DS series depository safes are designed to provide immediate deposits and storage for cash, jewelry and valuables. deposits can be made to a locked compartment via atop-loading rotary hopper, or a front-loading deposit door

Same specs as DSF series shown on the next page.

IMPORTANT:
AMSEC depository safes are recommended for an operation that requires a non-returnable deposit such as armored car companies, convenience stores, restaurants, etc. The top locker is not meant for overnight storage of cash or valuables.

Outside Dimensions
H 20-1/4" X W 14" X D 14"

Inside Dimensions
H 11-1/2" X W 13-3/4" X D 11"

Weight
87 lbs

Mechanical Combo
ASDST2014-C
$1,395.00

Dual Custody Key Lock
ASDST2014-K
$900.00

DISCONTINUED
Call for availability & special pricing

The pricing in this catalog is from December 2024. Prices are subject to change. Check our website, or call for current pricing.

DSF Series B-Rated Front Load

STANDARD FEATURES
BODY:

• Strong, formed "B" rate construction made of A36 solid steel plate for improved security and appearance.
• Formed door jamb for increased resistance to sledgehammer attack.
• Four anchor bolt holes are standard.

Door - model numbers: 2014, 2714 and 3214

• ½" Thick A36 solid steel plate, recessed ½" to increase resistance to pry attack.
• U.L. group II combo lock ©, U.L. listed dual nose keylock (k).
• Optional electronic locks available.
• three 1" diameter chromed steel locking bolts.
• Bolt detent system engages boltwork automatically.
• Auxiliary spring-loaded re-locking device.
• Lock and relock protected by large carburized hard plate.

Hopper:

• Large package sizes:(top load rotary):4¾"d x 4¾"w x 10"l (front/reverse load):4"d x 2¾"w x 10½"l
• Recessed, heavy duty 3/16" construction (¼" door).
• Protected by dual "anti-fish" baffles.

DSF2516E2 & DSR2516E2

BODY
• Four anchor bolt holes
DOOR
• Three 1" dia. steel locking bolts
• Auto lock bolt detent system
• Internal relocking device
• Large carburized hardplate

INTERIOR
Receiving locker:
1. 1/4" solid steel plate with cam key lock
2. Clear door: 6"H x 10"W
3. ID: 5-7/8"H x 15-3/4"W x 13-3/4"D
4. Cubic capacity: 1272 cu/in

Till Storage Compartment
1. Fit up to 4 till trays
2. Clear door: 14½" h x 12" w
3. Inside Dimensions: 9"h x 15-3/4"w x 17"d
4. Cubic capacity: 2410 cu/in

6"H BASE
For DSF/DSR 2516E2
AS1835173 $200.00



Large PackageSizes:
4"D x 2-1/2"W x 9-1/2"L

DSF2516-E2

DSR2516E2
Rear Loading Depository Safe

FRONT HOPPER
• Large package sizes: 4"D x 2-3/4"W x 10-1/2"L
• 1/4" solid steel plate
• Dual "anti-fish" baffles

REVERSE HOPPER
• Large package sizes: 4"D x 2-1/2"W x 9-1/2"L
• 1/8" solid steel plate with cam key lock
• Protected by dual "anti-fish" baffles
• Thru the wall depository with adjustable chute
• Wall Thickness: 6-7/8" to 13-7/8"
• Floor Height: 36-3/4" to 48-3/4"

Part #	Outside Dimensions	Inside Dimensions	Weight	Price
ASDSF2014-E1	H 20-1/4" X W 14" X D 14"	H 10" X W 13-3/4" X D 11"	79 lbs	$880.00
ASDSF2714-E1	H 27-1/4" X W 14" X D 14"	H 17-1/4" X W 13-3/4" X D 11"	93 lbs	$975.00
ASDSF3214-E1/E1	H 32-1/4" X W 14" X D 14"	TOP H 11-1/4" X W 13-3/4" X D 11" / BOT H 12-1/2" X W 13-3/4" X D 11"	144 lbs	$1,545.00
ASDSF2516-E2	H 25" X W 16" X D 20"	H 24-3/4" X W 15-3/4" X D 17"	170 lbs	$1,315.00
ASDSR2516-E2	H 25" X W 16" X D 20"	H 24-3/4" X W 15-3/4" X D 17"	260 lbs	$1,465.00

UNDERCOUNTER SAFES

Heavy guage solid steel construction
W/ Piano hinges

Full width deposit slot over door equipped with an "anti-fish" saw tooth baffle to guard against pilferage or fishing.

Two anchor holes provided on all 4 sides.

Black powder coat finish.

INSIDE DIM: 5-7/8"H X 5-7/8"W X 8-3/8"D

OUTSIDE DIM: 6"H X 6"W X 10"D

CLEAR DOOR: 5-7/8" H X 5" W

WEIGHT: 8 lbs

PART #	LOCK OPTION	LIST PRICE
TB0610-1	Single key camlock, equipped with 2 keys	$240.00
TB0610-1T	Chicago 7 pin Ace Key camlock, equipped with 2 keys, key retaining	$260.00
TB0610-2	Medeco restricted high security single key camlock, supplied with 2 keys	$315.00
TB0610-4	Dual custody safe deposit key lock (2 keys required to open safe)	$260.00
TB0610-7	SFIC prep, less core	$570.00

TB0610-1 (cam lock)

TB0610-1T (ACE KEY)

TB0610-2 (MEDECO KEY)

TB0610-4 (DUAL CUSTODY)

TB0610-7 (SFIC PREP)

HEAVY DUTY SERIES

"B" Rate steel construction.

1/4" thick A36 solid steel plate hinged door. WEIGHT: 16 lbs

INSIDE DIM: 5-5/8"H X 5-5/8"W X 10"D

OUTSIDE DIM: 6"H X 6"W X 12"D

CLEAR DOOR: 3-3/16" H X 5" W

PART #	LOCK OPTION	LIST PRICE
K-1	Medeco key lock	$465.00
K-1A	Chicago key lock	$395.00

Super Brute "B" Rated Hinged Floor Safes

Designed to provide secure storage for documents, jewelry, precious metals and miscellaneous valuables at an economical price. When properly installed in a concrete floor, BRUTE SERIES safes provide excellent fire and burglary protection.

B3700

B5800

B1500

B2900

*SuperBrute Series comes standard with Group II Mechanical Combo lock.

- Charcoal gray textured body and door.
- Attractive design offers strong reliable welds to protect against burglary attacks and reduce possible leakage.
- U.L. listed group ii combination lock.
- An additional spring-loaded relocking device, activated by a punching attack.
- Lock and relocks are protected by a large carburized hardplate.
- A handle activated locking mechanism consisting of three 1" diameter locking bolts. each one is drive resistant, chromed steel with a long throw.
- One piece heavy duty dead bar behind hinge prevents removal of door even if hinges are removed during a forced entry attempt.

BODY:

- Oversize floor plate ensures strong installation in concrete.
- Solid steel hinge mechanism using 3/8" diameter steel hinge pins and internal mounting bolts.
- ¾" solid steel plate door is standard.
- A large, convenient 10¾" x 11-1/8" door opening for bulky items.

Part #	Outside Dimensions H W D	Inside Dimensions H W D	Weight	Combo Price
ASB1500	12-3/4" X 14-1/8" X 11-3/4"	12-1/4" X 13-1/4" X 8-3/4"	102 lbs	$1,300.00
ASB2200	12-3/4" X 14-1/8" X 17-1/2"	12-1/4" X 13-1/4" X 14"	118 lbs	$1,535.00
ASB2900	12-3/4" X 14-1/8" X 21-3/8"	12-1/4" X 13-1/4" X 18-1/4"	134 lbs	$1,540.00
ASB3700	12-3/4" X 24" X 16-3/4"	11-7/8" X 23-3/8" X 13-5/8"	145 lbs	$1,815.00
ASB5800	12-3/4" X 36" X 16-3/4"	11-7/8" X 35" X 13-5/8"	185 lbs	$2,015.00

The pricing in this catalog is from December 2024. Prices are subject to change. Check our website, or call for current pricing.

BF Series Burglary & Fire Safes

The AMSEC BF® SERIES combines all of the security features of a burglary safe, with the peace of mind achieved with a fire safe. The industry's first U.L. Listed, fire-rated burglary safe offers an affordable solution when burglary and fire protection are an essential part of your buying decision!

Door:
• 3½" thick, consisting of ½" plate steel with a unique proprietary fire and burglary resistant material.

• Dual seal design utilizes a silicone foam seal with a heat-expanding palusol intumescent seal.

• U.L. Listed Group II Lock with spring-loaded auxiliary Relock Device.

• ¼" Heavy Duty Carburized Hardplate.

Body:
• 2-5/8" thick, consisting of 1/8" outer and Inner steel plates

• Three massive 1" diameter solid steel Chrome-plated locking bolts.

• A full length dead bar locks deep into the body preventing door removal during a forced entry attempt.

• One recessed anchor bolt hole and mounting hardware are provided to securely anchor safe.

• Plush velour interior.

There are many High Gloss finishes available for special order.
See BFX Series on page 58

Available Textured Finishes

SPA BLUE W/ CHROME HARDWARE



BF3416

BF1512

BF1716

BF2116

*Bolt down kit included,
* add 2" to depth for dial & handle

Part #	Outside Dimensions H W D	Inside Dimensions H W D	Weight	Textured	High Gloss
ASBF1512	20-1/4" X 17-1/4" X 18-3/4"	15" X 12" X 13"	288 lbs	$3,050.00	$5,340.00
ASBF1716	22-1/4" X 21-3/4" X 21-3/4"	17" X 16-1/2" X 16"	412 lbs	$3,445.00	$5,835.00
ASBF2116	26-1/4" X 21-3/4" X 21-1/4"	21" X 16-1/2" X 14-1/2"	476 lbs	$3,525.00	$5,915.00
ASBF3416	39-1/4" X 21-3/4" X 21-1/4"	34" X 16-1/2" X 16"	690 lbs	$4,520.00	$7,170.00

There is no additional charge for the ESL10XL Electronic lock for models BF1512 -> BF3416, just add "E1" to the part number

Store-it Cabinets

These elegant, well-appointed interior chests are the most sophisticated way to store and display your jewelry collection and letter Files. These stunning chests are finely crafted with solid-wood maple drawer fronts and maple veneer and finished in a rich honey Maple stain. Recessed door pulls give these cabinets a more streamlined appearance and makes for an easier fit into a variety of Amsec safes. Drawers are elegantly lined in a silky, dark red felt & include a variety of STOR-IT jewelry organizer inserts.

FITS IN THE FOLLOWING SAFE MODELS:
• GUN SAFES: BFX7250*, BFX7240, BFX6636, BFX6030, BFII7250*, BFII7240, BFII6636, BFII6030
• BURGLARY/FIRE SAFES: BF1716*, BF3416*
• CE AND CF MODELS: 2518*, 3524*, 4524*, 5524*, 6528*, 7236*
• CSC MODELS: CSC3018*, CSC4520*
* No kit needed. Cabinets slide right in.

TWO-DRAWER CABINET

Top drawer includes a three compartment ring organizer and a seven compartment jewelry organizer.

Bottom drawer can be used for bulky items or as a file drawer

Part #	Outside Dimensions H W D	Weight	Price
AS1335492 (Retro-fit)	16-1/2" X 15-7/8" X 14"	28 lbs	$570.00
AS1335490 (Factory Installed)			$605.00

FOUR-DRAWER CABINET

Top Drawer includes a three compartment ring organizer & seven comp. jewelry organizer.
Drawer Two includes a three comp. necklace organizer.
Drawer Three includes a four compartment watch organizer.
Drawer Four is left open for easy access of large, bulky items.

Part #	Outside Dimensions H W D	Weight	Price
AS1335491 (Retro-fit)	16-15/8" X 15-7/8" X 14-3/16"	29 lbs	$630.00
AS1335489 (Factory Installed)			$660.00

BFS Series

- ETL Verified Fire Protection of 1775° F for 60 minutes
- U.L. Residential Security Container (RSC) Burglary Class.
- 2.31" double wall steel construction
- Door thickness 1-1/2"
- One anchor hole W/ hardware

ESL10XL "E1"
LOCK IS STANDARD

BFS1512E1

BFS2214E1

BFS2815E1

BFS3416E1

BFS4520E1

BFS Microwave

RATINGS
- ETL Verified Fire Protection of 1775° F, 80 min.
- U.L. Residential Security Container (RSC) Burglary Classification

BODY
- 1-3/4" double wall steel construction
- 3/16" steel barrier
- Two anchor holes with hardware

DOOR
- 3/8" Solid Steel Plate
- Unique Fire Resistant Barrier
- ESL5LP, U.L. Type 1 High Security
- Massive hardplate and two relock devices
- Three 3/8" X 1" steel Locking Bolts.
- Three 3/8" X 1" Steel Dead Bolts.

ASBFS912E5LP $945.00

Outside Dimensions H W D	Weight
12-3/4" X 16-1/4" X 16-3/8"	
Inside Dimensions H W D	126 lbs
9" X 12-1/2" X 11"	

Part #	Outside Dimensions H W D	Inside Dimensions H W D	Weight	Price
ASBFS1512E1	20-1/8" X 17-1/8" X 19-3/8"	15-1/4" X 12-1/2" X 12-3/4"	243 lbs	$1,610.00
ASBFS2214E1	27-1/8" X 19-1/8" X 21-3/4"	22-1/4" X 14-1/2" X 15"	342 lbs	$1,975.00
ASBFS2815E1	33" X 20" X 20-3/4"	28-1/4" X 15" X 15-1/2"	490 lbs	$2,420.00
ASBFS3416E1	39-1/8" X 21" X 23-3/4"	34-1/2" X 16-3/8" X 16-3/4"	638 lbs	$2,855.00
ASBFS4520E1	49-7/8" X 25-1/8" X 25-3/4"	45-1/4" X 20-3/8" X 18-13/16"	792 lbs	$3,815.00

CEV TL-15, 2 Hour Fire Safes.

ELS10XL (E1) lock is standard.

DOOR FEATURES FOR CEV SERIES
- Heavy duty construction with tri-spoke handle and pull handle on all models
- Standard 6" overall door thickness with a barrier of outer and inner steel plates creating a single structure enclosing a unique, high density fire and burglary resistant composite material

*see Amsec's website for specifications on the MAX1014

Part #	Outside Dimensions H W D	Inside Dimensions H W D	Weight	Price
ASCEV1814	23-1/2" X 19-1/2" X 21-3/16"	18" X 14" X 12"	710 lbs	$3,075.00
ASCEV2518	30-1/2" X 23-1/2" X 25-3/16"	25" X 18" X 15-3/16"	1150 lbs	$4,105.00
ASMAX1014	15-7/8" X 19-3/4" X 19-3/8"	10-1/8" X 14-1/8" X 11-1/2"	485 lbs	$2,515.00

The pricing in this catalog is from December 2024. Prices are subject to change. Check our website, or call for current pricing.

Fire Rated Composit Safes (TL-15 & TL-30)

AMVAULT High Security Composite safes have passed Underwriter's Laboratories most recent testing procedures ensuring you today's best protection. AMVAULT **TL-15** and **TL-30** U.L. listed composite safes qualify for Mercantile & Broadform Insurance Class ER (TL-15) and F (TL-30) with a Bank Rating of BR (TL-15) and G (TL-30). Two Hour Class 350°F manufacturers' fire label. Standard finish is Parchment. Other colors available on request.

U.L. Label — Burglary

Classification TL-15:
Signifies a combination-locked safe designed to offer a limited degree of protection against attack by common mechanical and electrical hand tools and any combination of these means.

Construction Requirements

• U.L. listed Group 2M, 1 or 1R combination lock or Type 1 Electronic lock.

• 750 lbs. minimum or comes with instructions for anchoring in a larger safe, concrete blocks or on the premises where used.

• Body walls of material equivalent to atleast 1" open hearth steel with a minimum tensile strength of 50,000 P.S.I.

• Walls fastened in a manner equivalent to continuous ¼" penetration weld of open hearth steel with minimum tensile strength of 50,000 P.S.I.

• One hole ¼" or less, to accommodate electrical conductors arranged to have no direct view of the door or locking mechanism.

Performance Requirements

Successfully resist entry* for a net working time of 15 minutes (TL-15), or 30 Minutes (TL30), when attacked with common hand tools, picking tools, mechanical or portable electric tools, grinding points, carbide drills and pressure applying devices or mechanisms.

STANDARD AMVAULT ESCUTCHEON PLATE
Tri-spoke handle and pull handle standard on all models except CE/CF1814.

CE1814

CF2518

CE5524

Safes classed as TL-15 (15 minutes) TL-30 (30 minutes) opening the door or making a six square inch opening entirely through the door or front face

TL-15

Part #	Outside Dimensions	Inside Dimensions	Shelves	Weight	Cubic Feet	Combo Price
ASCE1814	H 25" X W 21" X D 21-1/2"	H 18" X W 14" X D 12"	1	710 lbs	1.8	$5,185.00
ASCE2518	H 32" X W 25" X D 25-1/2"	H 25" X W 18" X D 16"	1	1,150 lbs	4.2	$6,370.00
ASCE3524	H 42" X W 31" X D 29-1/2"	H 35" X W 24" X D 20"	2	1,674 lbs	9.7	$7,815.00
ASCE4524	H 52" X W 31" X D 29-1/2"	H 45" X W 24" X D 20"	3	2,003 lbs	12.5	$8,565.00
ASCE5524	H 62" X W 31" X D 29-1/2"	H 55" X W 24" X D 20"	3	2,343 lbs	15.3	$9,395.00

TL-30

*Larger sizes available, ask customer service for information

Part #	Outside Dimensions	Inside Dimensions	Shelves	Weight	Cubic Feet	Combo Price
ASCF1814	H 25" X W 21" X D 21-1/2"	H 18" X W 14" X D 12"	1	758 lbs	1.8	$5,420.00
ASCF2518	H 32" X W 25" X D 25-1/2"	H 25" X W 18" X D 16"	1	1,195 lbs	4.2	$6,840.00
ASCF3524	H 42" X W 31" X D 29-1/2"	H 35" X W 24" X D 20"	2	1,908 lbs	9.7	$8,750.00
ASCF4524	H 52" X W 31" X D 29-1/2"	H 45" X W 24" X D 20"	3	2,311 lbs	12.5	$9,130.00
ASCF5524	H 62" X W 31" X D 29-1/2"	H 55" X W 24" X D 20"	3	2,679 lbs	15.3	$10,265.00

U.L. Label —Burglary

Classification TL-30:

Signifies a combination-locked safe designed to offer a moderate degree of protection against attack by common mechanical and electrical hand tools and any combination of these means.

Construction Requirements

Same as TL-15

120 MINUTES Fire Protection

U.L. Listed 2-Hour Fire Safes

• U.L. Listed Class 350°F Two Hour Fire and Impact Rating.

• Safes withstand fires of up to 1850°f for Two hours and a 30' drop – equivalent to Falling through a 2 story burning building.

• Increased barriers for burglary protection. Impressive 3½" thick recessed door with 5/8" thick front for excellent pry resistance.

• Handle activated locking mechanism with 7/8" diameter solid steel chrome plated Locking bolts offering smooth operation.

• Internal anchor bolt hole with Hardware.

• U.L. Listed Group II Key Changeable Combination Lock with relock. 1 million possible combinations.

• Auxiliary Spring-loaded Relock Device activated by severe attack.

Underwriters Laboratories Inc.® CLASSIFIED RECORD PROTECTION EQUIPMENT AS TO FIRE AND IMPACT RESISTANCE RATING: CLASS 350 - 2 HR

120 MINUTES Fire Protection

Charcoal Gray
w/ Chrome Hardware

Lock Options:
Group II Mechanical Combo, or Electronic

* ADD 2" FOR HANDLE, DIAL AND HINGE PROJECTION.
OUTSIDE HEIGHT INCLUDES 1" HIGH RUBBER FEET

	Outside Dimensions	Inside Dimensions		
Part #	H W D	H W D	Weight	Combo
ASUL1511	21" X 17" X 18-1/2"	15-1/4" X 11" X 12"	246 lbs	$1,645.00
ASUL1812	25" X 18" X 18-1/2"	18-1/2" X 12-1/2" X 12"	272 lbs	$1,840.00
ASUL1812X	25" X 18" X 23-1/2"	18-1/2" X 12-1/2" X 17"	298 lbs	$2,040.00

For Chrome E1 lock, add $210.

CSC Series Composite Safes

Door:
• overall thickness of 4-5/8" and is Constructed with a 2" defense barrier of Outer and inner steel plates creating a Burglary resistant structure enclosing a Unique proprietary, fire resistant material.

Body:
• 2-7/8" double wall steel construction enclosing a unique, high-density fire and burglary resistant composite material.

• Durable powder coated adjustable shelves.

• Removable casters provide easy delivery and installation.

Fire Endurance:

• 2 Hour, 350°F factory fire rating. Tested at temperatures up to 1700°f.

• Heat expandable intumescent door seal guards contents against severe fires.
Locking mechanism:

• 1½" diameter solid steel chrome-plated locking bolts.

AMSEC CSC SERIES COMPOSITE SAFES are an affordable solution when you want to protect both documents from fire and valuables from burglary attacks. During extreme testing procedures the CSC series safes passed a 2-hour, 350°f factory fire test certification.

• 1½" Diameter Solid Steel Dead Bolts lock deep into body preventing door removal during a forced entry attempt.

• Lock protected by a tempered glass re-lock device.

SECURITY UL LISTED LEVEL I RESIDENTIAL SECURITY CONTAINER 8176

120 MINUTES Fire Protection

CSC1413

CSC1913

	Outside Dimensions	Inside Dimensions		
Part #	H W D	H W D	Weight	Price
ASCSC1413E1	19-1/2" X 18" X 19-7/8"	14" X 12-1/2" X 12-1/4"	256 lbs	$1,885.00
ASCSC1913E1	24-1/2" X 18" X 19-7/8"	19" X 12-3/8" X 12"	318 lbs	$2,080.00

Jewelry Safe

ETL-verified 45 minute fire protection
3/16" solid steel plate door
UL listed E-Lock w/ illuminated keypad
Quilted faux leather interior
2 interior drawers

ASJS2020E5

$1,450.00

45 Fire Protection

Jewelry Safe Pedistal

*safe sold separately

Dim 24"H x 20"W x 20"D
70 lbs.
4 anchor holes in base for anchoring to the floor*
3 slots in the back for anchoring to a wall stud*

AS1835235
JS2020E5-Pedistal
$420.00

The pricing in this catalog is from December 2024. Prices are subject to change. Check our website, or call for current pricing.

In Room Electronic Hotel Safe

AMSEC's IN-ROOM ELECTRONIC SAFE, with its easy installation, maintenance and management features has become a popular safe in the hospitality industry. Designed with the traveling guests in mind.

- Heavy duty steel construction offers excellent burglary protection.
- Convenient motorized locking system.
- Easy to read, large LED display lets you know the status of the safe.
- 4 to 6 digit combination, standard hotel room configuration (customer sets new combination every time safe is used, quickly and easily), or electronic credit card.
- Runs on 4 AA batteries. If batteries should go dead, each safe has a by-pass power cable, and emergency key override.
- Lock-out penalty if the combination is entered wrong, the safe will lock up for 15 minutes, frustrating the would-be burglar.
- Spacious interior fits most lap top computers.
- Two anchor holes with mounting hardware included.

Hand Held Programming & Audit Trail Device

ASIRCPROG call for quote

IRC916E

Part #	Outside Dimensions	Inside Dimensions	Weight	Price
ASIRC916E	9" X 16" X 14" H W D	8-13/16" X 15-13/16" X 12" H W D	29 lbs	$510.00

Pistol Safes

AMSEC's PISTOL SAFES have a handle to be used as portable gun transportation safe.
They also have pre drilled mounting holes to bolt the safe down to a surface, (For example, the inside of a dresser drawer, or the trunk of a car.)

PS1210HD



PS1208EZ

HAS410

Models PS1210HD, PS1208EZ, and HAS410 use a Kaba Simplex 1000 Series Mechanical push button lock

Part #	Outside Dimensions	Body	Door	Lock	Weight	Price
ASPS1210HD	H 10-1/4" x W 12-1/5" x D 4-1/4"	10 ga. Solid Steel	3/16" Solid Steel	Simplex Mechanical Push button	24 lbs	$430.00
ASPS1208EZ	H 8-1/8" x W 12-1/4" x D 4"	14 ga. Solid Steel	14 ga. Solid Steel	Simplex Mechanical Push button	11 lbs	$355.00
ASHAS410	H 12" x W 10" x D 4"	10 ga. Solid Steel	3/16" Solid Steel	Simplex Mechanical Push button	20 lbs	$420.00

Under Bed Safe

UBS648
SLEEP SAFE AND SECURE
Hidden under the bed within arm's reach
18ga. and 7ga. heavy duty construction
Heavy duty 4-point locking bar
U.L. listed ESL5LP lock w/ illuminated keypad
Foam padded slide out gun tray

Part #	Outside Dimensions	Weight	Price
ASUBS648	6" X 52" X 14"	90 lbs	$935.00

JS5517E5 JEWELRY SAFE

Same dimensions as the TF5517E5, but with Jewelry Safe Interior

ASJS5517E5 $1,990.00

TF Series

The TF Gun Safe offers economic trusted protection. For burglary protection, it has a stout 3/16"-thick steel plate in the door. For fire protection, it is lined with drywall that is strategically engineered for 30 minutes of fire protection.

SECURITY

- 3/16"-Thick Steel Plate Door
- Four-Way Bolt Work
- 14-Gauge Steel Body
- 14, 1¼" Chrome Plated Bolts on TF5924E5
- 8, 1" Chrome Plated Bolts on TF5517E5
- 4 Pre-Cut Anchor Holes

FIRE PROTECTION

- 30-Minute Factory Label
- Lined with two layers of drywall on the ceiling and door
- Lined with one layer of drywall in all the walls
- Dual door seals to protect against fire and smoke

NEW TF5517E5 IS NOW AVILABLE IN ***TEXTURED WHITE***. SAME PRICE AS BLACK, SPECIFY WHEN ORDERING

TF5517E5

Standard Interior ->

Optional All Shelf Interior Kit (4 solid shelves) **AS1335321**

TF5924E5

Standard Interior ->

Optional All Shelf Interior Kit (4 solid shelves) **AS1335322**

Part #	Outside Dimensions	Inside Dimensions	Interior Gun Capacity	Weight	Price
ASTF5517E5	H 55-1/4" X W 17-3/4" X D 16"	H 52-1/2" X W 16" X D 13"	11 Gun	286 lbs	$1,485.00
ASTF5924E5	H 59" X W 24" X D 18"	H 56-1/2" X W 22" X D 15"	8+8=16 + 1 Gun	388 lbs	$2,025.00

*TF Series comes standard w/ the ESL5 electronic lock.

SF Series

The SF Gun Safe offers both performance and value. For burglary protection, it has a stout 3/16"- thick steel plate in the door. For fire protection, it is lined with 3 to 4 layers of drywall that are strategically engineered for optimal fire protection. The SF Series passes a verified 60-minute fire test at Intertek, an independent testing laboratory.

*Optional All Shelf Interiors are available, ask Customer Service for information.

SECURITY

- 3/16"-Thick Steel Plate Door
- Four-Way Bolt Work
- 12-Gauge steel body
- 14 1¼" Chrome Plated Bolts
- 4 Pre-Cut Anchor Holes

FIRE PROTECTION

- Lined with three layers of drywall
- 60-Minute Intertek Verified Fire Rating
- Dual Door Seals to Protect Against Fire and Smoke

SF6030E5

SF6036E5

SF7240E5

*SF Series only comes in Textured Black Finish, and Black Nickel Hardware

Part #	Outside Dimensions	Inside Dimensions	Interior Gun Capacity	Weight	Price
ASSF6030E5	H 59" X W 30" X D 26"	H 53-1/2" X W 26" X D 19"	15+15=30 +2 Gun	748 lbs	$3,075.00
ASSF6032E5	H 59" X W 30" X D 21"	H 53-1/2" X W 26" X D 15"	11+11=22 +2 Gun	662 lbs	$2,700.00
ASSF6036E5	H 59" X W 36" X D 26"	H 53-1/2" X W 32" X D 19"	17+17=34 +2 Gun	840 lbs	$3,525.00
ASSF7240E5	H 72" X W 40" X D 26"	H 66-1/2" X W 36" X D 19"	15+15+15=45 +2 Gun	1,086 lbs	$4,430.00

*SF Series comes standard w/ the ESL5 electronic lock.

The pricing in this catalog is from December 2024. Prices are subject to change. Check our website, or call for current pricing.

NF Series

The American Security Products NF Gun Safe offers both superior performance and value. For burglary protection, it has a stout ¼"-thick steel plate in the door. For fire protection, it is lined with 3 to 4 layers of drywall that are strategically engineered to pass a verified 90-minute fire test at Intertek, an independent testing laboratory.

SECURITY

- ¼"-Thick Steel Plate Door
- Four-Way Bolt Work
- 11-Gauge Steel Body
- UL Level I RSC Burglary Classification (1-Man, 5-minute test. Utilizes tools typically found in a household)
- 14 Massive 1½" Chrome Plated Bolts
- U.L. Listed ESL10 Electronic Lock with Illuminated Keypad

*NF Series only comes in Gun-Metal Gray Finish, & Black Nickel Hardware

FIRE PROTECTION

- Lined with Three Layers of Drywall
- 90-Minute Intertek Verified Fire Rating
- Dual Door Seals to Protect Against Fire & Smoke

NF5924E1

NF6030E1

NF6036E1

*Optional All Shelf Interiors are available, ask customer service for information.

Part #	Outside Dimensions	Inside Dimensions	Int. Gun Capacity	Weight	Price
ASNF5924E1	H 59" X W 24" X D 18"	H 53-1/2 " X W 19 " X D 10 "	8+8=16 +1 Gun	600 lbs	$2,605.00
ASNF6030E1	H 59" X W 30" X D 26"	H 53-1/2 " X W 25-5/8 " X D 18-1/4 "	14+14=28 +2 Gun	854 lbs	$3,615.00
ASNF6032E1	H 59" X W 30" X D 21"	H 53-1/2 " X W 25-5/8 " X D 13-1/4 "	9+9=18 +2 Gun	761 lbs	$3,435.00
ASNF6036E1	H 59" X W 36" X D 26"	H 53-1/2 " X W 31-5/8 " X D 18-1/4 "	17+17=34 +2 Gun	977 lbs	$4,010.00

BFX Series

The BFX Gun Safe is the best gun safe available today. For burglary protection, it has a massive ½"-thick steel plate in the door. For fire protection, it is filled with our revolutionary DryLight. Amsec's BFX Gun Safes bodies are filled with seamless DryLight. Independent Intertek Laboratories has confirmed that these safes out perform safes with drywall.

SECURITY

- ½"-Thick Steel Plate Door (BFX7250 & BFX6024 have 3/8" steel plate)
- FOUR-Way Bolt Work
- 2"-Thick Body
- UL Level II RSC Burglary Classification (1-Man, 5-min test. Utilizes tools typically found in a household)
- 1½" Chrome Plated Bolts

FIRE PROTECTION

- Seamless DryLight Fill



- Dual door seals to protect against fire and smoke

FUNCTIONALITY

- Industry's Most Flexible Interior
- Door Organizer
- Storage for two long guns on door
- Mirrored back for added interior visibility
- AC Power Outlet
- LED Light Kit Standard

BFX6024

BFX6032

BFX6636

Chrome

Brass

Black Nickle

*Pricing is for mechanical combo lock. Add $210.00 for E1 electronic lock

High Gloss Finishes

Charcoal Metallic

Ironside Green

Pearl Essence

Onyx

Sapphire Blue

Thermal Blue

Reign Purple

Platinum Metallic

Textured Finishes

Granite

White

Black

Spa Blue

Part #	Outside Dimensions	Inside Dimensions	Int. Gun Capacity	Weight	Textured	High Gloss
ASBFX6024	H 59-1/4" X W 24" X D 21"	H 53-1/4" X W 20" X D 16"	8+8=16 +1 Gun	751 lbs	$6,710.00	$9,015.00
ASBFX6030	H 59-1/4" X W 30" X D 26"	H 53-1/4" X W 26" X D 22"	11+11=22 +2 Gun	1,081 lbs	$7,990.00	$10,360.00
ASBFX6032	H 59-1/4" X W 30" X D 21"	H 53-1/4" X W 26" X D 16"	9+9=18 +2 Gun	958 lbs	$7,685.00	$9,910.00
ASBFX6636	H 65-1/4" X W 36" X D 26"	H 61" X W 31-3/4" X D 20-1/2"	12+12=24 +2 Gun	1,319 lbs	$10,010.00	$12,435.00

Vault Doors

TURN AN ENTIRE ROOM INTO A SECURITY CENTER

Vault Doors offer the same protection as our innovative BF Gun Safes. They are designed to fit standard 80"x30"& 80x36" door openings. With our inward-swinging vault door option, your vault room can also serve as a storm shelter. The vault door's inward swing ensures that you will be able to open the door even if debris has fallen on the other side. All AMSEC vault doors can be opened from the inside, ensuring personal safety.

Vault Doors have adjustable door frames to fit a wall thickness of 4¾" to 9½". Thicker walls require a special factory quote. Combination lock is standard.

Standard door prep is Right Hand Out Swing.
To get Left Hand, add "L" to the part number.
To get In-Swing, add "IS" to the part number.

*Vault Doors are special order, made to order. End users must sign architectural drawings, to place an order. A 20% deposit is also required.

Right Hand Out Swing Shown

STANDARD FEATURES

- 2" Thick Door
- 10 1½" Chrome Plated Bolts
- Safety Lock Release
- ½" Steel Plate on Face of Door
- 1-3/8" of Seamless Drylight as Fire Protection

Hardware Finishes



Available Finishes

*Pricing is for mechanical combo lock.
Add $210.00 for E1 electronic lock

Part #	Wall Opening Dimensions	Door Opening Dimensions	Door Weight	Shipping Weight	Price
ASVD8030BF	H 79-1/2" X W 29-1/2"	H 77-1/2" X W 24-3/4"	695 lbs	839 lbs	$8,495.00
ASVD8036BF	H 79-1/2" X W 35-1/2"	H 77-1/2" X W 31"	819 lbs	989 lbs	$9,080.00
ASVD8042BF	H 79-1/2" X W 41-1/2"	H 77-1/2" X W 37"	943 lbs	1,139 lbs	$9,890.00

Gun Safe Accessories

36" LED Light Kit
(2) 36" LED Light bars with a built in motion sensor

AS3115046
$165.00

8" LED Light Kit
(2) 8" LED Light bars with a built in motion sensor & Battery Pack

AS3115049
$105.00

Velvet Lined Jewelry Drawer

AS1365069
10"x13-13/16x3-5/8"
$100.00

AS1365072
7"x11-1/2"x3-5/8"
$80.00

3 Socket Power Strip with 2 USB Ports

AS3235068

$65.00

Lock Retro-Fit Kits

ESL10 "E1"
$295.00

Black **AS0616250**
Black Nickel **AS0616252**
Brass **AS0616254**
Chrome **AS0616256**

ESL5 "E5"

Black Nickel **AS0616187** $155.00
Black **AS0616185** $155.00
Chrome **AS0616186** $155.00

ESL20 "E2"
Same Features as E1, w/ Multiple Users

$380.00
Black **AS0616258**

Mechanical Combo
Black **AS0615865**
$160.00

Spy Proof KLD Complete Lock

AS0615954 Chrome
AS0615955 Brass
AS0615956 Black Nic.
$205.00

ESL10-S Slam-Bolt

Chrome **AS0615793**
$305.00

ESL20 Slam-Bolt

Black **AS0616259** $400.00

Dri-Rod Dehumidifier

AS3275000
$80.00

The pricing in this catalog is from December 2024. Prices are subject to change. Check our website, or call for current pricing.