Power Distribution Boards

Power Distribution Boards split the primary AC or DC output from a power supply into multiple outputs of the same voltage type to separate equipment onto individual circuits.



3.75"H x 2.22"W x 1"D
Mounting:
3.41"H x 1.87"W

SEPDB-4C2
4 PTC Output, 1.93 Amp each

SEPDB-4F2
4 Fused Output, 2 Amp each

$52.00 ea

3.87"H x 4.84"W x 1"D
Mounting:
3.41"H x 4.49"W

SEPDB-8C2
8 PTC Output, 1.93 Amp each

$62.00 ea

Power Supply

PSP Medium Filtered Regulated

6 Ft. Output cable is included.
Input voltage 120 to 220VAC.
PSPs are ideal for powering a wide range of DC Devices.

SEPSP-12
Power Supply Plug-In - Switching, Regulated, 12 VDC, 700mA
$79.00

SEPSP-24-1.5
Power Supply Plug-In - Switching, Regulated, 24VDC, 350mA
$156.00

Bridge Rectifier

- Will convert an ac input to full wave rectified DC output
- Maximum 4 amp capacity

SEBR-4 $55.00

Specialty Gate Locks

The Heavy Duty GL1 Electromechanical Gate Lock provides weather resistant access control for a wide range of gate applications. The GL1 Provides 2000 lbs of holding force for electrical and manually operated indoor or outdoor gates where pre-load is a concern. Ideal for swinging or sliding product features vehicle, pedestrian, or stock gate access control.

Dimensions: 2-3/4"L x 7-1/4"W x 3-1/4"D
Holding Force:
2000 Lbs [907kg]

Part #	Description	Price
SEGL1-FL	Standard Fail Locked	$472.00
SEGL1-FLM	Monitored Fail Locked	$488.00
SEGL1-FS	Standard Fail Safe	$472.00
SEGL1-FSM	Monitored Fail Safe	$488.00

Post Shim Brackets For Specialty Gate Locks

Used to adapt both small and large post brackets to pole/post sizes smaller than 2" or 3".

SEFMB9-4	Post shim kit for flex mount brackets	$31.00
SEFMK-SL	Flex mount kit for sliding gate	$143.00
SEFMK-SW	Flex mount kit for swing gate	$177.00

Capacitive Button

Uses patented touch sensing technology to create a push plate with no moving parts. For indoor use only, the unit is oversized so that it can be mounted over a single gang cutout. A three part vinyl decal is included and a red led is incorporated into the backbox.

SESP-1 $243.00
Touch Sensor Plate

SESP-1L $12.00
Label Touch Plate (SP-1)

Wave Sense Switch

SEWSS-WSD
White Single/Double Gang Faceplate
$443.00

Electrical Power Transfers

Concealed EPT

- Mortises into the edges of the door and frame
- 10 wire configuration includes 2-18 gauge wires for higher current devices
- All metal construction including backboxes

SECEPT-10 $428.00
US32D, Concealed, 10 Wire

SEEL-CEPT $513.00
Concealed, US32D, ElectroLynx

SEEL-CEPT-10 $717.00
Concealed, US10/612, ElectroLynx

- Installs in the door and frame edges
- Flexible steel shield protects wires - 3/8" [9,5mm] inside diameter for higher current devices

SEEPT
Standard Version
$81.00

SEEPTL
Long Version
$109.00

SEEPT-SC
Swing Clear
$122.00

Square-Cut Electrical Power Transfer

SESEPT
$91.00

The pricing in this catalog is from December 2024. Prices are subject to change. Check our website, or call for current pricing.

Electromagnetic Locks

The M380E & M680E with Ecomag® technology from securitron® delivers the same unsurpassed intelligence, style and convenience as the previous M680 series, but with 80% reduction in energy consumption. Integrated features such as built-in smart voltage sensing, tamper sensor and an updated strike mounting template.

- LED indicator shows the lock is secure, open, or has an incomplete bond
- Tamper switch sends an alarm output if the cover is removed and is selectable to NO or NC
- Optional integrated bondstat and integrated door position switch
- Available in 628 finish - satin aluminum clear

Holding Force: 600 lbs [272kg]
Dimensions:
Magnalock: 10"L x 2-7/16"D x 2-3/16"H
Strike: 7-7/16"L x 5/8"D x 1-5/8"H

M380E Magnalock

SEM380EBD-628 $742.00
SEM380EBD-630 $971.00
BondStat Monitor & Door Position Switch

Includes all of the m370 and m670 features - plus:
- Adjustable automatic relock timer (0.5 - 15 seconds)
- Bondstat lock bond sensor - patented
- Available in 628 finish - satin aluminum clear

SEM380EBDX-628 $926.00
SEM380EBDX-630 $1,157.00
PIR Request to Exit

M680E Magnalock

Holding Force:
1200 lbs [544kg]
Dimensions:
Magnalock: 11-1/2"L x 2-9/16"D x 2-1/2"
Strike: 10-7/8"L x 9/16"D x 2"H

SEM680E $760.00
SEM680EBD-628 $847.00
SEM680EBD-630 $1,077.00
BondStat Monitor & Door Position Switch

SEM680EBDX-628 $1,031.00
SEM680EBDX-630 $1,263.00
PIR Request to Exit

Delayed Egress Magnalocks

Building on the technology of the Securitron EcoMag Series, the DEM680E is a direct replacement for the iMXDA.
Designed for applications that require a lock that delays the opening of a door, the DEM680E standard model is HUGS-compliant with specific code compliant models also available.
For use on interior and perimeter exit, single, out-swinging doors.

Standard Features
- Autosensing dual voltage with microprocessor technology –no field adjustment required
- Patented BondSTAT magnetic bond sensor and integrated Door Position Switch (DPS)
- Instant release circuit– no residual magnetism
- Easily visible LEDs indicate status on secure side of door
- Fully integrated delay and detection features for fast installation of delayed egress system
- Auto calibrated door movement detection up to 1/4”
- Alarm strobe indicates countdown; stays illuminated post alarm until reset
- Size optimized to work with door closers
- External alarm relay isolated dry contact (1 A at 24 VDC)

DEM680E
Configurable, 1,200 lbs holding force, bracket mounted, delayed egress Magnalock

SEDEM680E-628
$1,456.00

Delayed Egress Accessories

SEBA-XDT-12	Exit Delay Timer — 12 VDC Boxed Alarm & Door Label	$317.00
SEBA-XDT-24	Exit Delay Timer — 24 VDC Boxed Alarm & Door Label	$317.00
SEEXD-1L	Exit Delay System [EXD-1] — Label & Documentation	$28.00
SEXDT-12	Exit Delay Timer — 12 VDC	$210.00
SEXDT-24	Exit Delay Timer — 24 VDC	$197.00
SESB-MXD	Sex Bolt Kit — Door Movement	$232.00

Durable Magnalocks

M32 Magnalock

600 Lbs. Holding Force
w/Automatic Dual Voltage.
12/24VDC



Recommended for applications where physical assault on the door is not expected, like access controlled interior rooms and secure areas within buildings.

Part #	Options	Price
SEM32	12/24VDC	$442.00
SEM32B	Magnetic Bond Sensor	$565.00
SEM32D	Door Position Switch	$522.00
SEM32BD	MBS + DPS	$634.00
SEM32F	Face Drilled	$442.00
SEM32FB	Face Drilled + MBS	$565.00
SEM32FD	Face Drilled + DPS	$522.00
SEM32FBD	Face Drilled + MBS + DPS	$634.00

M38 Magnalock

600 Lbs. Holding Force
w/Automatic Dual Voltage.
12/24VDC

Recommended for applications where physical assault on the door is not expected, like access controlled interior rooms and secure areas within buildings.

Part #	Options	Price
SEM38	12/24VDC	$584.00

M68 Magnalock

1,200 Lbs. Holding Force
w/Automatic Dual Voltage.
12/24VDC

Recommended for interior and perimeter doors through which criminals could gain entrance to cause substantial economic loss.

Part #	Options	Price
SEM68	12/24VDC	$727.00
SEM68D	Door Position Switch	$823.00

M62 Magnalock

1,200 Lbs. Holding Force
w/Automatic Dual Voltage.
12/24VDC



Recommended for exterior and perimeter doors through which criminals could gain entrance to cause substantial economic loss.

Part #	Options	Price
SEM62	12/24VDC	$565.00
SEM62B	Magnetic Bond Sensor	$688.00
SEM62D	Door Position Switch	$646.00
SEM62BD	MBS + DPS	$757.00
SEM62F	Face Drilled	$656.00
SEM62FB	Face Drilled + MBS	$688.00
SEM62FD	Face Drilled + DPS	$646.00
SEM62FBD	Face Drilled + MBS + DPS	$757.00
SEM62G	Gate Conduit	$602.00
SEM62GB	Gate Conduit + MBS	$726.00
SEM62GD	Gate Conduit + DPS	$686.00
SEM62GBD	Gate Conduit + MBS + DPS	$798.00
SEM62FG	Face Drilled + GC	$601.00
SEM62FGB	Face Drilled + GC + MBS	$724.00
SEM62FGD	Face Drilled + GC + DPS	$688.00

M82 Magnalock

1,800 Lbs. Holding Force
w/Automatic Dual Voltage.
12/24VDC



Magnetic bond sensing function standard. preferred by prisons and detention facilities, and also functions best on large, high security gates.

Part #	Options	Price
SEM82B	Magnetic Bond Sensor	$791.00
SEM82BD	MBS + Door Position Switch	$863.00
SEM82B-SS	MBS + Split Strike	$878.00
SEM82FB	Face Drilled + MBS	$791.00
SEM82FGB	FD + Gate Conduit + MBS	$834.00

The pricing in this catalog is from December 2024. Prices are subject to change. Check our website, or call for current pricing.

DM62 Magnalocks

For double doors without a center mullion, the DM62 supplies two model 62 magnalocks in a single, brushed stainless steel housing.

Holding Force:
1200 Lbs. Per Lock
Current Draw And Voltage:
250MA At 12VDC
150MA At 24VDC

SEDM62
$1,210.00

SEDM62BD
Magnetic Bond Sensor + Door Position Switch
$1,628.00

Electromagnetical Magnalocks

The Securitron MM15 Memlock® is a 4000 lbs. holding force, dual voltage, dual current magnalock for interior or perimeter doors where ultra-high security and compact size are required.



12/24V AC/DC
SEMM15
$630.00

12/24V AC/DC
Door Positioning Switch Tamper
SEMM15DT
$770.00

Shear Aligning Magnalocks

SAM 1200 Lbs. holding force shear aligning magnalock mounts fully concealed into wood, steel or aluminum doors. SAM can also be installed in any position on the door - top, side or bottom, and is ideal for swing through and sliding doors.

SAM

SAM2 600 Lbs. Holding force
Shear aligning magnalock mounts fully concealed and is ideal for smaller applications, like cabinet doors and sliding closet doors.
24vdc only.

SAM2

M34R 500 Lbs. Holding force
Magnalock with automatic dual voltage for mounting in sliding doors. Recommended for applications where physical assault on the door is not expected, like access controlled interior rooms and secure areas within buildings.

M34R

Part #	Options	Price
SESAM	Self-Aligning, 1200Lbs	$1,146.00
SESAMB	Magnetic Bond Sensor	$1,250.00
SESAMBD	Door Position Switch + MBS	$1,320.00
SESAMD	Door Position Switch	$1,221.00
SESAM2-24	Mini Shear, 24VDC, 600 Lbs	$867.00
SEM34R	Recessed, 500 Lbs	$510.00

Surface Mount Kit

SESMLS Housing Lock $220.00
SESMSS Housing Strike $213.00

Cabinet Magnalocks

Typical applications include: jewelry cases, museum cases, gun cabinets, pharmaceutical storage cabinets, cash drawers and any type of door or drawer which will physically accommodate the lock.
Works in both swinging and sliding cabinet door applications

Holding Force: 170 lbs. [77 kg]
Current Draw and Voltage: 84mA at 24VDC Only

SEMCL-24
$289.00

Glass Door Bracket

Mounts armature plate on frameless glass door accommodates 600 and 1200 series magnetic lock armature plates

SEGDB
$89.00

Glass Installation Kit

For GDB

Permanently bonds to the glass with a special industrial adhesive

SEAKG
$226.00

BPS Boxed Power Supply

Recommended where an interface with a fire alarm system or battery backup is needed. The BPS linear power supply delivers more current than PSPS, and all BPS models are UL class 2 listed, allowing for wire runs without the use of conduit from power supply to door.



Input Voltage:
120VAC BPS

BPS Power Supplies are discontinued when out. Call for special pricing and availability.

Part #	Description	Price
SEBPS-12-1	Power Supply - 12VDC, 1 AMP	$408.00
SEBPS-12-3	Power Supply - 12VDC, 3 AMP	$787.00
SEBPS-12-6	Power Supply - 12VDC, 6 AMP	$1,416.00
SEBPS-24-1	Power Supply - 24VDC, 1 AMP	$413.00
SEBPS-24-2	Power Supply - 24VDC, 2 AMP	$787.00
SEBPS-24-3	Power Supply - 24VDC, 3 AMP	$1,194.00
SEBPS-24-6	Power Supply - 24VDC, 6 AMP	$1,710.00
SEBPS-24-10	Power Supply - 24VDC, 10 AMP	$2,108.00
SEBPS-12/24-1	Dual Voltage Power Supply - 12/24VDC	$514.00

BPS Power Supply Batteries

Applications where the doors must not open in the event of a power failure.

SEB-12-5	12VDC, 5AMP	$81.00
SEB-24-5	24VDC, 5AMP	$177.00

Central Control Board

The CCB-8 Expansion Board is used to add 8 additional class 2 Polyswitch 2a output breakers to BPS series power supplies larger than 1 Amp.



SECCB-8-12	12VDC, 8 Fused Outputs	$186.00
SECCB-8-24	24VDC, 8 Fused Outputs	$186.00

Magnalock Installation Kit

Offers substantial savings over purchasing the same items separately.

SEIK
$598.00

SESDG-1
Heavy Duty Drill Guide
$216.00

SESEP-1 or 2
Hdw Pack(1) - 62/82
Hdw Pack(2) - 32
$19.00

SEFC-1 Finish Caps, Pack/24 — $23.00

SERW-1 Rubber Washers Pack/24 — $13.00

SEFW-1 Flat Washers Pack/24 — $10.00

Switching Power Supplies

The AQD Series of switching power supplies are dual voltage supervised units with a battery charger, designed to power magnetic locks, electric strikes, card readers, sensors, access control boards and other devices in access control systems.

Dimensions: 14" x 14" x 4.75"

Part #	Description	Price
SEAQD1	1 Amp, Dual Voltage	$284.00
SEAQD2	2 Amp, Dual Voltage	$335.00
SEAQD2-1R	2 Amp, Dual Voltage, Fire Trigger	$438.00
SEAQD2-4C1	1 Amp, Dual Voltage, 4 outputs, 1 Amp PTC Polyswitch	$438.00
SEAQD4	4 Amp, Dual Voltage	$376.00
SEAQD4-1R	4 Amp, Dual Voltage, Supervised	$428.00
SEAQD6	6 Amp, Dual Voltage	$418.00
SEAQD6-8F8R2	6 Amp, Dual Volt, 8 Outputs, 2 Amp Glass Fuses, 8 Relays, Fire Triger	$567.00

Magnetic Security Switches

Used to monitor the open/closed status of doors, windows, gates, machinery safety barriers or other moving assemblies.

$272.00 ea

SEMSS-1
High Security

SEMSS-1G
High Security, Surface Mount

Dress Covers For Magnalocks

Dress Covers: Works with M32, M62, M82, M38 and M68 Models.
Install using foam adhesive tape



Double Dress Covers: Will cover a pair of magnalocks on a double door (if they are separated by no more than 2")

Part #	Description	Price
SEDC-32BK	Dress Cover, M32, Black Anodized	$59.00
SEDC-32BP	Dress Cover, M32, Brass Polished	$153.00
SEDC-32SP	Dress Cover, M32, Stainless Polished	$144.00
SEDC-62BK	Dress Cover, M62, Black Anodized	$59.00
SEDC-62BP	Dress Cover, M62, Brass Polished	$153.00
SEDC-62SP	Dress Cover, M62, Stainless Polished	$144.00
SEDC-82BK	Dress Cover, M82, Black Anodized	$74.00
SEDC-82BP	Dress Cover, M82, Brass Polished	$160.00
SEDC-82SP	Dress Cover, M82, Stainless Polished	$152.00
SEDDC-32BK	Dbl Dress Cover, M32, Black Anodized	$158.00
SEDDC-32CL	Dbl Dress Cover, M32, Clear Anodized	
SEDDC-62BK	Dbl Dress Cover, M62, Black Anodized	
SEDDC-62CL	Dbl Dress Cover, M62, Clear Anodized	

The pricing in this catalog is from December 2024. Prices are subject to change. Check our website, or call for current pricing.

Header Extension Brackets

- Works with all Securitron Magnalock models
- 90 degree angle brackets
- Extends narrow headers to permit proper mounting of magnalocks
- Available in clear aluminum or black anodized

Extention brackets for MM15



Extension brackets for M32, M62, M82, M38, M68

Part #	Description	Price
SEHEB-1BK-8	1 x 1 x 8, Black Anodized	$65.00
SEHEB-1CL-8	1 x 1 x 8, Clear Anodized	$54.00
SEHEB-1CL-12	1 x 1 x 12, Clear Anodized	$59.00
SEHEB-1CL-MM15	1" For MM15 Series #130, Clear Finish	$49.00
SEHEB-2BK-8	2 x 2 x 8, Black Anodized	$85.00
SEHEB-2CL-8	2 x 2 x 8, Clear Anodized	$71.00
SEHEB-2CL-12	2 x 2 x 12, Clear Anodized	$77.00
SEHEB-2CL-MM15	2" For MM15 Series #130, Clear Finish	$49.00
SEHEB-3BK-8	3 x 3 x 8, Black Anodized	$98.00
SEHEB-3CL-8	3 x 3 x 8, Clear Anodized	$87.00
SEHEB-3CL-12	3 x 3 x 12, Clear Anodized	$92.00
SEHEB-3BK-12	3 x 3 x 12, Black Anodized	$109.00
SEHEB-3CL-MM15	3" For MM15 Series #130, Clear Finish	$49.00
SEHEB-3G	3 x 3 x 8, For Glass Door, Clear Anod.	$104.00

Stop Filler Plates

- Works with all Securitron Magnalock models
- Used to fill or extend a door stop
- Creates a flat mounting surface for the magnalock
- Available in 1/4", 3/8", 1/2" and 5/8" thickness, all 1-1/4" Wide

Stop filler plates for MM15

Stop filler plates for M32, M62, M82, M38, M68

Part #	Description	Price
SESFP-1/2BK-8	1/2 x 1-1/4 x 8, Black Anodized	$51.00
SESFP-1/2CL-8	1/2 x 1-1/4 x 8, Clear Anodized	$43.00
SESFP-1/4BK-8	1/4 x 1-1/4 x 8, Black Anodized	$51.00
SESFP-1/4CL-8	1/4 x 1-1/4 x 8, Clear Anodized	$43.00
SESFP-3/8BK-8	3/8 x 1-1/4 x 8, Black Anodized	$51.00
SESFP-3/8CL-8	3/8 x 1-1/4 x 8, Clear Anodized	$43.00
SESFP-5/8BK-8	5/8 x 1-1/4 x 8, Black Anodized	$51.00
SESFP-5/8CL-8	5/8 x 1-1/4 x 8, Clear Anodized	$43.00
SESFP-1/2BK-12	1/2 x 1-1/4 x 12, Black Anodized	$57.00
SESFP-1/2CL-12	1/2 x 1-1/4 x 12, Clear Anodized	$46.00
SESFP-1/2CLMM-15	1/2" for MM15, Clear Finish	$39.00
SESFP-1/4CL-12	1/4 x 1-1/4 x 12, Clear Anodized	$46.00
SESFP-3/8CL-12	3/8 x 1-1/4 x 12, Clear Anodized	$46.00
SESFP-5/8CL-12	5/8 x 1-1/4 x 12, Clear Anodized	$46.00

Durable Magnalocks Brackets

Works with M32, M62 and M82 Models

BK = Black Anodized CL = Clear Anodized SS = Stainless Steel

Part #	Description	Price
SEASB-32BK	Alum Frame Spacer Bracket	$77.00
SEASB-32CL	Alum Frame Spacer Bracket	$57.00
SEASB-62BK	Alum Frame Spacer Bracket	$78.00
SEASB-62CL	Alum Frame Spacer Bracket	$57.00
SEASB-82BK	Alum Frame Spacer Bracket	$108.00
SEASB-82CL	Alum Frame Spacer Bracket	$93.00
SECWB-32BK	Concrete/Wood Bracket	$87.00
SECWB-32CL	Concrete/Wood Bracket	$73.00
SECWB-62BK	Concrete/Wood Bracket	$97.00
SECWB-62CL	Concrete/Wood Bracket	$82.00
SECWB-82BK	Concrete/Wood Bracket	$117.00
SECWB-82CL	Concrete/Wood Bracket	$102.00
SEZA-32/62BK	Adjustable Z-Bracket	$218.00
SEZA-32/62CL	Adjustable Z-Bracket	$201.00
SEZA-32/62SS	Adjustable Z-Bracket	$228.00
SEZA-82CL	Adjustable Z-Bracket	$242.00
SEZA-82SS	Adjustable Z-Bracket	$273.00

Aluminum Shim Bracket

Concrete/Wood Bracket

Z-Bracket Kit

Universal Header Brackets

Works with all Magnalock models

- Used to extend the header from 1" to 1-1/2"
- Provides a concealed wiring chamber

Part #	Description	Price
SEUHB-BK-8	UHB - 8", Black Anodized	$113.00
SEUHB-CL-8	UHB - 8", Clear Anodized	$96.00

Keypad Systems

DK-12

- One piece unit designed for lower security requirements.
- Indoor operation
- Optional rain cover (WCC) and gasketed backbox (WBB) for exterior areas not directly exposed to rain or snow.
- Illuminated Keys - Single Gang

SEDK-12
$230.00

DK-16/DK-16P

- Medium/high security control of electric locks in a one- or two-door application where both doors have the same control needs.
- Tamper-resistant 3x4 keypad

SEDK-16 $502.00
Keypad And Controller - Indoor, Single Gang

SEDK-16P $273.00
Keypad Only - Indoor, Single Gang

DK-26

- Medium/high security control of electric locks in a one- or two-door application where both doors have the same control needs.
- Tamper-resistant 3x4 keypad

SEDK-26BK $513.00
Keypad and Controller - Narrow Stile, Black Anodized

SEDK-26PBK $272.00
Keypad only - Narrow Stile, Black Anodized

SEDK-26SS $499.00
Keypad and Controller - Narrow Stile, Satin Stainless

SEDK-26PSS $254.00
Keypad only - Narrow Stile, Stainless Steel

Accessories

SEWBB	Gasketed Backbox	$55.00
SEWCC	Rain Cover	$76.00

Door Prop Alarm

The DPA is designed to detect and deter a door from being left propped open.

- Multi-Functional control timer that operates as a door prop alarm
- Includes three 5 amp SPDT outputs providing local and remote signaling
- Bypass mode for valid access/egress
- 12 Or 24VDC



SEBA-DPA-12
12VDC w/ Boxed Alarm

SEBA-DPA-24
24VDC w/ Boxed Alarm

$317.00 Ea

Door Position Switch

Used to monitor the status of a door or to provide an initiate signal to Securitron®'s XDT delayed exit logic timers and DPA door prop logic timers. available in black (-BK), gray (-GY), and white (-WH).

SEDPS-M $37.00 ea
for Metal Doors

SEDPS-W $28.00 ea
for Wood Doors

Latch Monitors

Designed for reporting back to an alarm system to indicate that a door is latched, thereby reducing the possibility of false alarms.



SELML-1 $148.00
ANSI, 4-7/8, Strike, SPDT, 3Amp

SELML-2 $200.00
ANSI, 4-7/8, 2ea, SPDT, 3Amp

SELMS-1 $148.00
ANSI, 2-3/4, Strike, SPDT, 3Amp

Timers & Alarms

Time Master II
Multi-Function Timer, 1-255 Seconds

SETM-2
$181.00

Time Mate Timer
Time Mate Timer, 2-36 Seconds

SETM-9
$93.00

Prime Time
Digital Timer, 7 day

SEDT-7
$290.00

Piezo Sounder
Piezo on keyplate single gang

SEPZ1
$88.00

Thick Door Kit

Thick door kit for the SB-1 sex bolt allows the SB-1 to be used on doors thicker than 1-3/4" up to 3"

SETDK-1
$36.00

SESB-1
Sex Bolt
$18.00

The pricing in this catalog is from December 2024. Prices are subject to change. Check our website, or call for current pricing.

Egress Bars

TSB Touch Sense Bar

The TSB Touch sense bar provides touch-triggered release of magnetically locked, non-fire-rated doors. Touching the bar, even through light gloves or clothing, triggers and electronic sensor that releases the lock. For indoor use only, the TSB installs easily on all types of metal, aluminum or wood frame doors. Meets "no special tools or knowledge" criteria in code requirements.

Part #	Description	Price
SETSB-BK	TSB - 36", Black Anodized	$576.00
SETSB-CL	TSB - 36", Clear Anodized	$538.00
SETSB-BK-48	TSB - 48", Black Anodized	$538.00
SETSB-CL-48	TSB - 48", Clear Anodized	$538.00
SEDTSB-BK*	Dummy TSB - 36", Black Anodized	$294.00
SEDTSB-CL*	Dummy TSB - 36", Clear Anodized	$265.00

*Weather-Resistant

Touch Bar Cover Plates

TCP-BK	Set of 2, Black Anodized	$109.00 ea
TCP-CL	Set of 2, Clear Anodized	

DSB Dual Sense Bar

The Dual Sense Bar (DSB) is for use on magnetically locked, non-fire-rated doors. Specifically designed to address the most current building and life safety codes, the DSB features two Independent switch circuits to release the lock. Simply touching the bar or engaging its mechanical movement will allow free egress. For indoor use only, the DSB can be installed on metal, aluminum or wood doors of all types. “no special tools or knowledge" requirements.



Part #	Description	Price
SEDSB-BK	DSB - 36", Black Anodized	$633.00
SEDSB-CL	DSB - 36", Clear Anodized	$610.00
SEDSB-BK-48	DSB - 48", Black Anodized	$588.00
SEDSB-CL-48	DSB - 48", Clear Anodized	$578.00

Door Cord

SETSB-C $44.00
Door Cord w/ Caps, Gray/Black w/18” Cord

SETSB-CXL $53.00
Door Cord w/ Caps, Gray/Black w/36” Cord

Egress Handles

Electromechanical Handle (EMH)

Designed for use on any push, pull or swing-through door. The EMH is equipped with an internal initiate that allows mechanical handle movement for specialized outdoor applications.

Touch Sense Handle (TSH)

Used for standard pulls on aluminum doors. it is employed to open inswinging doors or as an alternate push-open device for inswinging and outswinging doors, providing a different look on aluminum frame glass doors. for indoor use only.



SEEMH-BK	$614.00
SEEMH-CL	$588.00
SETSH-BK	$567.00
SETSH-CL	$557.00

Exit Motion Sensor

The XMS Passive infrared request to exit device is a motion detector specifically designed to reliably release magnetic locks. A person approaching the door is "seen" by the motion detector just before reaching the door.

SEXMS $267.00

Relay Boards

A simple and economical way to add relays to installations for numerous uses, including shunting, interlocking and reporting.
Both boards feature low current coils
(13 MA At 12VDC; 8 MA At 24VDC)
which enable operation from most LED drive outputs.
Each board mounts four DPDT relays with 2 amp contacts.
All dry contact connections are on screw terminals.
Individual coil connections may be common negative or positive.

SERB-4-12
SERB-4-24 $143.00 each

Relay Logic Packs

The Economical, Multi-Function RLP logic circuit can be used as a DPDT latching alarm relay, or provide a relay for two-door interlocks (mantrap), or can initiate a brief signal delay to eliminate timing problems among multiple monitoring points on a door under access control.

SERLP-12
SERLP-24 $77.00 each

Key Switches

KP1 Tubular Key Switch

- Stainless Steel Face Plates
- 12/24VDC
- Bi-Color LED

MK Mortise Key Switch

- Standard With 12 or 24VDC
- Bi-Color LED
- 1-1/8" Length mort. cyl. required
- 26D Finish

Part #	Description	Price
SEKP1	Tubular Key Switch, Momentary	$200.00
SEKP1A	Tubular Key Switch, Alternate	
SEMK	Momentary, SPDT, Single Gang, Green/Red	$159.00
SEMK2	Momentary, DPDT, Single Gang, Green/Red	$186.00
SEMKA	Alternate, SPDT, Single Gang, Green/Red	$159.00
SEMKA2	Alternate, DPDT, Single Gang, Green/Red	$186.00
SEMKAN	Alternate, SPDT, Narrow, Green/Red	$159.00
SEMKAN2	Alternate, DPDT, Narrow, Green/Red	$186.00
SEMKAPZ	Alternate, SPDT, Double Gang, G/R, Audible	$239.00
SEMKN	Momentary, SPDT, Narrow, Green/Red	$159.00
SEMKN2	Momentary, DPDT, Narrow, Green/Red	$186.00
SEMKPZ	Momentary, SPDT, Dbl Gang, G/R, Audible	$234.00
SEMKS	Momentary, Switch Only	$41.00
SEMKS2	DPDT Momentary, Switch Only	$67.00
SEMKSA	Alternate, Switch Only	$41.00
SEMKSA2	DPDT Alternate, Switch Only	$67.00

Push Buttons

Single Gang Plate: 4.5" X 2.75"
Narrow Stile Plate: 4.5" X 1.75"

PB

PB2

PB3

PB4L-2

PB5

Part #	Description	Price
SEPB	Momentary, SG, DPST, Illum., Red/Grn	$183.00
SEPBA	Alternate, SG, DPST, Illum., Red/Grn	
SEPB2	Momentary, Sgl Gang, Illum., Grn/Red/Handicap	$117.00
SEPB22	2", Sq Grn Mom, DP w/Light - SG, Grn/Red/Hndp	$183.00
SEPB2E	Momentary, Single Gang, Green/Red/Handicap	$86.00
SEPB3	Momentary, Single Gang, Illuminated, Grn/Red	$125.00
SEPB3A	Alternate, Single Gang, Grn/Red Lens	
SEPB3AN	Alternate, Narrow, Grn/Red Lens	
SEPB3E	Momentary, Single Gang, Grn/Red Lens	$95.00
SEPB3EA	Alternate, Single Gang, Grn/Red Lens	
SEPB3EAN	Alternate Narrow, Grn/Red Lens	
SEPB3EAR	Remote Alternate, Surface Mount Grn/Red Lens	
SEPB3EN	Momentary, Narrow Grn/Red Lens	
SEPB3ER	Remote Momentary, Surface Mount Grn/Red	
SEPB3N	Momentary Narrow, Green/Red Lens	$125.00
SEPB4L-2	Momentary, Single Gang, Green Illum., Halo	$158.00
SEPB4LA-2	Alternate, Single Gang, Green Illuminated Halo	
SEPB4LN-2	Momentary, Narrow Stile, Green Illum., Halo	
SEPB5	2" Rnd, Mom., DPST, w/Light, SG, Red/Grn/Hndp	$145.00
SEPB5E	2" Rnd, Mom., DPST, w/o Light, SG, Red/Grn/Hnd	$110.00

Strike Plates

Works With M62, M82 and M68 Models

Alters the position of the mounting hole by 1/4" [6mm]. This is often required to clear the glass on aluminum frame store front doors.

SEAOS

Part #	Description	Price
SEAOS-62	M62 - Offset	$152.00
SEAOS-62D	M62D - Offset	$188.00
SEAOS-82	M82 - Offset	$200.00
SEAPS-32	M32 - Offset	$143.00
SEAPS-62	M62 - Offset	$160.00
SEAPS-82	M82 - Offset	$186.00

Allows a single M32, M38, M62, M68 or M82 Magnalock to secure a double door at traffic control holding force level

Split Set w/ Fasteners & Sex Bolt

Part #	Description	Price
SEASS-32	M32 - Offset	$197.00
SEASS-62	M62 - Offset	$226.00
SEASS-82	M82 - Offset	$251.00

SEASS

Emergency Exit Buttons

Operates on 12 or 24 VDC.

Emergency exit buttons offer additional safety, as required by code, for possible malfunction of motion exit sensor.

SEEEB2
EEB w/ 30 Sec. Timer - SG, Grn/Red/Handicap

SEEEB3N
EEB w/ 30 Sec. Timer - Narrow Stile, Grn/Red

$165.00 ea

Complete Pacs for Latchbolt Locks

MUNL

Mortise Unlatch is for any application where an electric strike would be used for a mortise type lock. The mortise unlatch includes field adjustability for latch and deadlatch positions, releases under pressure and includes a latch status monitoring output.

UNL

UnLatch is for any application where an electric strike would be used for a cylindrical/tubular lockset.

Fits ANSI 4-7/8" strike cutout

Part #	Description	626
SEUNL-12	UnLatch for Cylindrical Locks - 12VDC	$601.00
SEUNL-24	UnLatch for Cylindrical Locks - 24VDC	
SEMUNL-12	Mortise UnLatch - 12VDC	$837.00
SEMUNL-24	Mortise Unlatch - 24VDC	

MUNL

UNL

The pricing in this catalog is from December 2024. Prices are subject to change. Check our website, or call for current pricing.