AM-Series Mortise Locks (BD) Knob W/ Rose

Reversable Handing, 2-3/4" Backset, Door thickness 1-3/4"

Arrow mortise locks are offered in a complete range of functions designed for commercial, institutional and industrial applications.
They are engineered for strength and performance, and precisely manufactured to exacting standards.
A wide selection of trim designs and functions are offered which meet or exceed the performance requirements of ANSI Grade 1.

Lockcase – Heavy gauge steel, with zinc dichromate finish for corrosion resistance. 5-7/8" x 4" x 15/16"
Armored Front – heavy gauge steel, 8" x 1-1/4" x 3/32" accommodates flat and beveled doors.
Latchbolt – stainless steel, 2 piece mechanical with anti-friction insert. 5/8" x 1" x 3/4" throw.
Auxiliary Latchbolt – 9/16" effective throw and 3/8" effective auxiliary latch deadlocking.
Deadbolt – one-piece stainless steel, 1-9/32" x 1-1/4" x 1" throw.
Spacing – center to center,
hub to cylinder: 3-5/8"
center to center,
hub to turnpiece 2-7/16"
Strike- ANSI straight lip standard, 4-7/8" X 1-1/4"

For SFIC Prep, Order IC Mortise Housing Separate.



Part #	Function	ANSI	Price US3, US10	Price US26D
ARAM11-BD	Apartment	F12	$839.00	$799.00
ARAM12-BD	Storeroom	F07	$829.00	$789.00
ARAM13-BD	Front Door	F21	$839.00	$799.00
ARAM17-BD	Classroom	F05	$829.00	$789.00
ARAM19-BD	Dormitory	F13	$839.00	$799.00
ARAM21-BD	Entrance	F08/F10		
ARAM22-BD	Office	F04	$829.00	$789.00
ARAM23-BD	Vestibule			
ARAM24-BD	Storeroom			
ARAM31-BD	Storeroom	F14	$875.00	$835.00
ARAM32-BD	Vestibule	F09	$870.00	$830.00
ARAM33-BD	Storeroom	F30		
ARAM34-BD	Storeroom	F35	$875.00	$835.00
ARAM01-BD	Passage	F01	$610.00	$570.00
ARAM02-BD	Privacy	F19	$705.00	$665.00

Double Cyl.

Non-Keyed

(AM)Mortise Body's

Faceplates Sold Separate.

ARAM02-LB	$394.00
Functions: 02,19	
ARAM11-LB	$394.00
Functions: 11	
ARAM12-LB	$377.00
Functions: 07,12	
ARAM17-LB	$377.00
Functions: 17,32,37	
ARAM21-LB	$394.00
Functions: 21,34	
ARAM33-LB	$377.00
Functions: 33	

Replacement Knob Spindle

ARAM385A	$26.75
Trim w/ H escutcheon	
ARAM386A	$31.30
Trim w/ G escutcheon or rose	

AM-Series Mortise Locks (TG) Knob W/ Plate

*Same specifications as above



*HTG style is discontinued, replaced by TG
Ask customer service for pricing and availability on HTG style knob.



Replacement Faceplates Sold Separate
$40.10 each
(Specify Finish)



Function: 15,16,38 | 11,21,34 | 07,12,17 27,32,33,37 | 02,13,19,31 | 22 | 23 | 40,41, 42,44 | 01,24,26 | 20

Part #	Function	ANSI	US3, US10	US26D
ARAM11-TG	Apartment	F12	$857.00	$817.00
ARAM12-TG	Storeroom	F07	$847.00	$807.00
ARAM13-TG	Front Door	F21	$857.00	$817.00
ARAM17-TG	Classroom	F05	$847.00	$807.00
ARAM19-TG	Dormitory	F13	$857.00	$817.00
ARAM21-TG	Entrance	F08/F10	$854.00	$817.00
ARAM22-TG	Office	F04	$847.00	$807.00
ARAM23-TG	Vestibule			
ARAM24-TG	Storeroom			
ARAM31-TG	Storeroom	F14	$893.00	$853.00
ARAM32-TG	Vestibule	F09	$888.00	$847.00
ARAM33-TG	Storeroom	F30		
ARAM34-TG	Storeroom	F35	$893.00	$853.00
ARAM01-TG	Passage	F01	$628.00	$588.00
ARAM02-TG	Privacy	F19	$723.00	$683.00

Double Cyl.

Non-Keyed

The pricing in this catalog is from December 2024. Prices are subject to change. Check our website, or call for current pricing.

BM-Series Mortise Locks (XL) Xavier Lever With Rose

Certification: BHMA A156.13,
Grade 1, UL Listed
Door Thickness: 1-3/4"
Strike Standard: ANSI 1-1/4" X 4-7/8",
Straight lip, with box; curved lip
available
Latch: 3/4" Throw, Stainless Steel
Bolt: 1" Throw, Stainless Steel
Backset: 2-3/4"
Cylinder: Standard: 6-pin,
Solid Brass, 2 Nickel-silver Keys;

Handing: handed, field reversible
without disassembling lock case

XL



(BM)Mortise Body's

Faceplates Sold Separate

ARBM01-LB $286.00
Functions: 01

ARBM02-LB $394.00
Functions: 02,19

ARBM11-LB $394.00
Functions: 11

ARBM12-LB $377.00
Functions: 07,12

ARBM13-LB $394.00
Functions: 13,31

ARBM17-LB $377.00
Functions: 17,32,37

ARBM21-LB $394.00
Functions: 21,34

ARBM24-LB $377.00
Functions: 24

ARBM33-LB $377.00
Functions: 33

Replacement
Lever Spindle



ARBM385A $26.75
Trim w/ H escutcheon or rose

ARBM386A $31.30
Trim w/ G escutcheon

Also in stock with Plate "XG" 26D, call for pricing.

For SFIC Prep, Order IC Mortise Housing Separate.

Part #	Function		US3, US10	US26D
ARBM11-XL	Apartment		$920.00	$878.00
ARBM12-XL	Storeroom		$896.00	$854.00
ARBM13-XL	Front Door		$920.00	$878.00
ARBM17-XL	Classroom		$896.00	$854.00
ARBM19-XL	Dormitory		$920.00	$878.00
ARBM21-XL	Entrance			
ARBM22-XL	Office		$896.00	$854.00
ARBM23-XL	Vestibule			
ARBM24-XL	Storeroom			
ARBM31-XL	Storeroom		$977.00	$935.00
ARBM32-XL	Vestibule		$954.00	$912.00
ARBM33-XL	Storeroom			
ARBM34-XL	Storeroom		$977.00	$935.00
ARBM01-XL	Passage		$737.00	$695.00
ARBM02-XL	Privacy		$824.00	$779.00
ARBM07-XL	Exit (no outside Trim)		$820.00	$799.00

Double Cyl.

Non-Keyed

BM-Series Mortise Locks (VG) Ventura Lever W/ Plate

Certification: BHMA A156.13,
Grade 1, UL Listed
Door Thickness: 1-3/4"
Strike Standard: ANSI 1-1/4" X 4-7/8", Straight Lip,
With Box; Curved Lip Available
Latch: 3/4" Throw, Stainless Steel
Bolt: 1" Throw, Stainless Steel
Backset: 2-3/4"
Cylinder: Standard: 6-pin,
Solid Brass, 2 Nickel-silver Keys;
Handing: Handed, Field Reversible

Also in stock with rose "VL" 26D, call for pricing.



VG



Part #	Function	ANSI	US3, US10	US26D
ARBM11-VG	Apartment	F12	$964.00	$922.00
ARBM12-VG	Storeroom	F07	$940.00	$898.00
ARBM13-VG	Front Door	F21	$964.00	$922.00
ARBM17-VG	Classroom	F05	$940.00	$898.00
ARBM19-VG	Dormitory	F13	$964.00	$922.00
ARBM21-VG	Entrance	F08/F10		
ARBM22-VG	Office	F04	$940.00	$898.00
ARBM23-VG	Vestibule			
ARBM24-VG	Storeroom			
ARBM31-VG	Storeroom	F14	$1,021.00	$979.00
ARBM32-VG	Vestibule	F09	$998.00	$956.00
ARBM33-VG	Storeroom	F30		
ARBM34-VG	Storeroom	F35	$1,021.00	$979.00
ARBM01-VG	Passage	F01	$781.00	$739.00
ARBM02-VG	Privacy	F19	$865.00	$823.00
ARBM07-VG	Exit (no outside Trim)		$842.00	$821.00

Double Cyl.

Non-Keyed

SFIC Mortise Housings

6-Pin Housings =1-1/8"
7-Pin Housings =1-1/4"(accepts 6-Pin Cores)

Mortise Housing | Tapered Mortise Housing | Rim Housing

16CR 16CRT 16RCR

Part #	Specify Cam	US3, US26D
AR16CR-16- (6-pin)	001, AM2, 004, 006, AR18	$52.30
AR16CR-27- (7-pin)	001, AM2, 004, 006, AR18	
AR16CRT-16- (6-pin)	AR18	$54.20
AR16CRT-27- (7-pin)	AR18	
AR16RCR-16- (6-pin)	001, AM2, 004, 006, AR18	$52.30
AR16RCR-27- (7-pin)	001, AM2, 004, 006, AR18	

Small Format Interchangeable Cores

ARROW POINTE INTERCHANGEABLE CORE



1C, 1D, AB, BB, CB, DB, EB, FB, GB, HB, JB, KB, LB,MB, QB, RB, TA, TB, TC, TD, TE, WA, WB, WC, WG, WH, WY

Choose Between 6-Pin or 7-Pin, Satin Brass or Satin Chrome

Part #	Specify Keyway	Size	US4, US26D
AR100CR-UC	Uncombinated	6-pin	$27.05
AR7100CR-UC	Uncombinated	7-pin	

Mortise Housing Cams

Cams Sold Separate

(IC Housing Cams are staked on)

$4.61 each

AR16CR-001 AR16CR-AM2 AR16CR-004 AR16CR-006 AR16CR-AR18

Specific cams work for mortise lock functions listed below

12,17,22,23, 24,27,32. (I/S)34,38,40 41,42,44	11,13,19,20, 21,31,32 (O,S)34,38,40, 41,42,44	N-Series, Exit trims, Alarms	For Schlage Mortise Locks	For Adams Rite Storefront Locks

We stock Arrow CH81 & CH83 keyway SFIC cores and Key blanks.
Call for pricing and availability.

The pricing in this catalog is from December 2024. Prices are subject to change. Check our website, or call for current pricing.

Complete SFIC Keying Kit

Includes all parts and tools needed to combinate Arrow Interchangeable Cores. Everything you need in one solid case: BOTTOM PINS, TOP PINS, SPRINGS, CAPS, KEY GAUGE, PIN EJECTOR, CAPPING TOOL AND CAPPING PIN.

Part #	Description	Price Each
AR100CR-107	Cylinder Springs	$11.77
AR100CR-111	Barrel Caps	
ARRB100 TO B109	Bottom Pins	
ARRM102 TO M119	Top Pins	
ARIC205	Key Guage	$24.43
ARIC206	Pin Ejector	$85.40
ARIC207	Capping Tool	$402.00
ARIC208	Capping Pin	$81.40
ARIC230	Mortise Cylinder Installation Tool	$66.70

ARIC-200
$889.00

Key Blanks

All key blanks priced per each, sold in boxes of 50

ARK5A (5-pin)	$1.71 per key
ARK6A (6-pin)	$1.71 per key
ARL6A (6-pin)	$2.74 per key
Arrow Sectional Keys: **ARK671**-E, F, G, H, J, K, L, N, P, R, S, T, V, EG, ER, M	$2.74 per key
ARL671-ER, G, H, J	$2.74 per key
ARCH1C **ARCH1D**	$1.71 per key

Mortise Deadlock

Deadbolt:
1", throw stacked steel
deadbolt with hardened steel pin.
Backset: 2-3/4".
Doors: 1-3/8" to 1-3/4"
Strikes: Supplied standard with #380 Security strike for steel frame, and #356 strike for wood frame.
Handing: all functions are reversible.
Cylinder: standard 1-1/8" mortise cylinder, solid brass, Arrow "A" keyway, drilled for 6 pins, pinned to 5. supplied with two brass keys.

Price

Part #	Function	US3	US26D
ARN40	Thumbturn One Side	$285.00	$278.00
ARN41	Cylinder X Thumbturn	$325.00	$318.00
ARN42	Double Cylinder	$337.00	$330.00

Mortise Cylinders

Body: Brass, 1-5/32" Diameter.
Six Pin Tumbler Cylinder.
Furnished: With Cylinder Collar.
Length: 1-1/8", 1-1/4", 1-1/2", 2"
Scalp – Brass, Bronze.
Keyway – "A" Keyway Standard.

Part #	Size	Specify Cam	US3, US26D
ARMC61	1-1/8"	001, AM2, 004, 006, AR18	$53.30
ARMC61	(2) 1-1/4"	001, AM2, 004, 006, AR18	
ARMC61	(3) 1-1/2"	001, AM2, 004, 006, AR18	$78.70
ARMC61	(4) 2"	001, AM2, 004, 006, AR18	

(Mort. Cyl. cams are screwed on)

AR001 ARAM2 AR004 AR006 ARAR18

Rim Cylinders

Body: Brass, 1-5/32" Diameter.
Six pin cylinder.
Furnished with back plate,
2 Screws (2" Door Max.),
Tailpiece and cylinder collar.
Keyway – "A" Keyway Standard.
Arrow Sectional Keyways Available.

ARRC62-US3 or US26D
$53.30



C-Series Residential Knobs

Adjustable backset for both 2-3/8" or 2-3/4".Latch: brass front. Supplied standard with 1" x 2-1/4" square corner, 1" x 2-1/4" radius corner and 1-1/8" x 2-1/4" square corner strike: 1-5/8" x 2-1/4" full lip strike standard.
1-1/8" x 2-3/4" "T" strike,
Door Thickness: 1-3/8" to 1-3/4"
Mounting: knobsets are supplied with exposed screws on inside rose.
Leversets are supplied with concealed screws on inside rose.
cylinder: solid brass, 6 pin tumbler,
pinned 5. "A" keyway.

Available Finishes
03,05,15A,26,26D

Discontinued. Call for availability.
Replaced by Accentra shown on page 18.



Part #	Function	(BE) Ball	(TE) Tudor	(DE) Darrin
ARCK01	Passage	$39.42	$41.86	$39.02
ARCK02	Privacy	$42.80	$45.14	$42.30
ARCK04	Patio			
ARCK08	Single Dummy	$19.89	$21.06	$19.64
ARCK11	Entrance	$74.60	$76.94	$74.10
ARCK12	Storeroom			

C-Series Residential Levers

Same specifications as the CK series shown above.

Available Finishes
03,05,15A,26,26D

Discontinued. Call for availability.
Replaced by Accentra shown on page 18.



Part #	Function	(LC) Lunar	(SC) Solar	(OC) Orion	(VC) Virgo
ARCL01	Passage	$77.00	$83.00	$77.00	$81.00
ARCL02	Privacy	$84.00	$90.00	$84.00	$88.00
ARCL04	Patio	$83.00	$89.00	$83.00	$87.00
ARCL08	Single Dummy	$36.00	$39.00	$36.00	$38.00
ARCL11	Entrance	$111.00	$117.00	$111.00	$115.00
ARCL12	Storeroom				

Indicator Deadbolt

The Arrow Occupancy Indicator Deadbolt,
available on the E Series Grade 2 Arrow deadbolt, provides privacy control with external viewing window that signals when the room is occupied. The Arrow occupancy indicator uses an emergency key override to unlock the door from the outside in case of emergency. When deadbolt is in the locked position, an external slot is exposed that provides for the use of the override key. The key is captured in the deadbolt and cannot be removed until the deadbolt is retracted or turned to the "vacant" or unlocked position. Ideal for use in restroom facilities.

*Now standard with indicator on both sides of the door

Part #	Backset	US3, US26D	US4, US10B, BSP
ARE50-141	2-3/8" (1" Front)	$80.00	$90.00
ARE50-144	2-3/4" (1-1/8" Front)		
ARE50-145	2-3/8" Drive Bolt		
ARE50-146	2-3/4" Drive Bolt		

AREMER-INDICATOR.KEY
$2.45 each

Indicator Privacy Lever GRADE 1, FIRE RATED

Designed to notify individuals if the door is locked or unlocked to eliminate potentially embarrassing situations, the APL Series indicator lock provides an increased level of privacy and peace of mind. The status indicator allows the user to clearly see the door status at a glance and is the ideal solution for restrooms, nursing mother's rooms, dressing rooms, quiet rooms, etc.

Specifications:
Door Preparation – Requires standard 2-1/8" bore with through bolts.
Backset – 2-3/4" standard, uses QL series latches.
Door Thickness 1-3/4"
Latch – Stainless Steel 1/2" throw, UL Listed, spring latch
Latch Front – 1-1/8" x 2-1/4" for 2-3/4" backset.
Strike – 4-7/8" (ANSI)



Part #	605, 613E, 626, BSP
ARAPL02-ST-Q73	$309.00

The pricing in this catalog is from December 2024. Prices are subject to change. Check our website, or call for current pricing.

D-Series Deadbolts

D-Series Deadlocks are engineered to perform under the most extreme conditions where security is critical.
Our Grade 1 Extra Heavy Duty Deadlock surpasses the demands of industrial, institutional and commercial applications.
Grade 1, UL Listed



Door Thickness: Fits 1-3/8" - 1-3/4"
Strike Standard: 1-1/8" x 2-1/4"
Latch: 1-1/8" Front.

Cylinder: 6-pin, Solid Brass,
2 nickel-silver keys.
Arrow "A" Keyway Standard

Thick Door Kits, up to 2-1/4"
ARD61-TDP(Single Cyl.)
ARE62-TDP(Double Cyl.)

ARROW OR
SCHLAGE KEYWAY

SFIC PREP
(LESS CORE)

Replacement bolts sold separately
$24.43 each

Part #	Function	03,26D	05,10,10B,26
ARD60	Thumbturn X Blank Plate	$127.00	$137.00
ARD61	Cylinder X Thumbturn	$147.00	$157.00
ARD62	Double Cylinder	$191.00	$201.00
ARD63	Cylinder X Blank Plate	$154.00	$164.00
ARD64	Cylinder X Thumbturn (Classroom)		

03,26D	05,10,10B,26
N/A	N/A
$172.00	$182.00
$216.00	$226.00
$179.00	$189.00

NON-ADJUSTABLE BACKSET, Spefify:
141 = 2-3/8" SQ 1"
144 = 2-3/4" SQ 1-1/8"
142 = 2-3/4" SQ 1"
145 = 2-3/8" Drive Bolt
146 = 2-3/4" Drive Bolt

E-Series Deadbolts

E Series Deadlocks are unsurpassed for value, quality and durability. Our tamper resistant rotating wrench-proof collar, steel deadbolt with hardened steel pin insert and concealed screws are security features that have made the E Series the most specified deadlock in its class.
Grade 2, UL Listed

Door Thickness: Fits 1-3/8" - 1-3/4"
Strike Standard: 1-1/8" x 2-1/4"
Latch: 1-1/8" Front.

Cylinder: 6-pin, Solid Brass,
2 nickel-silver keys.
Arrow "A" Keyway Standard

Thick Door Kits, up to 2-1/4"
ARE61-TDP(Single Cyl.)
ARE62-TDP(Double Cyl.)

ARROW OR
SCHLAGE KEYWAY

SFIC PREP
(LESS CORE)

E61 is available with an inside indicator. Add $30.00

*Takes same replacement bolts as D-Series shown above

Part #	Function	03,26D	05,10,10B,26
ARE60	Thumbturn X Blank Plate	$70.00	$80.00
ARE61	Cylinder X Thumbturn	$85.00	$95.00
ARE62	Double Cylinder	$104.00	$114.00
ARE63	Cylinder X Blank Plate	$94.00	$104.00
ARE64	Cylinder X Thumbturn (Classroom)		

03,26D	05,10,10B,26
N/A	N/A
$110.00	$120.00
$129.00	$139.00
$119.00	$129.00

DBX-Series Deadbolts

The DBX Series is a Grade 2 commercial deadbolt that features an adjustable backset in an attractive low profile package. It is ideal for commercial common areas and residential use.

Housing: Solid Zinc Cylinder Housing
Backset: 2-3/8" To 2-3/4", Adjustable.
Deadbolt Fronts: 2-1/4" X 1".
Plastic Spacer Supplied For 1-1/8" Mortise.
Strikes: 1/32" steel with wood frame reinforcer.
Latch Bolt: 1" throw brass deadbolt with hardened, free spinning steel pin insert
cylinder, standard: solid brass, drilled for 6 pins,
pinned to 5 for stock.
supplied with two nickel plated brass keys per keyed lock

Standard Door Thickness 1-3/8", 2" for SFIC.

Thick Door Kits, up to 2"
ARDBX61-TDP (Single Cyl.)
ARDBX62-TDP (Double Cyl.)

Part #	Function	605, 613E	32D	Arrow "A", Or Schlage "C"
ARDBX61	Cylinder X Thumbturn	$70.00	$60.00	
ARDBX62	Double Cylinder	$95.00	$85.00	
ARDBX61-IC	Cylinder X Thumbturn	$90.00	$80.00	SFIC PREP (LESS CORE)
ARDBX62-IC	Double Cylinder	$115.00	$105.00	

*ASK CUSTOMER SERVICE FOR SPECIAL PRICING ON CASE QUANTITIES

RK-Series Knobs

Ball Knob

The RK & RL Series Cylindrical Locksets are an economical value for a variety of applications. perfect for multi-family housing markets, as well as light commercial applications.



Lock housing and chassis: cold rolled steel with zinc dichromate finish for corrosion resistance.
Requires standard 2-1/8" bore through door.
Backset: Specify 2-3/8" or 2-3/4"
Cylinder: Solid Brass 6 Pin Keyed 5.
Arrow “A” Keyway Standard, Schlage “C” Keyway Optional.
Keys: 2 cut brass keys per lock
Door Thickness: fits 1-3/8" to 1-3/4" doors standard.
Latch: Brass 1/2" Throw, UL Listed, Guarded Latchbolt on All Locking Functions.
Latch Front: 1" X 2-1/4" For 2-3/8" Backset,
Or 1-1/8" X 2-1/4" for 2-3/4" Backset.
Strike - R60 2-3/4" T Strike Standard.
Handing - Non-handed
Exposed Trim - Roses are Wrought Brass 2-3/4" Diameter.
Total projection from face of door is 2-3/4".
Packaging -10 Per Case

RL-Series Levers

Sierra Lever

*Now in stock in BSP Black.

*For Strait Reflection Lever, see Accentra page 15.



Lock housing and chassis: cold rolled steel with zinc dichromate finish for corrosion resistance.
Requires Standard 2-1/8" Bore Through Door.
Backset: Specify 2-3/8" or 2-3/4"
Cylinder: Solid Brass 6 Pin Keyed 5.
Arrow “A” Keyway Standard, Schlage “C” Keyway Optional.
Keys: 2 cut brass keys per lock
Door Thickness: Fits 1-3/8" to 1-3/4" Doors Standard.
Latch: Brass 1/2" throw, UL listed, guarded latchbolt on all locking functions.
Latch Front: 1" X 2-1/4" for 2-3/8" Backset, or 1-1/8" X 2-1/4" for 2-3/4" Backset.
Strike - R62 ASA Strike Standard.
Handing - Non-handed. Remove-able Thru-Bolt Posts
Exposed Trim - Roses are Wrought Brass 3-3/8" Diameter.
Total Projection From Face of Door is 2-1/2”.
Packaging -10 Per Case

All keyed functions in stock with ARROW or SCHLAGE keyway

No Extra Charge for SFIC Prep (Less Core)

Part #	Function	ANSI	03, 32D	BSP, 613E
ARRK11BD	Entrance	F109	$75.00	$85.00
ARRK12BD	Storeroom	F86		
ARRK17BD	Classroom	F84		
ARRK01BD	Passage	F75	$67.00	$77.00
ARRK02BD	Privacy	F76A	$68.00	$78.00
ARRK08BD	Single Dummy		$36.00	$41.00

Part #	Function	ANSI	03, 26D, BSP, 613E
ARRL11SR	Entrance	F109	$149.00
ARRL12SR	Storeroom	F86	
ARRL17SR	Classroom	F84	
ARRL01SR	Passage	F75	$123.00
ARRL02SR	Privacy	F76A	$126.00
ARRL08SR	Single Dummy		$58.00

*Now in stock in BLACK (BSP)

RK & RL Series Latches

$21.52

Springlatch (For Non-Keyed Functions)



	R72	R73
ARR72-Finish	2-3/8	2-3/4
ARR73-Finish		

Deadlatch (For Keyed Functions)



	R70	R71
ARR70-Finish	2-3/8	2-3/4
ARR71-Finish		

Drivelatches



ARR75-26D 2-3/4

ARR74-26D 2-3/8

The pricing in this catalog is from December 2024. Prices are subject to change. Check our website, or call for current pricing.

MK-Series Knobs

Arrow MK Series Knobs offer the designer, architect and contractor simple solutions to accessibility requirements. Their clean designs, architectural finishes and available functions make them ideal for commercial applications where heavy duty grade one may not be necessary.

Lock Chassis: Cold Rolled Steel with Zinc Dichromate Finish for Corrosion Resistance.
Requires Standard 2-1/8" Bore Through Door.

Backset: Choose Between 2-3/8" or 2-3/4"
Door Thickness: 1-3/8" to 1-3/4".

Latch: Brass with ½" Throw.
Latch Housing is Steel, with Zinc Dichromate Finish for Corrosion Resistance.
7/8" Bore in Edge of Door is Required.

Latch Front: Brass, Bronze or Stainless Steel.
Standard Faceplate for 2-3/8" Backset Measures 2-1/4" X 1" With a Flat Front,
For 2-3/4" Backset Standard Faceplate Measures 2-1/4" X 1-1/8" with Beveled Front 1/8" X 2"

Strike: Brass, Bronze or Stainless Steel.
Standard "T" Strike Measures 2-3/4" X 1-1/8".
All Strikes Have a 1-1/4" Lip to Center Dimension.

Handing: Reversible.

Cylinder: Solid Brass 6 Pin Cylinder With Arrow "A" Keyway, Keyed to 5 Pin for Stock.
Supplied with Two 5 Pin Cut Brass Keys.
Available in Schlage "C" Keyway.

03 Bright Brass
04 Satin Brass
05 Antique Brass
10 Satin Bronze
10B Oil Rub Bronze
15 Satin Nickel
26 Bright Chrome
26D Satin Chrome

(Split finish available for privacy functions)

BD



TA



DD



*see page 647 for function descriptions

In Stock / Finish

Part #	Function	Style	03,26D	04,05A,10,10B,15,26
ARMK11	Entrance/Office	BD, TA, DD	$164.00	$174.00
ARMK12	Storeroom	BD, TA, DD		
ARMK17	Classroom	BD, TA, DD	$186.00	$196.00
ARMK18	Com. Classroom	BD, TA	$164.00	$174.00
ARMK31	Communicating	BD, TA	$279.00	$289.00
ARMK32	Public Entrance	BD, TA		
ARMK33	Asylum	BD, TA		
ARMK34	Exterior	BD, TA		
ARMK01	Passage	BD, TA, DD	$109.00	$119.00
ARMK02	Privacy	BD, TA, DD	$117.00	$127.00
ARMK03	Com. Passage	BD, TA	$109.00	$114.00
ARMK04	Patio	BD, TA	$118.00	$128.00
ARMK05	Communicating	TA	$159.00	$169.00
ARMK08	Single Dummy	BD, TA, DD	$78.00	$83.00

Double Cyl.

Non-Keyed

SFIC PREP For DD, TA	Part #	03,26D	10
	ARMK11	$239.92	$249.92
	ARMK12		
	ARMK17		
	ARMK31	$354.92	$364.92
TA only->	**ARMK32**		
	ARMK33		
TA only->	**ARMK34**		

Replacement Latches Sold Separate

Drive	Spring	Dead	Backset
AR115	**AR221**	**AR121**	2-3/8"
AR116	**AR224**	**AR124**	2-3/4"
$24.43	$42.25		

*ASK CUSTOMER SERVICE FOR SPECIAL PRICING ON CASE QUANTITIES

MLX-Series Levers

Arrow MLX Series is a robust BHMA grade 2 lockset featuring a freewheeling clutch Lever for abuse Resistance.

Certification:
ANSI/BHMA A156.2, Series 4000, Grade 2 Underwriters Laboratories (UL AND CUL)
Listed for use on 3 Hour, A Label Single Swinging Doors.
Federal Specification FF-H-106C
ANSI A117.1 Accessibility Code
California State Reference Code–for levers returning to within 1/2" of door surface.
Door Preparation: Cold rolled steel with zinc dichromate finish for corrosion resistance.
Latch Retractor is Precision Cast Steel.
Requires Standard 2-1/8" Bore Through Door
Backset: 2-3/4" Backset Standard
Door Thickness: 1-3/8" to 1-3/4" Standard
Latch: Stainless Steel 1/2" Throw, UL Listed,
Guarded latchbolt on all locking functions
Latch Front: 1-1/8" X 2-1/4" for 2-3/4" Backset
Strike: 4-7/8" ANSI
Handing: Non Handed
Freewheeling Lever
Exposed Trim: MLX Levers are Pressure Cast Zinc
Measuring 4-3/4" in Length.
MLX Roses are Wrought Brass 3-11/32" Diameter.
Total Projection From Face of Door is 2-17/32"
Warranty: 10 Year Mechanical Warranty
Packaging: 6 Per Case
Cylinder: Solid Brass 6 Pin Arrow "A", Schlage "C"

MLX Series is standard with 2-3/4" backset.
2-3/8" latches are sold separately.

ARR22	(spring latch)	$20.75 each
ARR20	(deadlatch)	

With Clutch

Part #	Function	Finish 03,613E,26D
ARMLX01-SR	Passage	$166.00
ARMLX08-SR	Single Dummy	$68.00
ARMLX72-SR	Privacy	$179.00
ARMLX81-SR	Entrance/Office	$195.00
ARMLX82-SR	Storeroom	
ARMLX87-SR	Classroom	

MLX Series, No Extra Charge For SFIC PREP

QL-Series Levers

Arrow's QL series Grade 1 Cylindrical Lockset featuring a freewheeling lever for abuse resistance and a 10 year warranty.
The QL lever features a two screw install for quick and easy installation.

The double cylinder 97 function 'classroom intruder' function uses a key to lock and unlock the door from the outside for opening or closing the classroom. In an emergency situation, it allows the teacher to use their key to lock the outside lever from inside the classroom thereby preventing unauthorized entry. Because it requires a key, it prevents the students from accidentally locking the teacher out of the classroom. The inside lever is always free for emergency egress.

Door Preparation: Requires standard 2-1/8" bore through door.
Backset: 2-3/4"
Door Thickness: Fits 1-3/8" to 1-3/4" doors standard.
Latch: Stainless Steel 1/2" throw, UL listed, guarded latchbolt on all locking functions

Latch Front: 1-1/8" X 2-1/4" For 2-3/4" Backset.
Exposed Trim: QL Levers are pressure cast zinc measuring 4-3/4" in length. QL Roses are wrought brass 3-11/32" Dia.
Total projection from face of door is 2-17/32"

Freewheeling Lever (Clutch)

Warranty: Ten Year warranty
Handing: Non-handed
Packaging: 6 Per Case
Strike: 4-7/8" ANSI
Cylinder: Solid Brass 6 Pin, Arrow Keyway.
Keys: 2 Brass Keys

Part #	Function	03, 613E, 26D
ARQL01SR	Passage	$264.00
ARQL72SR	Privacy	$307.00
ARQL81SR	Entrance	$342.00
ARQL82SR	Storeroom	
ARQL87SR	Classroom	
ARQL97SR	Classroom Intruder	$427.00
ARQL33SR	Asylum (Rigid Lever)	$392.00



GL-Series Levers

Grade 1 heavy duty levers offer an economically pleasing solution for ADA compliance.

Housing:
Interlocking lever tubes are made from dichromate plated steel.
The tubes are attached to the rose insert. This offers fantastic
support for a ridged feel without excess movement.
Requires Standard 2-1/8" Bore Through Door.
Overdrive™:
Freewheeling lever action occurs when latch retraction
Mechanism disengages from lever handle when handle is locked.
Backset:
2-3/4" Standard.
Door Thickness:
1-3/8" To 2" .
Latch:
Stainless Steel With 1/2" Throw Standard.
Latch Front:
Stainless Steel. 2-1/4" X 1-1/8" , 1/8" In 2" .
Strike:
Stainless Steel. ANSI A115.2, 4-7/8" X 1-1/4" Curved Lip Strike standard.
Handing:
Non-handed. Levers operate bi-directionally.
Mounting:
Thru-bolts within 2-1/8" cross bore.
Exposed trim:
Levers are pressure cast zinc.
Rose inserts:
Contain coil spring which is a
permanent assembly
within rose insert. Inside and
outside rose scalps are
retained by dimples that
create an interference fit
with the rose inserts.



Part #	ANSI	Function	Backset	26D
ARGL01SR	F75/161N	Passage	(G73) 2-3/4”	$282.00
ARGL02SR	F76/161L	Privacy	(G73) 2-3/4”	$329.00
ARGL08SR		Single Dummy		$152.00
ARGL81SR	F109	Entrance/Office	(G71) 2-3/4”	$365.00
ARGL82SR	F86/161D	Storeroom	(G71) 2-3/4”	
ARGL87SR	F84/161R	Classroom	(G71) 2-3/4”	
ARGL97SR	F110	Intruder Classroom	(G71) 2-3/4”	$459.00

GL Series,
No Extra
Charge For
SFIC PREP

03 and 10B finishes
are no longer made for
the GL series.
Call for availability.

5” Backsets
ARG93-32D
5” Spring Latch
$42.25
ARG91-32D
5” Dead Latch
$42.25

Springlatches



½” Throw
$28.40

2-3/4”
ARG73

2-3/8”
ARG72

Deadlatches



½” Throw
$28.40

2-3/4”
ARG71

2-3/8”
ARG70



HK-Series Knobs

The HK Series Grade 1 Cylindrical Knob Lock is designed and tested for the most robust applications for grade 1 knob Locksets. Backed by the Arrow 10 year warranty and Certified to BHMA grade 1, it is the worry free solution when a grade 1 knob lock is needed.

Lock Chassis: Cold rolled steel with zinc dichromate finish for corrosion Resistance. Latch retractor is precision cast steel.
Requires Standard 2-1/8" Bore Through Door.
Door Thickness: 1-3/8" to 2"

Latch: Stainless Steel With ½" Throw.
Latch housing is steel, zinc dichromate finish for corrosion resistance.
1" Bore in edge of door required.

Latch Front: Brass or stainless steel, 2-1/4" X 1-1/8", Beveled 1/8" In 2"

Handing: Reversible.

Strike: Brass or stainless steel.
ANSI A115.2, 4-7/8" X 1-1/4" Curved Lip
Standard With A 1-1/4" Lip To Center Dimension.

Cylinder, Standard: Solid Brass,
6 Pin cylinder with arrow "AR" keyway
Supplied with two 6 pin nickel plated brass keys.
Cylinder Options: Interchangeable core-lockset prepared for use with 6 or 7 pin interchangeable core available.
SFIC Format.
Supplied Less Core. Suffix "IC" to Design.

HK Series, No Extra Charge For SFIC PREP



Part #	Function	03, 10BP, 32D
ARHK01BB	Passage	$279.00
ARHK02BB	Privacy	$337.00
ARHK08BB	Single Dummy	$167.00
ARHK11BB	Entrance/Office	$394.00
ARHK12BB	Storeroom	
ARHK17BB	Classroom	
ARHK33BB	Asylum (Double Sided)	$432.00

H-Series Knobs

For more functions, and Satin Bronze finish, ask customer service for information, and special pricing on discontinued original Arrow "H" series grade 1 knobs.

The pricing in this catalog is from December 2024. Prices are subject to change. Check our website, or call for current pricing.

DCN300-Series Door Closers

The Arrow DCN300 Series surface applied door closers are an economical value for customers requiring convenience and security in an affordable package. They are ideally suited for retail or office buildings.

Features:
- Cast aluminum body.
- Hardened steel rack and pinion.
- High tensile steel springs.
- Staked valves.
- Two non-critical adjusting valves (sweep and latch) control closing speed.
- Backcheck intensity valve.
- All temperature fluid.
- Full plastic cover available (sold separately).
- Non-handed for regular, top jamb and parallel arm mount applications.
- Hold open arm available on adjustable closers - Specify: DC3xx-1
- Supplied with fully threaded wood screws, machine screws and thru-bolts for 1-3/4" thick doors.
- Packaging: one per box and six boxes per carton.
- 10 year limited warranty.



Finishes:

- Aluminum (689), Specify AL
- Black (693), Specify BLK

Regular Arm



Top Jamb



Parallel Arm





Part #	Finish	Price
ARDCN314-689	Aluminum	$220.00
ARDCN314-693	Black	

DCN500-Series Door Closers

The Arrow DC500 Series heavy duty surface applied door closers are ideal for institutions or other high traffic applications.
The DC500 is designed for end users looking for value and versatility in a rugged design making this series suitable for a wide variety of applications.

Regular Arm & Top Jamb & Parallel Arm.
Compliance: UL/CUL Listed.
UL10C listed for positive pressure to comply with UBC-72 (1997).
Meets the requirements of ANSI A156.4 And ANSI ICC A117.1.
Grade 1 , Meets ADA Requirements
• DC516 Closers Are Adjustable For Spring Sizes 1 Through 6

Features:
• Heavy duty cast iron body.
• Hardened steel rack and pinion.
• High tensile steel springs.
• Staked valves
• Two non-critical adjusting valves (sweep and latch) control closing speed.
• Backcheck intensity valve.
• All temperature fluid.
• Full plastic cover standard.
• Non-handed for regular, top jamb and parallel armmount applications.
• Supplied with fully threaded self reaming/tapping screws, sleeve nuts and thru-bolts for 1-3/4" thick door



Part #	Function	689, 690, 693
ARDCN516	Reg Arm W/ PA	$343.00
ARDCN516-1	Hold Open, W/ PA	$419.00
ARDCN516-2	HD Dead Stop Arm NHO	$416.00
ARDCN516-3	HD Dead Stop Arm H/O	$457.00


ARDC516 Reg Arm W/ PA

ARDC516-1 Hold Open, W/ PA

ARDC516-2 HD Dead Stop Arm NHO

ARDC516-3 HD Dead Stop Arm H/O

Drop Plates

ARDCN500DP (Regular) $32.45

ARDCN500DP1 (Parallel Arm) $35.85

ARDCN500DP2 (Top Jamb) $32.45

ARDCN500DP3 (Top Jamb, Flush Ceiling) $32.45

The pricing in this catalog is from December 2024. Prices are subject to change. Check our website, or call for current pricing.

Exit Devices

- ANSI/BHMA A156.3, Grade 1
- ANSI A117.1 Accessibility Code
- Underwriters laboratories (UL and CUL) listed for accident hazard (panic) standard.
- Fire exit hardware for hollow metal doors, UL And CUL listed for 3 hour, A label and lesser doors, prefix "F" before part number.
- Fire exit hardware for wood doors, listed up to 1-1/2 hour, B label doors.

ARS1250 (Rim)

ARS1150
(Surface Vertical Rod))





Double Door Strike - S36
Strike for double doors without mullion $59.20



Standard Surface Strike - S38
Surface applied furnished standard.
$59.20

Standard Bottom Strike - S23
$65.10

Part #	Specify Door Size	AL, DBZ, LBZ
ARS1250	E=24"-32",F=32"-36",G=36-48"	$492.00
ARS1150	E=24"-32",F=32"-36",G=36-48"	$932.00
ARVRX-18	Extension Rod For ARS1150	$137.00
ARFS1250 (Fire Rated)	E=24"-32",F=32"-36",G=36-48"	$657.00
ARFS1150 (Fire Rated)	E=24"-32",F=32"-36",G=36-48"	$1,122.00

Fire Rated
Top Strike S646 $65.10

Sliding
Bottom
Bolt S43
$65.10

ED900 Series Exit Devices

The ED910 is a value exit device for everyday solutions whereas the PEC910 features a one-piece design with a patented permanent end cap – ideal for high traffic or high vandalism areas. Both products are BHMA Grade one certified and designed to replace or upgrade existing devices.

Door type: fits 1-3/4" doors
Door width: for 48" doors,
can be cut for a minimum 43" door width.
For 36" doors, can be cut for a minimum 31" door width.
Stile: 4-1/2" minimum
Mounting: wood and machine
Dogging: hex-type hold down

Part #	Door Size	Aluminum, Dark Bronze	Stainless Steel
ARED910	36" or 48"	$314.00	$427.00
ARPEC910	36"	$381.00	$493.00

Trims

No Extra Charge For SFIC PREP

Sierra (SRX)



ARSRX01 (Passage)	$151.00
ARSRX82 (Storeroom)	
ARSRX87 (Classroom)	

Finishes: 10B,26D

Ball (BD)



ARBD01 (Passage)	$194.00
ARBD12 (Storeroom)	$212.00
ARBD17 (Classroom)	$237.00

Tudor (TA)



ARTA01 (Passage)	$194.00
ARTA02 (Storeroom)	$212.00
ARTA17 (Classroom)	$237.00

Finishes: AL,BRZ,LBZ

ARSF01

$103.00

ARSF02



$113.00

ARSF12



(Less Cylinder)
$206.00