22-Series Rim Exit Device

22 Rim Exit Device for all types of single and double doors with mullion, ul listed for panic exit hardware. Covers stock hollow metal doors with 161* cutouts.
Fits door stiles as narrow as 3-13/16". Device is non-handed.
Finishes – SP28, SP313, SP315

Device Centerline:
39-13/16"
Center Case Dimensions:
4-1/2" x 1-3/8" x 2-3/8"
Mechanical Case Dimensions:
2" x 3-3/4"
Push Bar Projection: 3-3/4".
Push Bar Depressed 3"
Latch Bolt:
Deadlocking 3/4" Throw

Standard Strike	Standard Fire Rated Strike	Double Door Strike	Alarm Kits
VD299-US19 $88.00	**VD299F-US19** $109.00	**VD1609-US19** $145.00	**VD22ALK-SP28 or SP313** $805.00

Sp28 or SP313

Part #	Outside Trim	3'	4'
VD22EO	Exit Only, No Trim	$646.00	$672.00
VD22EO-F	Exit Only, No Trim, Fire Rated	$815.00	$841.00

Hex Key Dogging
(fire rated has no dogging)

Standard Dogging Key
VD090085 5/32" (4mm) HEX

Old Style Dogging Key
VD091080 7/32" (6mm) HEX

	Options: Add to price of device	
AX	Accessible Device, UL 5 lb Max Opening Force	$34.00
RX	Pushpad Monitor Switch, Signals Opening, SPDT Switch	$365.00
RX Switch Sold Separately- VD050251		$365.00

Top Strike
VD299

Top Latch
VD050091



Extension Rod
36" Kit,
VD051804

Bottom Latch
VD050090

Bottom Strikes

VD248L

VD304L

2227-Series Surface Vertical Rod Exit Device

2227 Surface Mounted Vertical Rod Exit Device for all types of single and double doors, UL listed for Panic Exit Hardware.
Devices are ANSI A156.3 – 2008 Grade 1. Covers stock hollow metal doors with 86 or 161 cutouts.
Fits door stiles as narrow as 3-5/8" (92 Mm). The Device Is Non-handed.
Finishes – SP28 & SP313.

Strike
Device is furnished standard with 248L-4, 299 and 304L strikes.

Features:
Field sizable
5/8" throw latch bolt
Latch bolt deadlocking
Hex key dogging

Top & bottom latch case 4-1/2 x 2-1/8" x 1-1/2"
Vertical rods 1/2" square tubing.

Same options available as rim device shown above

SP28, SP313, SP315

Part #	Outside Trim	3'	4'
VD2227EO	Exit Only, No Trim	$1,113.00	$1,139.00
VD2227EO-F	Exit Only, No Trim, Fire Rated	$1,456.00	$1,482.00

22- Series Exit Trims

SP28 or SP313

Dummy Trim
VD210DT
$95.00

Plate Dim:
5-3/8"x
4-25/32"x
3/32"

Night Latch
VD210NL
$85.00

Plate Dim:
5-3/8"x
4-25/32"x
3/32"

Less Cylinder
Uses Rim Cylinder

Knob, Key Locks/Unlocks
VD210K
$333

Plate Dim:
3"x4-25/32"x3/32"
Comes With Cylinder
Schlage C Keyway

VD230L
$327.00

06
*Standard

03
*Special Order

07
*Special Order

VD230DT
$150.00

Same as VD230NL no cylinder hole

Less Cylinder
Uses 1-1/4"
Mortise Cylinder

Plate Dim:
3"x
6-3/8"x
15/16"

Night Latch Pull
VD230NL
$166.00

Plate Dim:
3"x
12-1/16"x
3/32"

Pull CTC:
5-1/2"

Less Cylinder
Uses Rim Cylinder

Thumbpiece Pull
VD230TP
$324.00

Plate Dim:
3"x
12-1/16"x
3/32"

Pull CTC:
5-1/2"

Less Cylinder
Uses 1-1/4"
Mortise Cylinder

The pricing in this catalog is from December 2024. Prices are subject to change. Check our website, or call for current pricing.

* Different back plates are required for different trims when pairing "EO" devices with trims.
Consult customer service for the correct backplate, or factory order the exit device and trim together.

88-Series Cross Bar Rim Exit Device

The 88 Series is a wide style cross bar device. rim, surface mounted vertical rod, concealed vertical rod and mortise configurations are available for panic and fire rated applications. The 88 series features a non-handed design and flexible field sizing.

88 Rim Devices for all types of single and double doors with mullion, UL listed for accident hazard installations. Covers stock hollow metal doors with 86 or 161* Cutouts. This device is field reversible.
Finishes – US26, US26D, US3, US4, US10B, US10, SPBLK

Device Centerline: 39-13/16"
Crossbar Length: 42" Field Sizeable
Device Centerline: 39-13/16"
Crossbar Centerline: 36-13/16"
Lock Stile Case: 8-1/4"x2-3/4"x15/16"
Hinge Stile Case: 6"x1-3/4"x15/16"

Crossbar Tubing: 1"
Projection: 4-3/4".
Projection Depressed 4"
Latch Bolt:
Deadlocking 3/4" Throw

Stock finish is US26D, other finishes available for special order.

Part #		US26D	US10B	US3
VD88EO	Exit Only, No Trim	$2,080.00	$2,353.00	$2,549.00
VD88EO-F	Exit Only, No Trim, Fire Rated	$2,585.00	$2,858.00	$3,054.00

*For the 88 series, it is recommended that you factory order the exit device and trim together

Mortise Lock Version
VD8875EO-3-26D
$2,765.00

*Ask customer service for more information

Top Latch
Less Cover
VD050460

Uses same strikes as VD2227 shown on previous page



Bottom Latch Less Cover VD050461

8827-Series Cross Bar Surface Vertical Rod Exit Device

8827 surface mounted vertical rod devices for all types of single and double doors, UL listed for accident hazard installations. Covers stock hollow metal doors with 86 cutout and fits door stiles as narrow as 2-1/2" (90 mm). This device is field sizeable.
Finishes – US26, US26D, US3, US4, US10B, US10, SPBLK

Device Centerline: 39-13/16"
Crossbar Length: 42" Field Sizeable
Device Centerline: 39-13/16"
Crossbar Centerline: 36-13/16"
Lock Stile Case: 8-1/4"x2"x15/16"
Hinge Stile Case: 6"x1-3/4"x15/16"

Crossbar Tubing: 1"
Projection: 4-7/8"".
Projection Depressed 4"
Latch Bolt: 5/8" Throw

Part #		US26D	US10B	US3
VD8827EO	Exit Only, No Trim	$2,904.00	$3,100.00	$3,413.00
VD8827EO-F	Exit Only, No Trim, Fire Rated	$3,9254.00	$4,121.00	$4,434.00

*For the 8827 series, it is recommended that you factory order the exit device and trim together

88-Series Exit Trims

Less Cylinder, Uses Rim Cylinder, 26D Standard

Pull CTC: 5-1/2"

Night Latch
VD880NL-R
(For Rim)
$398.00
Plate Dim: 3"x14-3/16"x3/32"

Thumbpiece Pull
VD880TP-R
(For Rim)
$414.00
VD880TP-V
(For SVR)
$414.00
Plate Dim: 3"x14-3/16"x3/32"

Dummy Trim
VD880DT-R
(For Rim)
$372.00
VD880DT-V
(For SVR)
$372.00
Plate Dim: 3"x14-3/16"x3/32"

Knob W/plate
VD880K-R
(For Rim)
$484.00
VD880K-V
(For SVR)
$484.00
Plate Dim: 3"x14-3/16"x3/32"

Uses 1-1/4" Mortise Cylinder
VD373L-06-26D
$972.00

Plate Dim: 1-11/16"x7-1/2"x7/8"

Mullions



VD4954-7'-SP28
$862.00

VD4954-8'-SP28
$933.00

Key Removable



VDKR4954-7'-SP28
$1,585.00

VDKR4954-8'-SP28
$1,656.00

33-Series Narrow Stile Rim Exit Device

33A and 35A for all types of single and double doors with mullion, UL listed for panic exit hardware.
Devices are ANSI A156.3 – 2014 Grade 1.

Device lengths 3' 2'4' to 3' Door size
4' 2'10" to 4' Door size
Device centerline from finished floor 39-13⁄16"
39-11⁄16" with mullion
Center case 8-3/16" x 1-9/16" x 2-13/32"
Mechanism case 2-1⁄4" x 2-1⁄4"
Projection Pushbar neutral – 3-13/16"
Pushbar depressed – 3-1/16"
Latch bolt Deadlocking, 3⁄4" throw
Finishes 605, 606, 612, 625, 626, 626AM, 628, 710, 711

For 4 foot device, add $26 to List price

Part #		US26D	US28	313	US10	US4	US3, US15 US26, 643E	315	US10B
VD33AEO-3'-	Exit Only, 3 foot	$2,447	$1,996	$2,001	$2,068	$2,068	$2,562	$3,064	$2,417
VD33AEO-F-3'-	Exit Only, Fire Rated, 3 foot	$2,483	$2,032	$2,037	$2,104	$2,104	$2,598	$3,100	$2,453

3327-Series Narrow Stile Rim Exit Device, Surface Vertical Rod

3327A and 3527A for all types of single and double doors, UL listed for panic exit hardware.
Devices are ANSI A156.3 – 2008 Grade 1. The 3527A has a smooth mechanism case and the 3327A has grooved case.
The surface vertical rod device is non-handed except when the SS (signal switch) option is used.
3327A/3527A fits door stiles as narrow as 1 3/4" (44mm). Newly designed device has a one piece center case cover.

Specifications
Device lengths 3' 2'4" to 3' Door size
4' 2'10" to 4' Door size
Device centerline from finished floor 39-13⁄16"
39-11⁄16" with mullion
Center case 8-3/16" x 1-9/16" x 2-13/32"
Mechanism case 2-1⁄4" x 2-1⁄4"
Projection Pushbar neutral – 3-13/16"
Pushbar depressed – 3-1/16"
Latch bolt Deadlocking, 3⁄4" throw

For 4 foot device, add $26 to List price

Part #		US26D	US28	313	US10	US4	US3, US15 US26, 643E	315	US10B
VD3327AEO-3'-	Exit Only, 3 foot	$3,474	$2,947	$3,005	$3,075	$3,072	$3,599	$4,229	$3,659
VD3327AEO-F-3'-	Exit Only, Fire Rated, 3 foot	$3,509	$2,982	$3,040	$3,110	$3,107	$3,634	$4,264	$3,694

33-Series Exit Trims

Classroom Lever
(field convertible to night latch)

VD360L-26D
$966.00

Passage Lever

VD360L-BE-26D
$902.00

Thumb Turn

VD360T-26D
$1,046.00

Dummy Trim

VD386DT-26D
$464.00

Night Latch Pull
(specify handing)

VD386NL-26D
$877.00

Night Latch
Cylinder Trim

VD388-26D
$434.00

The pricing in this catalog is from December 2024. Prices are subject to change. Check our website, or call for current pricing.

99-Series Rim Exit Device

98 and 99 Rim Exit Devices for all types of single and double doors with mullion, UL listed for panic exit hardware. The 98 device has a smooth mechanism case and the 99 device has a grooved case. The rim device is non-handed except when the following device options are used: SD (special dogging), -2 (double cylinder) or SS (signal switch). Covers stock hollow metal doors with 86 or 161 cutouts on single doors (may cover cutouts on pairs – consult template).

Device Centerline: 39-13/16”
Device Length:
3’ (Door Size 28” to 36”)
4” (Door Size 34” to 48”
Device Centerline: 39-13/16”
Center Case Dimensions:
8” x 2-3/4” x 2-3/8”
Mechanism Case Dimensions:
2-1/4” x 2-1/2”
Projection: 3-13/16”.
Projection Depressed 3-1/16”
Deadlocking Latchbolt, 3/4” Throw

98 Series has smooth mechanism case



99 Series has grooved mechanism case

*US15 & 32D Available In 98 Series Only

Part #		US26D	US28	US32D	313	US10	US4	US3, US15 US26, 643E	315	US10B
VD99EO-3’-	Exit Only,	$1,986	$1,789	$2,043	$1,899	$2,043	$2,111	$2,356	$2,902	$2,367
VD99EO-4’-	Exit Only,	$2,012	$1,815	$2,069	$1,925	$2,069	$2,137	$2,382	$2,928	$2,393
VD99EO-F-3’-	Exit Only, Fire Rated	$2,274	$2,077	$2,331	$2,187	$2,331	$2,399	$2,644	$3,190	$2,655
VD99EO-F-4’-	Exit Only, Fire Rated	$2,300	$2,103	$2,357	$2,213	$2,357	$2,425	$2,670	$3,216	$2,681

9927-Series Surface Vertical Rod Exit Device

9827/9927 Surface Mounted Vertical Rod Device for all types of single or double doors, ul listed for panic exit hardware. Covers stock hollow metal doors with 86 or 161 cutouts. The 9827 device has a smooth mechanism case and the 9927 device has a grooved case.

Device Centerline:
39-13/16”
Device Length:
3’ (Door Size 28” to 36”)
4” (Door Size 34” to 48”
Device Centerline: 39-5/8”
Center Case Dimensions:
8”x2-3/4”x2-3/8”
Mechanism Case Dim.
2-1/4”x2-1/2”

Projection: 3-13/16”.
Projection Depressed 3-1/16”
Latchbolt: Deadlocking Anti-Friction Top & Bottom Bolt, 5/8” Throw
Top & Bottom Latch Case: 4-1/2” x 2-1/8” x 1-1/2”
Vertical Rods: ½” Square Tubing.
Standard devices are for 7’ Doors. Extension Rods Sold Separately

Extension Rod
36”
VD051802



Uses same strikes & dogging keys as 22-Series

*Not all finishes in stock, call for availability *US15 & 32d available in 98 Series Only

Part #		US26D	US28	US32D	313	US10	US4	US3, US15 US26, 643E	315	US10B
VD9927EO-3’-	Exit Only,	$2,891	$2,576	$3,088	$2,818	$3,002	$3,121	$3,335	$3,805	$3,559
VD9927EO-4’-	Exit Only,	$2,917	$2,602	$3,114	$2,844	$3,028	$3,147	$3,351	$3,831	$3,585
VD9927EO-F-3’-	EO, Fire Rated	$3,314	$2,999	$3,511	$3,241	$3,425	$3,544	$3,758	$4,228	$3,982
VD9927EO-F-4’-	EO, Fire Rated	$3,340	$3,025	$3,537	$3,267	$3,451	$3,570	$3,784	$4,254	$4,008

99-Series Options

Options: Add to price of device

CD	Cylinder Dogging	$138.00
EL	Electric Latch Retraction	$1,337.00
QEL	Quiet Electric Latch Retraction	$1,258.00
CD	Cylinder Dogging	$138.00
ALK	Exit Alarm, Includes RX & LX Switch	$907.00
RX	Request To Exit, Signals Opening, SPDT Switch 050251	$365.00
LX	Latchbolt Monitoring	$365.00
CX	CHEXIT- Controlled Exit Device	$2,667.00
QM	Quiet Mechanical	$266.00

EL-Conversion Kits

Field conversion kits for electric latch retraction

	3' Device	4' Device	Price
EL Baseplate Con. Kit.	**VD050070**	**VD050078**	$1,555.00
QEL Conversion Kits	3' Device	4' Device	Price
QEL Baseplate Con. Kit.	**VD958003**	**VD040065**	$1,323.00
HD-QEL Baseplate Con. Kit. W/Hex Dogging Panic Only	**VD958004**	**VD040067**	$1,323.00

Power Supply

Power Supply's Are Base Models 12/24VDC-Field Selectable, Options Listed Below

Part #	Description	Price
VDPS902	2A, Able to Accept 1 Dist Board, 1 Fire Alarm Relay, 1 VD900-BB, & 2 VD900-BAT	$371.00
VDPS906	6A, Able to Accept 3 Dist Board, or 2 Dist Boards W/ 1 VD900-BB, & 2 VD900-BAT	$1,087.00
VDPS914	4A W/ 16A inrush, Able to Accept 2 Dist Board, 1 VD900-BB, & 2 VD900-BAT	$1,064.00
VD900-2RS	2 Relay Board Output	$254.00
VD900-4RL	4 Relay Board Integrated Logic For Controlling Security Interlocks, Auto Operators & Time Delays	$688.00
VD900-BB	Battery backup Board	$181.00
VD900-BAT	Batteries Only (two 7A/hr Batteries)	$181.00
VD900-FA	Fire Alarm Relay (EIR) module is a plug-in relay to provide an interface with fire or other emer. override syst.	$92.00

99-Series Exit Trims

VD990DT
Plate Dim: 3"x 14-13/16"x 3/32"
Pull CTC: 5-1/2"

VD990NL
Plate Dim: 3"x14-13/16"x3/32"
Pull CTC:5-1/2"
Less Cylinder Requires Rim Cyl.

VD990TP-BE
Passage Thumbpiece

VD990TP
Plate Dim: 3"x14-13/16"x3/32"
Pull CTC:5-1/2"
Less Cylinder Requires Rim Cyl.

VD996L
Key Locks/Unlocks
VD996L-NL
Key Retracts Latchbolt
Plate Dim: 2-3/4"x10-3/4"x27/32"
Less Cylinder Requires Rim Cyl.

VD996L-BE-R/V
Passage
VD996L-DT-R/V
Dummy Trim

VDM996L-R/V
Electrified
Specify Handing

Stock finishes for trims are US26D & SP313. Other finishes are available for special order

Part #	Function	US26D	US10B, SP313	SPBLK	US10	US4	US3, US15 US26, 643E
VD990EO-R/V	Exit Only Trim Plate	$240.00	$240.00	$240.00	$300.00	$197.00	$271.00
VD990DT-R/V	Dummy Trim	$362.00	$378.00	$378.00	$378.00	$291.00	$394.00
VD990NL-R/V	Night Latch	$383.00	$399.00	$399.00	$399.00	$312.00	$415.00
VD990TP-R/V	Thumbpiece	$518.00	$532.00	$532.00	$518.00	$431.00	$557.00
VD996K-R/V	Knob	$636.00	$636.00	$636.00	$721.00	$535.00	$769.00
VD996L-R/V	Lever	$828.00	$969.00	$858.00	$858.00	$901.00	$785.00
VD996L-BE-R/V	Lever, Blank Escutcheon						
VD996L-DT-R/V	Lever, Dummy	$660.00	$801.00	$690.00	$733.00	$618.00	$769.00
VD996L-NL-R/V	Lever, Night Latch						
VDM996L-R/V-06-RHR or LHR-26D	Motorized Electrified Trim, 12 or 24 VDC, Fail Safe (FS) and Fail Secure (FSE) Field Selectable						$1,744.00

The pricing in this catalog is from December 2024. Prices are subject to change. Check our website, or call for current pricing.

9975-Series Mortise Exit Device

9875/9975 Mortise lock device for all types of single or double doors, UL listed for Panic exit hardware.
Fits stock hollow metal doors with 86 cutout and door stiles as narrow as 4-3/4" (121mm).
The 9875 device has a smooth mechanism case and the 9975 device has a grooved case.
The mortise lock device is non-handed except when the following device options are used: -2 (double cylinder) or SS (signal switch). See opposite page for available outside trim and device functions.
The 7500 Mortise lock is equipped with a 3/4" (19mm) anti-friction latch bolt which is field reversible without removing the lock from the door. It has a non-handed auxiliary bolt for deadlocking and a faceplate with an adjustable bevel.

Replacement 7500 Mortise Body



VD7500-32D $681.00

VDE7500-32D Electrified 24DVC Specify Fail Secure or Fail Safe $1,317.00





2-3/4" Backset

*996L trims are the same price as shown on the previous page,
Replace the "R/V" in the part number with "M" For Mortise

*Not all finishes in stock, call for availability *US15 & 32D available in 98 series only

Part #		US26D	US28	US32D	313	US10, US4	US3, US26 643E	315	US10B
VD9975EO-3'-	Exit Only,	$2,798	$2,573	$2,881	$2,679	$2,891	$3,212	$3,664	$3,094
VD9975EO-4'-	Exit Only,	$2,824	$2,599	$2,907	$2,705	$2,917	$3,238	$3,690	$3,120
VD9975EO-F-3'-	EO, Fire Rated	$3,102	$2,877	$3,185	$2,983	$3,195	$3,516	$3,968	$3,398
VD9975EO-F-4'-	EO, Fire Rated	$3,128	$2,903	$3,211	$3,009	$3,221	$3,542	$3,994	$3,424

Alarm Kits

The cylinder/key switch serves three functions:
• Silences the alarm
• Provides a 20-second delay in the alarm activation, allowing authorized personnel to use the exit
• Deactivates the alarm, allowing free use of the opening.
The key switch uses a standard 1-1/4" mortise cylinder.
The unit operates on two standard 9V transistor batteries.
When batteries are weak, the horn will emit an intermittent signal.
Includes a "EMERGENCY EXIT ONLY, ALARM WILL SOUND" decal for application on door.

VD22-ALK-28 or 313 $805.00
For 22 Series

VD33A-ALK-28 or 313 $907.00
For 33 Series

VD35A-ALK-28 or 313 $907.00
For 35 Series

VD98-ALK-28 or 313 $907.00
For 98 Series

VD99ALK-28 or 313 $907.00
For 99 Series

XP99-Series

This rim exit device, with its patented "smart latch bolt" design, raises both the security and safety capabilities for openings requiring exit devices.
This device can be used in door applications where security may be compromised by pull-force attacks or where door latching is weakened by deteriorating frame conditions.

XP latch provides increased security with it's 2 piece design

Part #		US26D	US28
VDXP99EO-3'-	Exit Only	$2,147	$1,950
VDXP99EO-F-3'-	EO, Fire Rated	$2,173	$1,976

Replacement Solenoids: VD050237 (12VDC FS & NFS), VD050240 (24VDC FS & NFS)

5100 Electric Strike

Electric strike for cylindrical and deadlatch locks

- Adjustable keeper improves fit on tight door preps
- Field selectable fail-safe/fail-secure
- Dual voltage: 12 VDC at 380 mA / 24 VDC at 190 mA
- Compatible with Schlage and Falcon cylindrical and deadlatch locks including those of many other manufacturers

- Meets ANSI/BHMA 156.31 Grade 1 endurance & dynamic strength
- Meets ANSI/BHMA 156.31 Grade 2 static strength
- UL 1034 burglary-resistant

Throw 1/2"- 5/8"
3 Faceplates Included



	Aluminum US28	Duranodic Dark Bronze 313AN	Black US19
VD5100-3FP-	$369.00		

Guard-X Exit Alarm

GUARD-X™ provides secure, alarmed code-compliant protection for seconday exits. GUARD-X™ exit alarm lock readily indentifies the door on which it is mounted as an emergency exit and secures the opening against unauthorized use.

- Heavy duty design - withstands up to 1600 pounds of static load against the door
- Security - does not allow relatching or resetting after an unauthorized exit except with key. 100 decibel alarm.
- Compliance - complies with NFPA 101® Life Safety Code. UL listed for Panic Exit Hardware (UL305).

		Aluminum US28	Duranodic Dark Bronze 313AN	Black 315AN
VD2670	36"-48" Door	$923.00		

6111 For Rim & SVR Exit Devices

Electric strike for use with rim exit devices on single doors or double doors with mullion applications (hollow metal, aluminum, or wood).



Part #		32D
VD6111-12VDC	Fail Secure	$1,277
VD6111-24VDC	Fail Secure	
VD6111-12VDC-FS	Fail Safe	$1,333
VD6111-24VDC-FS	Fail Safe	

6112 For Rim Exit Devices

Electric strike for use with rim exit devices on single door applications (hollow metal, aluminum or wood). Designed to replace Folger Adam 310-4, minor frame prep required.



Part #		32D
VD6112-12VDC	Fail Secure	$1,194
VD6112-24VDC	Fail Secure	
VD6112-12VDC-FS	Fail Safe	$1,253
VD6112-24VDC-FS	Fail Safe	

6121 For Rim Exit Devices

Electric strike for use with rim exit devices on double door applications, without mullion (hollow metal, aluminum or wood).Strike mounts on inactive leaf. Designed to replace Folger Adam 310-4-100.



Part #		32D
VD6121-12VDC	Fail Secure	$1,778
VD6121-24VDC	Fail Secure	
VD6121-12VDC-FS	Fail Safe	$1,837
VD6121-24VDC-FS	Fail Safe	

The pricing in this catalog is from December 2024. Prices are subject to change. Check our website, or call for current pricing.

6210 For Mortise Locks

For mortise locks without deadbolt on single door applications hollow metal frame applications and using ANSI prep at standard height.

Strike pocket inserts are provided to accommodate different manufacturer's deadlocking trigger locations.



Part #		32D
VD6210-12VDC	Fail Secure	$1,163
VD6210-24VDC	Fail Secure	
VD6210-12VDC-FS	Fail Safe	$1,222
VD6210-24VDC-FS	Fail Safe	

6211 For Mortise Locks

Electric strike for use with mortise locks without deadbolt or cylindrical locks on single door, hollow metal frame applications. Designed to replace Von Duprin 3140 or Folger Adam 712.

"DS" Dual Monitor Switch, add $203.00



Part #		32D
VD6211-12VDC	Fail Secure	$1,095
VD6211-24VDC	Fail Secure	
VD6211-12VDC-FS	Fail Safe	$1,154
VD6211-24VDC-FS	Fail Safe	

6211WF For Mortise Locks

Electric strike for use with mortise locks without deadbolt or cylindrical locks on single door, wood frame applications. Designed to replace Folger Adam 732.



Part #		32D
VD6211WF-12VDC	Fail Secure	$1,108
VD6211WF-24VDC	Fail Secure	
VD6211WF-12VDC-FS	Fail Safe	$1,167
VD6211WF-24VDC-FS	Fail Safe	

6214 For Mortise Locks

Electric strike for use with mortise locks without deadbolt or cylindrical locks on single door, hollow metal or aluminum frame applications (includes wood frame on retrofit applications). Designed to replace Folger Adam 310-2 3/4.



Part #		32D
VD6214-12VDC	Fail Secure	$1,425
VD6214-24VDC	Fail Secure	
VD6214-12VDC-FS	Fail Safe	$1,484
VD6214-24VDC-FS	Fail Safe	

6215 For Mortise Locks

Electric strike for use with mortise locks without deadbolt or cylindrical locks on single door, hollow metal or aluminum frame applications (includes wood frame on retrofit applications).
Designed to replace Folger Adam 310-2.



Part #		32D
VD6215-12VDC	Fail Secure	$1,278
VD6215-24VDC	Fail Secure	
VD6215-12VDC-FS	Fail Safe	$1,337
VD6215-24VDC-FS	Fail Safe	

6216 For Mortise Locks

For use with mortise locks with deadbolt 1" throw on single door, hollow metal or wood frame applications. Deadbolt must be manually operated.
Designed to replace Folger Adam 310-1.



Part #		32D
VD6216-12VDC	Fail Secure	$1,621
VD6216-24VDC	Fail Secure	
VD6216-12VDC-FS	Fail Safe	$1,680
VD6216-24VDC-FS	Fail Safe	